## Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Robert A. Weaver (Name of Applicant)
Route 4, Box 221, Hillsboro
State of, do hereby make application for a permit to construct the
following described reservoir and to store the unappropriated waters of the State of Oregon, subject to
existing rights.
If the applicant is a corporation, give date and place of incorporation
i, the approach to a corporation, give many in the contract of the corporation of the cor
1. The name of the proposed reservoir is
2. The name of the stream from which the reservoir is to be filled and the appropriation made is
a branch of McFee Creek The manual stream and Inthone
tributary of Tualatin River
3. The amount of water to be stored is the stored is acre feet.
4. The use to be made of the impounded water is irrigation (Irrigation, power, domestic supply, etc.)
5. The location of the proposed reservoir will be in Sec. 23
Tp. 2 Scuth, R. 3 West, W.M., in the county of Yamhill
(a) State whether situated in channel of running stream and give character of material at outlet
(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give
name and dimensions
··· ··································
6. The dam will be located in the SW2 of the NE2 , Sec. 23 ,
(Smallest legal subdivision)
Tp. 2 South R. 3 West, W.M. The maximum height will be Dec above stream bed or ground
surface on center line of dam. The length on top will be
bottom 100 feet; width on top feet; slope on front
or water side; slope on back; height of dam above water line (Feet horizontal to 1 vertical)
when fullfeet.
* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

10. The area submerged by the proposed reservoir, when full, will be acres.  with a maximum depth of water of feet: and approximate mean depth of water  feet.  11. The estimated cost of the proposed work is \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	7. The construction of dam, the material of which it is to be built, and method of protection from
8. The location of wasteway with dimensions are as follows:  BOTOM 3 AT TOP	engues are as tollow Carth filled and property
8. The location of wasteway with dimensions are as follows:  BOTOM 3 AT TOP	by the disjoint was some as so
8. The location of wasteway with dimensions are as follows:  BOTOM 3 AT TOP	of the fore position
BOTTOM 3 AT TOP 3 AT	
BOTTOM 3 AT TOP 3 AT	
9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows:  (A) are serve natural stream diametrimus to provide with 90 outlet conduit of each separation to past 180 outlet on the proposed post of the proposed reservoir, when full, will be acres.  10. The area submerged by the proposed reservoir, when full, will be get: and approximate mean depth of water of feet.  11. The estimated cost of the proposed work is \$ 3 (	8. The location of wasteway with dimensions are as follows: (State whether ever or around the data
9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows:  (A) are serve natural stream diametrimus to provide with 90 outlet conduit of each separation to past 180 outlet on the proposed post of the proposed reservoir, when full, will be acres.  10. The area submerged by the proposed reservoir, when full, will be get: and approximate mean depth of water of feet.  11. The estimated cost of the proposed work is \$ 3 (	
9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows:  (A) are serve natural stream diametrimus to provide with 90 outlet conduit of each separation to past 180 outlet on the proposed post of the proposed reservoir, when full, will be acres.  10. The area submerged by the proposed reservoir, when full, will be get: and approximate mean depth of water of feet.  11. The estimated cost of the proposed work is \$ 3 (	Located it edge of dans,
sions, are as follows:  (A) commence and stream advance pounds by possible with an outlet conduit of right accounts to put the companion of the proposed reservoir, when full, will be  10. The area submerged by the proposed reservoir, when full, will be  11. The estimated cost of the proposed work is \$  12. Construction work will begin on or before  13. Construction work will be completed on or before  14. This is to certify that I have examined the foregoing application, together with the accommunitying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  13. WITNESS my hand this  13. day of Marion.	BOTTOM 3 ft TOP 3ft derin 42 pt
10. The area submerged by the proposed reservoir, when full, will be acres.  with a maximum depth of water of feet: and approximate mean depth of water  feet.  11. The estimated cost of the proposed work is \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
10. The area submerged by the proposed reservoir, when full, will be acres.  with a maximum depth of water of feet: and approximate mean depth of water  feet.  11. The estimated cost of the proposed work is \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	sions, are as follows:  (All came across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the
10. The area submerged by the proposed reservoir, when full, will be get:  11. The estimated cost of the proposed work is \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	normal flow of the stream at any time)
state of oretain its priority, this application must be returned to the State Engineer, with corrections on or before  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  In order to retain its priority, this application must be returned to the State Engineer. With corrections on or before  In order to retain its priority, this application must be returned to the State Engineer. With corrections on or before  In order to retain its priority, this application must be returned to the State Engineer. With corrections on or before	
11. The estimated cost of the proposed work is \$ 3.00 C.C.  12. Construction work will begin on or before  13. Construction work will be completed on or before  14. Construction work will be completed on or before  15. Construction work will be completed on or before  16. Construction work will be completed on or before  17. Construction work will be completed on or before  18. Construction work will be completed on or before  19. Construction work will be completed on or before  20. Construction work will be completed on or before  21. Construction work will be completed on or before  22. Construction work will be completed on or before  23. Construction work will be completed on or before  24. Construction work will be completed on or before  25. Construction work will be completed on or before  26. Construction will be completed on or before  27. Construction work will be completed on or before  28. Construction work will be completed on or before	10. The area submerged by the proposed reservoir, when full, will be a submerged by the proposed reservoir, when full, will be a submerged by the proposed reservoir.
11. The estimated cost of the proposed work is \$  12. Construction work will begin on or before  13. Construction work will be completed on or before  14. Construction work will be completed on or before  15. Construction work will be completed on or before  16. Construction work will be completed on or before  17. Construction work will be completed on or before  18. Construction work will be completed on or before  19. Construction work will be completed on or before  19. Construction work will be completed on or before  19. Construction work will be completed on or before  19. Construction work will be completed on or before  19. Construction work will be completed on or before  19. Construction work will be completed on or before  19. Construction work will be completed on or before  19. Construction work will be completed on or before  19. Construction work will be completed on or before  19. Construction work will be completed on or before  19. Construction work will be completed on or before  19. Construction work will be completed on or before  19. Construction work will be completed on or before  19. Construction work will be completed on or before  19. Construction work will be completed on or before  19. Construction work will be completed on or before  19. Construction work will be completed on or before  19. Construction work will be completed on or before  19. Construction work will be completed on or before  20. Construction work will be completed on or before  21. Construction work will be completed on or before  22. Construction work will be completed on or before  23. Construction work will be completed on or before  24. Construction work will be completed on or before  25. Construction work will be completed on or before  26. Construction work will be completed on or before  27. Construction work will be completed on or before  28. Construction will be completed on or before  28. Construction work will be completed on or before  29. Construction will be completed on or before  29. Constructio	with a maximum depth of water of feet: and approximate mean depth of water
12. Construction work will begin on or before  13. Construction work will be completed on or before  14. Construction work will be completed on or before  15. Construction work will be completed on or before  16. County of Marion.  18. County of Marion.  18. County of Marion.  19. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  19. In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  19. County of Marion.  19. Co	
STATE OF OREGON.  County of Marion.  This is to certify that I have examined the foregoing application, together with the accommuning maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  WITNESS my hand this 13 day of Mario 1963	11. The estimated cost of the proposed work is \$
STATE OF OREGON.  County of Marion.  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  WITNESS my hand this 13 day of MARIO 1963	12. Construction work will begin on or before
This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  Hay 29 63  July 22 1963  WITNESS my hand this 13 day of Anoth 1963	13. Construction work will be completed on or before  To-lead (1)  3+ 4 (2)
This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  Hay 29 63  July 22 1963  WITNESS my hand this 13 day of Anoth 1963	STATE OF OPECON
This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  WITNESS my hand this 13 day of MASH 1963	ss.
In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  WITNESS my hand this 13 day of MANCH 1963	County of Marion.
In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before    13	This is to certify that I have examined the foregoing application, together with the accompanying
tions on or before    May 29   63     July 22   1963     WITNESS my hand this   13   day of	maps and data, and return the same for the s
tions on or before    May 29   63     July 22   1963     WITNESS my hand this   13   day of	In order to retain its priority, this application must be returned to the State Engineer, with correc-
WITNESS my hand this 13 day of PARSH 1963	
	<del>Yay 29</del> 63-
20th May 1963	<del>29 - Karoh - 63 -</del>
	ATTENDED TO A CONTRACT OF THE
9 STATE ENCINEER	TO THE ENCINEER
By Walt 4 / form	Wateley is

Remarks:
Sings the location of the reservain
land the 3/4 also will average
eand the fly acre with a day
approprimately 6 pt. ola 6.5 ft. with
feel that it will hold :
appear for acres flight all.
Fold Wase
and the state of t
STATE OF OREGON.
County of Marion,
This is to certify that I have examined the foregoing application and do hereby grant the same.
subject to the following limitations and conditions: The right herein granted is limited to the construction
of Weaver Reservoir and storage of water from an unnamed stream to be appropriated
under application No. 38438, permit No. 28875 for irrigation.
en en en en <del>en en e</del>
4.5 The right hereunder shall be limited to the storage of
The priority date of this permit is February 14, 1963
Actual construction work shall begin on or before  August 9, 1964  and
shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965.
WITNESS my hand this day of August 1963.
, •
Charles Torke Lander STATE ENGINEER

Application No. 17-38437

Reservoir Permit No. R-32,71

## **PERMIT**

ficial use the unappropriated waters of the To construct a reservoir and store for bene-State of Oregon.

on the 14 4 day of Letil 4 6 11 14 office of the State Engineer at Salem, Oregon, This instrument was first received in the 1963 at E.D. Octock H. M.

Returned to applicant:

Approved:

August 9, 1963

Powarded in Book No. 12

o

Reservoirs, on Page 3271

टामार गः भारतात्रम्

Drainage Basin No. 2 page 62 A20

State Engineer

I'ces