

RECEIVED

AUG 8 1961

STATE ENGINEER Reservoir Permit No. 3369  
SALEM, OREGON

### Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, The Bureau of Land Management  
(Name of Applicant)

of Box 338, Vale  
(Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is Lin Can Draw Reservoir

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Un-named  
tributary of Malheur

3. The amount of water to be stored is 1,000 acre feet.

4. The use to be made of the impounded water is stock raising  
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 26  
(Give sections or townships to be submerged)  
Tp. 21S., R. 31E., W.M., in the county of Wheeler

(a) State whether situated in channel of running stream and give character of material at outlet  
Not in channel of stream. Rock and silt.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions  
rock and silt.

6. The dam will be located in Box 338, Sec. 26,  
(Smallest legal subdivision)  
Tp. 21S., R. 31E., W.M. The maximum height will be 14 feet above stream bed or ground surface on center line of dam. The length on top will be 14 feet; length on bottom 14 feet; width on top 14 feet; slope on front or water side 1:1; slope on back 1:1; height of dam above water line when full 2 feet.  
(Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)

\* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: A keyway will be dug and filled with the best masonry or material taken from a pit in front of the reservoir. The dam will be built in layers not to exceed 6 inches and compacted with a cat and roller. The dam will be riprapped if necessary.

8. The location of wasteway with dimensions are as follows: Spillway on right side  
(State whether over or around the dam)

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: None (See Remarks)  
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

10. The area submerged by the proposed reservoir, when full, will be 1.5 acres, with a maximum depth of water of 2 feet; and approximate mean depth of water 3 feet.

11. The estimated cost of the proposed work is \$                     .

12. Construction work will begin on or before                                     .

13. Construction work will be completed on or before                                     .

Donald H. Hoyle  
(Signature of applicant)

Acting District Mgr

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for                                     .

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before                                     , 19          .

WITNESS my hand this            day of                                     , 19          .

STATE ENGINEER

By                                       
ASSISTANT

Remarks: This reservoir is to be constructed under provisions of the Taylor Grazing Act of June 30, 1934 as amended. The right of storage as granted herein is subject to the installation and maintenance of an outlet pipe or to provide other means to evacuate the stored water when determined by the state Engineer to be necessary to satisfy prior downstream rights.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of Tin Can Draw Reservoir and storage of water from an unnamed stream for live-stock and is subject to the installation and maintenance of an outlet pipe, or to provide other means to evacuate the stored water when determined by the State Engineer to be necessary to satisfy prior downstream rights.

The right hereunder shall be limited to the storage of 2.52 acre feet.

The priority date of this permit is August 8, 1963

Actual construction work shall begin on or before September 16, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965

WITNESS my hand this 16th day of September, 1963

*Christ A. ...*  
STATE ENGINEER

Application No. 1-2258107

Reservoir Permit No. R-3367

## PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1 day of August, 1961, at 4:30 o'clock P. M.

Returned to applicant:

Approved:

September 16, 1963

Recorded in Book No. 12 of

Reservoirs, on Page 3169

CHRIS L. WHEELER

State Engineer

Drainage Basin No. 10 page 12b

Fees .....