1921

*Reservoir Permit No. 3629 Since State of Oregon *Reservoir Permit No. 3629 *Aug. 1961 *Aug. 1961 *Reservoir Permit No. 3629 *Aug. 1961 *Aug. 1961 *Aug. 1961 *Reservoir Permit No. 3629 *Aug. 1961 *Aug. 1962 *Au

I, U. S. D. I. Bureau of Land Management Lakeview District (Name of Applicant)
of P. O. Box 429 Lakeview (Mailing Address)
State of
following described reservoir and to store the unappropriated waters of the State of Oregon, subject to
existing rights.
If the applicant is a corporation, give date and place of incorporation
existing 1. The name of the ***********************************
2. The name of the stream from which the reservoir is to be filled and the appropriation made Unnamed dry stream bed
tributary of
3. The amount of water to be stored is acre fee
4. The use to be made of the impounded water is Livestock (Irrigation, power, domestic supply, etc.)
5. The location of the proposed reservoir will be in Sec25
Tp27. S, R24. E, W.M., in the county of
(a) State whether situated in channel of running stream and give character of material at outle
Not a running stream, unnamed dry drainage
(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give
name and dimensions Filled by spring runeoff
6. The dam will be located in $SE^{\frac{1}{4}}$ $NW^{\frac{1}{4}}$ Sec. 25
6. The dam will be located in $SE_4^{\frac{1}{4}}$ $NW_4^{\frac{1}{4}}$, Sec. 25 (Smallest legal subdivision) Tp. 27 S , R. 24 E , W.M. The maximum height will be7 feet above stream bed or groun
surface on center line of dam. The length on top will be
bottom 160 feet; width on top 10 feet; slope on from
or water side; slope on back; height of dam above water lin (Feet horizontal to 1 vertical)
when full
* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secure without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

7. The construction of dam, the material of which it is to be built, and	method of protection from
waves are as follows: Existing structure was constructed by dozer	and/or carryall with
materials available at project site. No wave protection is ne	cessary.
8. The location of wasteway with dimensions are as follows:Around.	end of dam 16 feet
wide and 2 feet deep	
9. The location of outlet from the proposed reservoir, with character of	
sions, are as follows: See remarks (All dams across natural stream channels must be provided with an outlet conduit, of a	such capacity and location to pass the
normal flow of the stream at any time)	
10. The area submerged by the proposed reservoir, when full, will be	
with a maximum depth of water of feet; and approxi	mate mean depth of water
feet.	
11. The estimated cost of the proposed work is \$.24.	
12. Construction work will begin on or before Existing structure	
13. Construction work will be completed on or before 1941	
(Signature o	applicant)
District Manage	r (/
STATE OF OREGON,	
County of Marion,	
This is to certify that I have examined the foregoing application, together	er with the accompanying
maps and data, and return the same for	
In order to retain its priority, this application must be returned to the Sta	ate Engineer, with correc-
tions on or before	5
WITNESS my hand this day of	, 19
	STATE ENGINEER
By	
	ASSISTANT

Remarks: This project was constructed under prov	islons of the Taylor Grazing
Act of June 30, 193h as amended and defined by Act	of Congress of June 26, 1936
C. 842, stat. 1976.	
The right of storage af water as gran	ted herein is subject to the
installation and maintenance of an outlet pipe or t	o provide other means to
evacuate the stored water when determined by the St	
to satisfy prior downstream rights.	
	2
STATE OF OREGON, Ss.	
County of Marion,	
This is to certify that I have examined the foregoing applica	ation and do hereby grant the same,
subject to the following limitations and conditions: The right herein	granted is limited to the construction
of Stormy Waterhole Reservoir and storage of water f	
stock and is subject to the installation and mainten	ance of an outlet pipe, or to
provide other means to evacuate the stored water when	n determined by the State
Engineer to be necessary to satisfy prior downstream	rights.
The right hereunder shall be limited to the storage of	2.0 acre feet.
The priority date of this permit is	
Actual construction work shall begin on or before	
hall thereafter be prosecuted with reasonable diligence and be com	
WITNESS my hand this 5th day of December	
	7
	STATE ENGINEER

GA

prof

Application No. R36334

Reservoir Permit No. R-3629

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

office of the State Engineer at Salem, Oregon, 1961, at 8:00 o'clock A. This instrument was first received in the

Returned to applicant:

December 5, 1963

Recorded in Book No. \mathfrak{U}

Reservoirs, on Page 3629

CHRIS L. HERITA

State Engineer

Drainage Basin No. ... 12 ... page ^{2}P ...