

RECEIVED

AUG 8 1961

• Reservoir Permit No.

2221

STATE OF OREGON

SALEM, OREGON

**APPLICATION FOR A PERMIT TO CONSTRUCT A RESERVOIR AND TO
STORE FOR BENEFICIAL USE THE UNAPPROPRIATED
WATERS OF THE STATE OF OREGON**

to the Bureau of Land Management
(Name of Appellant)

at Box 330, Vale
(Mailing Address)

State of Oregon do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is Two Herk's Pond Dam.

2. The name of the stream from which the reservoir is to be filled and the appropriation made is

U.S. ARMY CORPS OF ENGINEERS

tributary of Metolius

3. The amount of water to be stored is acre feet.

4. The use to be made of the impounded water is Irrigation, power, domestic supply, etc.

5. The location of the proposed reservoir will be in Sec. 71, Twp. 22 S., R. 11 E., W.M. (Give sections or townships to be submerged)

Twp. 22 S., R. 11 E., W.M. in the county of Linn

(a) State whether situated in channel of running stream and give character of material at outlet

1. The outlet is situated in the channel of a running stream.

2. The outlet is situated in a dry bed or backwater.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions of canal, surface slope, etc.

6. The dam will be located in Sec. 71, Twp. 22 S., R. 11 E., W.M. (Smallest legal subdivision)

Twp. 22 S., R. 11 E., W.M. The maximum height will be feet above stream bed or ground surface on center line of dam. The length on top will be feet; length on

bottom triangular feet; width on top feet; slope on front

or water side feet horizontal to vertical, slope on back feet horizontal to vertical; height of dam above water line (feet horizontal to vertical)

when full feet.

Withdrawing or appropriating water to be used for the appropriaition of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: A concrete will be dry and filled with the following material taken from a pit 10 yards off the bottom of the reservoir. The material taken from a pit 10 yards off the bottom of the reservoir will be laid in layers not to exceed 12 inches and compacted tightly before filling the dam will be grappled firmly.

8. The location of wastewater with dimensions are as follows: (State whether over or around the dam)

9. The location of outlet from the proposed reservoir with character of construction and dimensions, are as follows: Five 1500 Dams. (All dams across natural stream channels must be provided with an outlet conduit of such capacity and location to pass the

normal flow of the stream at any time.
Normal flow of the stream at any time.)

10. The area submerged by the proposed reservoir when full will be _____ acres, with a maximum depth of water of _____ feet; and approximate mean depth of water _____ feet.

11. The estimated cost of the proposed work is \$ _____.

12. Construction work will begin on or before _____.

13. Construction work will be completed on or before _____.

D. Donato
Signature of applicant
County District Hwy.

STATE OF OREGON
STATE OF OREGON
County of Marion

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19____.

WITNESS my hand this _____ day of _____, 19____.

STATE ENGINEER

ASSISTANT

8831

Remarks: This reservoir is to be constructed under the Civilian Conservation Corps
Dredging Act of June 30, 1937, as amended. The right of dredging and water uses
granted herein is subject to the installation and maintenance of an outlet
pipe or to provide other means to evacuate the stored water when determined
by the state Engineer to be necessary to satisfy prior downstream rights.

STATE OF OREGON,
COUNTY OF MARION
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,
subject to the following limitations and conditions: The right herein granted is limited to the construction
of Two Forks Check Dam Reservoir and storage of water from an unnamed stream for
livestock, and is subject to the installation and maintenance of an outlet pipe or
to provide other means to evacuate the stored water when determined by the State
Engineer to be necessary to satisfy prior downstream rights.

The right hereunder shall be limited to the storage of 0.6 acre feet.

The priority date of this permit is August 8, 1961.

Actual construction work shall begin on or before January 7, 1965 and

shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966.

WITNESS my hand this 7th day of January, 1961.

John F. Stetzer
STATE ENGINEER
STATE OF OREGON

Application No. 11-13831

1 Rustinor Fermin N. R-13831

PERMIT

To reconstruct reservoir tank stored for diverse
purposes in the unappropriated waters of the
State of Oregon

Mais instrument will first received in the
office of the State Engineer at Salem Oregon,
on the 1st day of ~~January~~,
MS. at 1 P.M. or earlier if I
will

Returned to applicant:

Approved:

January 7, 1954.

Recorded in Book No. 14, of

Permits of Oregon, R-13831.

CHRIS L. WELLS,

State Engineer

Engineering Board No. 14, Oregon

Fees