

RECEIVED  
MAY 9 1955  
STATE ENGINEER  
SALEM, OREGON

Reservoir Permit No. **R-1750**

# Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

Rough & Ready Lbr. Co., by Lew F. Krauss  
(Name of Applicant)

of Box 222, Cave Junction  
(Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is Rough and Ready Mill Pond

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Rough and Ready Creek  
tributary of West Fork Illinois River

3. The amount of water to be stored is 57.6 acre feet.

4. The use to be made of the impounded water is Log pond.  
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 8  
(Give sections or townships to be submerged)  
Tp. 40 S., R. 8, W. M., in the county of Josephine

(a) State whether situated in channel of running stream and give character of material at outlet  
Not in channel. Rocky land with red clay mixture.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions Rough and Ready feed canal. 2 ft. bottom width, 1 ft. deep, Grade 5 ft. per 1000 ft.

6. The dam will be located in SW $\frac{1}{4}$  NW $\frac{1}{4}$  and SE $\frac{1}{4}$  NW $\frac{1}{4}$ , Sec. 8  
(Smallest legal subdivision)  
Tp. 40 S., R. 8 W., W. M. The maximum height will be 12.5 feet above stream bed or ground surface on center line of dam. The length on top will be 2100 feet; length on bottom 2100 feet; width on top 12 feet; slope of front or water side 2 $\frac{1}{2}$  to 1; slope on back 2 to 1; height of dam above water line when full 2 feet.  
(Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)

\* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Earth dam, clay material. 2 foot fressboard.

8. The location of wasteway with dimensions are as follows: two wasteways over dam. (State whether over or around the dam) Size 2 ft. deep, 2 ft. wide, length 40 ft. and size 2 ft. deep, 6 ft. wide, length 50 ft. Slope 2 ft. in 40 ft., 3" x 12" boards.

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: 2 outlets. one in SE 1/4 NE 1/4 and one in SW 1/4 NE 1/4 of Sec. 8, T. 40 S., R. 8 W., W.M., at NE and NW ends of dam. 18" concrete conduits 40 feet in length. Metal gates.

10. The area submerged by the proposed reservoir, when full, will be 7.2 acres, with a maximum depth of water of 10 feet; and approximate mean depth of water 8 feet.

11. The estimated cost of the proposed work is \$ 3000.00.

12. Construction work will begin on or before May 5, 1956.

13. Construction work will be completed on or before May 5, 1957.

Handwritten signature of Robert D. Best, Box 222, Corvallis, Ore.

STATE OF OREGON, } ss. County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before June 27, 1955.

WITNESS my hand this 26th day of May, 1955

LEWIS A. STANLEY STATE ENGINEER

By Robert D. Best, Assistant

bc

RECEIVED MAY 1 1955

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of Rough and Ready Mill Pond and the storage of water from Rough and Ready Creek to be appropriated under Application No. 29971, Permit No. 23609 for log pond and the dam shall be constructed under the supervision of a registered professional engineer.

The right hereunder shall be limited to the storage of 57.6 acre feet.

The priority date of this permit is May 9, 1955 for 28 acre feet; May 31, 1955 for 29.6 a.f.

Actual construction work shall begin on or before September 22, 1956 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1957.

WITNESS my hand this 22nd day of September, 19 55.

Lewis A. Stanley  
STATE ENGINEER

OK  
F.S.

Application No. *R-29970*  
Reservoir Permit No. *R-1750*

**PERMIT**

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the *9<sup>th</sup>* day of *May*, 19*55*, at *1:00* o'clock *P.*M.

Returned to applicant:

Approved: *September 22, 1955*  
Recorded in Book No. *6* of  
Reservoirs, on Page *R-1750*

*LEWIS A. STANLEY*  
STATE ENGINEER

Drainage Basin No. *15* page *367*

*Paid \$15.00*