

\* Reservoir Permit No. 3882

# Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, LYNN STONE (Name of Applicant)

of 199 POWELL CREEK ROAD (Mailing Address)

State of OREGON, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation ~~XXXXXXXXXXXX~~  
FIELDS ED STONE, INC 1 JAN 1953, PROVOLT, JOSEPHINE COUNTY

1. The name of the proposed reservoir is STONE SUMPS #1 - #2 & #3

#1 NW 1/4 SE 1/4 #2 SE 1/4 NE 1/4 #3 SW 1/4 S of SEC 12, T38S, R5W, W.M.  
#3 NW 1/4 SW 1/4 OF SEC 7 T38S, R4 W.W.M. #1 & 2 IN JOSEPHINE CTY.  
#3 IN JACKSON CTY.

2. The name of the stream from which the reservoir is to be filled and the appropriation made is

WASTE & SEEPAGE WATER FROM SURROUNDING LANDS WHICH IS NOW A  
tributary of APPLEGATE RIVER & WILLIAMS CREEK

3. The amount of water to be stored is #1 - 2 AC FT., #2 - 2 AC FT #3 - 4 acre feet.

4. The use to be made of the impounded water is IRRIGATION  
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir ~~will be in Sec.~~ #1 & 2 IN SEC 12  
(Give sections or townships to be submerged)

Tp. 38 S, R. 5 W, W.M., in the county of JOSEPHINE  
#3 IN SEC 7, T38S, R4 W.W.M. IN THE COUNTY OF JACKSON

(a) State whether situated in channel of running stream and give character of material at outlet  
NOT IN A CHANNEL

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions  
By WASTE & SEEPAGE WATERS NOW FORMING SWAMP AREAS IN THESE LOCATIONS. SUMPS TO BE DUG INTO GROUND TO TRAP & HOLD WATER

6. The dam will be located in NO DAMS INVOLVED - RESTRAINING WALLS Sec. \_\_\_\_\_  
(Smallest legal subdivision)

Tp. \_\_\_\_\_, R. \_\_\_\_\_, W.M. The maximum height will be \_\_\_\_\_ feet above stream bed or ground surface on center line of dam. The length on top will be \_\_\_\_\_ feet; length on bottom \_\_\_\_\_ feet; width on top \_\_\_\_\_ feet; slope on front or water side \_\_\_\_\_; slope on back \_\_\_\_\_; height of dam above water line when full \_\_\_\_\_ feet.

\* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

4/15

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: RESTRAINING WALLS AROUND SWAMPY AREAS WILL BE ROCK & STONE BACKFILL

8. The location of wasteway with dimensions are as follows: DIRECT OUTLET TO SPENCEIL DITCH ON #1 & #2 AND TO BRIDGE POINT DITCH ON #3 (State whether over or around the dam)

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: WATER TO BE PUMPED INTO EXISTING DITCHES SPENCEIL DITCH & BRIDGE POINT DITCH (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

10. The area submerged by the proposed reservoir, when full, will be 2 acres, with a maximum depth of water of 5 feet; and approximate mean depth of water 4 feet.

11. The estimated cost of the proposed work is \$ 500 00

12. Construction work will begin on or before 25 APRIL 1963

13. Construction work will be completed on or before 25 APRIL 1964

Lynn Stone  
(Signature of applicant)  
LYNN STONE, VICE PRESIDENT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion  
completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 23 63, 1963  
December 23, 1963.

WITNESS my hand this 23 day of May, 1963  
25 24 WNL October, 1963

RECEIVED  
DEC 11 1963  
STATE ENGINEER  
SALEM OREGON  
OCT 24 1963  
STATE ENGINEER  
SALEM OREGON

CHRIS L. WHEELER  
STATE ENGINEER  
By Walter Perry  
ASSISTANT

Remarks: WHILE THESE ~~EX~~ EXCAVATIONS ARE TERMED STONE SUMPS #1 #2 & #3 THEY WILL BE USED TO STORE WATER FOR FUTURE BENEFICIAL USE IN ADDITION TO FORMING A SUMP FOR PUMPING PURPOSES. WATER NOW GOING TO WASTE WILL BE HELD AND APPLIED BENEFICIALLY WHEN NORMAL WATER SUPPLY IS DEPLETED. WASTE & SEEPAGE WATER INVOLVED IS SURFACE WATER NOW RUNNING OFF IN <sup>HIWAY</sup> DRAIN DITCHES OR EVAPORATING IN SWAMP AREAS.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of Stone Reservoirs Nos. 1, 2 and 3 and the storage of water from waste and seepage to be appropriated under application No. 38698, permit No. 29199 for irrigation.

The right hereunder shall be limited to the storage of 8.0 acre feet; being 2.0 acre feet in Reservoir No. 1, 2.0 acre feet in Reservoir No. 2 and 4.0 acre feet in Reservoir No. 3

The priority date of this permit is October 24, 1963

Actual construction work shall begin on or before April 1, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966.

WITNESS my hand this 1st day of April, 1964

*Chris L. ...*

STATE ENGINEER

Application No. R-38697<sup>PC</sup>  
Reservoir Permit No. R-3882

**PERMIT**

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2<sup>nd</sup> day of May, 1963, at 1:00 o'clock P. M.

Returned to applicant:

Approved: April 1, 1964  
Recorded in Book No. 14 of  
Reservoirs, on Page 3882

CHRIS L. WHEELER  
State Engineer

Drainage Basin No. 15 page 164  
Fees \$ 15-00