

Reservoir Permit No. 3976

**Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon**

I, Hobin Lumber Co. (Name of Applicant)

of Box 414 Philomath (Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

Oregon Corporation, Aug. 1, 1959

1. The name of the proposed reservoir is Hobin Log Pond

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Mary's River (and ground water under permits #G 540 & 601) tributary of Willamette

3. The amount of water to be stored is 886 acre feet.

4. The use to be made of the impounded water is Log Pond & Lumber Mfg. (Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 12 & 13 (Give sections or townships to be submerged).

Tp. 12 S, R. 6 W, W.M., in the county of Benton

(a) State whether situated in channel of running stream and give character of material at outlet

Off Channel

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions Pump & Pipeline

6. The dam will be located in SE SW SW SE Sec. 12 & NW NE NE NW of Sec. 13 (Smallest legal subdivision)

Tp. 12 S, R. 6 W, W.M. The maximum height will be 8 feet above stream bed or ground surface on center line of dam. The length on top will be approx 1/4 mile feet; length on bottom — feet; width on top 13 feet; slope on front

or water side 2 1/2 : 1 slope on back 2 3/4 : 1 height of dam above water line

when full 2 feet.

\* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be obtained without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Earth fill - stiff boom and logs in pond break wave action - entire dike seeded to grass.

8. The location of wasteway with dimensions are as follows: over flow spillway and an overflow conduit on south side of pond.

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: none required  
(All dams across natural stream channels must be provided with an outlet conduit of such capacity and location to pass the normal flow of the stream at any time.)

10. The area submerged by the proposed reservoir, when full, will be 20 1/2 acres, with a maximum depth of water of 8 feet; and approximate mean depth of water 4 1/2 feet.

11. The estimated cost of the proposed work is \$ 7000.

12. Construction work will begin on or before

13. Construction work will be completed on or before Completed and in use

Hobbs Lumber Co.  
(Signature of applicant)  
By: Gordon K. Beck

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying plans and data, and return the same for ...

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ... 19 ...

WITNESS my hand this ... day of ... 19 ...

STATE ENGINEER

By

ASSISTANT



Application No. *R-39967*

Reservoir Permit No. *R-3976*

## PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the *16<sup>th</sup>* day of *June*, 19*64*, at *2:30* o'clock *P.* M.

Returned to applicant:

Approved:

July 3, 1964

Recorded in Book No. \_\_\_\_\_ of \_\_\_\_\_

Reservoirs, on Page **3976**

CHRIS L. WHEELER

State Engineer

Drainage Basin No. *2* page *19B*

Fees *\$15.00*