

Reservoir Permit No. 427

APPLICATION FOR A PERMIT TO CONSTRUCT A RESERVOIR AND TO STORE FOR BENEFICIAL USE THE UNAPPROPRIATED WATERS OF THE STATE OF OREGON

We, John Walch and J H Tyrrell

(Name of Applicant.)

of Lake Creek, County of Jackson, State of Oregon (Postoffice)

do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

Lost Lake Reservoir

1. The name of the proposed reservoir is

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Lost Creek Tributary of South Fork of Little Butte

3. The amount of water to be stored is 456 acre feet.

4. The use to be made of the impounded water is Irrigation to be appropriated under application No. 5989, Permit No. 3733, (Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 35 T 37 S R 2 E.W.M. (Give sections or townships to be submerged)

(a) State whether situated in channel of running stream and give character of material at outlet Situated in running channel and the material at the outlet will consist of a 20 inch galvanized tube

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in NW of NW Sec. 35 (Smallest legal subdivision)

*A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

Tp. 37 S, R. 2 E, W. M. It will be 35 feet in height, having a length
(No. N. or S.) (No. E. or W.)
 on top of 125 feet; length on bottom 15 feet; width on top 20 feet;
 slope of front or water side 6 in. per ft. ;
(Feet horizontal to 1 vertical)
 slope on back 2 in. per ft. ; height of dam above water
(Feet horizontal to 1 vertical)
 line when full 35 feet.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: The material of dam will consist of timber, rocks & dirt, and the protection from waves will be by a float

8. The location of wasteway with dimensions are as follows: The wasteway will be almost in center over the dam (State whether over or around the dam)

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: The outlet will be situated in the middle of the dam . The construction and dimensions being the 20-inch galvanized tube. (State whether through or around the proposed dam)

10. The area submerged by the proposed reservoir, when full, will be 21 acres, with a maximum depth of water of 40 feet, and approximate mean depth of water 22 feet.

11. The estimated cost of the proposed work is \$ 2,000

12. Construction work will begin on or before 8th of October, 1917

13. Construction work will be completed on or before _____

Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the Board of Control, accompany this application.

John Welch
(Name of applicant)
J H Tyrrell

Signed in the presence of us as witnesses:

(1) A H Thompson, Lakecreek, Or.
(Name) (Address of witness)
 (2) Ardon M Tyrrell, Lake Creek, Ore.
(Name) (Address of witness)

15

Application No. 5770

Reservoir Permit No. 427

PERMIT
TO CONSTRUCT A RESERVOIR AND STORE FOR
BENEFICIAL USE THE UNAPPROPRIATED
WATERS OF THE STATE OF OREGON

Division No. 1 District No.

*This instrument was first received in the office
of the State Engineer at Salem, Oregon, on the
2 day of October
1917, at 1:30 o'clock P.M.*

*Returned to applicant for correction
Jan 13, 1918*

*Corrected application received
March 20, 1918*

*Approved
Mar 30 1918*

*Recorded in Book No. 2 of Reservoirs on
Page 427*

John H Lewis

State Engineer.

1 map RS

\$8.99