4520

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

Morgan Bros. (Name of Apparent)
of Rt 1 Box 366 Dallas (Mailing Address)
State ofOregon
following described reservoir and to store the unappropriated waters of the State of Oregon, subject to
existing rights.
If the applicant is a corporation, give date and place of incorporation
1. The name of the proposed reservoir is
• • • • • • • • • • • • • • • • • • • •
2. The name of the stream from which the reservoir is to be filled and the appropriation made is
Baskett Slough
tr.butary of Rickreall Creek
2. The amount of water to be stored is 275 additional to original 210 acre feet
4. The use to be made of the impounded water is irrigation (Irrigation power, domestic supply, etc.)
5. The location of the proposed reservoir will be in Sec. 11-12 Give sections or townships to be submerged.
Tp. 7S R. 5W , W.M. in the county of Polk
(a) State whether situated in channel of running stream and give character of material at outle
Structure in channel of intermittent stream-heavy clay loam at outlet
(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give
name and dimensions
6. The dam will be located in NW1/4 of the NE1/4 , Sec. 11.
Tp. 7S R. 5W .W.M. The maximum height will be 245 feet above stream bed or ground
surface on center line of dam. The length on top will be 650 feet; length of
bottom 150 feet; width on top 12 feet; slope on fron
or water side 3:1 ; slope on back 2:1 : height of dam above water line (Feet horizontal to 1 vertical)
when full4.0feet. • A different form of application should be used for the appropriation of stored water to teneficial use. Such forms will be used for the appropriation of stored water to teneficial use.

7. The construction of dam, the material of which it is to be but, and nothed of traces in the
waves are as follows: Earth fill
8. The location of wasteway with dimensions are as follows: around South abutment
10' wide 2:1 side slopes
9. The location of outlet from the proposed reservoir, with character of construction and il win-
sign that as follows: 15" steel pipe encased - 30" riser (All dams across natural stream channels must be or world with an across that the constraint date of the constraint o
torra, flow of the stream at any times
and the second of the second o
10. The area submorged by the proposed reservoir, when full, will be
with a maximum depth of water of feet.
11. The estimated cost of the proposed work is \$ 3400
12. Construction work will begin on or before Nov. 1964
No. 1065
13. Construction work will be completed on ar bejon 1905
STATE OF OREGON.
STATE OF OREGON. $ \frac{1}{Ce^{-2} \sum_{i \in \mathcal{N}} Mamon_{i}} \sqrt{\frac{3n_{i}}{n_{i}}} $
This is to certify that I have enrouned the foregoing application is getter with the reservoir,
and the state of return the same for the
In order to retain its priority, this application must be settered to the State Engineer, with some z
tiones an archefore
WITNESS my hand this

Remarks:			
ti da sa			
····			
er er en er en men er en men er en men er en			
· · · · · · · · · · · · · · · · · · ·			
· · · · · · · · · · · · · · · · · · ·	····		
··· ·· ·· ·· ·· ·· ·· · · · · · · · ·			
	· · · · · · · · · · · · · · · ·		
••• • • • • • • • • • • • • • • • • •			
······································			
e en			
en e			
manana araba a			
· · · · · · · · · · · · · · · · · · ·	· · · · ·	· ·	
· · · · · · · · · · · · · · · · · · ·			
· · · · · · · · · · · · · · · · · · ·			
en e			
STATE OF OREGON, ss.			
County of Marion,			
This is to certify that I have examined the	ie foregoing applicati	on and do hereby gr	ant the same.
subject to the following limitations and condition	is: The right herein g	ranted is limited to th	e rodskykotkotk
ok enlargement of Morgan Brothers Rese	rvoir, constructed	d under permit No	. к-3093,
and storage of water from Baskett S	lough to be appro	p riat ed under app	lication
No. 40481 . permit No. 30166	for irrigation, a	nd the dam shall	te construc di
under the supervision of a registere	d professional en	gineer	
The right hereunder shall be limited to t	he storage of	275	acre feet.
The priority date of this permit is	Dece	ember 15, 1964	
Actual construction work shall begin on a	or before	ch 12, 1966	and
shall thereafter be prosecuted with reasonable o	liligence and be compl	eted on or before Oct	ober 1, 19 66
WITNESS my hand this12th day of			
	2	t. malin	
	Company 1	S	TATE ENGINEER

April and March & Low of the

Beservas Perenti No. 4520

PERMIT

for construct a reservoir and store for bene-ered use the uncapropriated waters of the State of Oregon.

This instrument was first received in the

on the Ash day of a forester office of the State Engineer at Salem, Oregon,

195 1. at 1855 o'clock . 1 M.

Returned to applicant:

Approved:

March 12, 1965

Recorded in Book No.
4520
Reservoirs, on Page

Chicle .. HELLER

Drainage Basin No. ... page 72.431.