March

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

(Name of Applicant)	
3130 N Cherry Ave.	
of Salem, Oregon (Mailing Address)	
State of, do hereby make application for a permit to construc	et the
following described reservoir and to store the unap ropriated waters of the State of Oregon, subjectively	ect to
existing rights.	
If the applicant is a corporation, give date and place of incorporation	
1. The name of the proposed reservoir is	*******
2. The name of the stream from which the reservoir is to be filled and the appropriation me	ade is
LHEHALEMI SREEM	• • • • • • • • • • • • • • • • • • • •
tributary of	
3. The amount of water to be stored is	e feet.
4. The use to be made of the impounded water is Irrigation (Irrigation, power, domestic supply, etc.)	
5. The location of the proposed reservoir will be in Sec. 25 (Give sections or townships to be submered with the section of the proposed reservoir will be in Sec. 25	-
Tp. 3S R. 3 W , W.M. in the county of Yamhill	
(a) State whether situated in channel of running stream and give character of material at	outiet
(b) If not in channel of running stream, state how it is to be filled. If through a feed cana	l, give
name and dimensions In Channel of Hunning Stream	
6. The dam will be located in Smallest legal subdivision.	
Tp. T. M.M. The maximum height will be feet above stream bed or g	ground
surface on center line of dam. The length on top will be	gth on
bottom	n front
or water side; slope on back; height of dam above wat	er line
when fullfeet. * A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310	e se nared

9. The location of outlet from the proposed reservoir, with character of construction and d sions, are as follows: All dams are as sollows: All dams are as sollows: 10. The area submerged by the proposed reservoir, when full, will be with a maximum depth of water of feet: and approximate mean depth of feet. 11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before 14. State of OREGON. State of OREGON. This is to certify that I have examined the foregoing application, together with the accorded may are i data, and return the same for	8. The location of wasteway with dimensions are as follows: 9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: All dama brown natural stream channels from the proposed reservoir, when full, will be acre to the stream of the str	waves are as follows: Responsible to the second of the sec	To a Break History Charles
8. The location of wasteway with dimensions are as follows: 9. The location of outlet from the proposed reservoir, with character of construction and d sions, are as follows: 10. The area submerged by the proposed reservoir, when full, will be with a maximum depth of water of feet: and approximate mean depth of feet: 11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before 14. Construction work will be completed on or before and approximate weather with the accompanies and data, and return the same for the order to retain its priority, this application must be returned to the State Engineer, with a linear work of retain its priority, this application must be returned to the State Engineer, with a linear work of retain its priority, this application must be returned to the State Engineer, with a linear work of the state Engineer.	8. The location of wasteway with dimensions are as follows: 9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: 10. The area submerged by the proposed reservoir, when full, will be acressed to the stream of the str	Minte 12	
9. The location of outlet from the proposed reservoir, with character of construction and d sions, are as follows: (All dams serous natural stress channels must be provided with an outlet conduct of such aspectly and location to remain flow of the stress strang teny time? 10. The area submerged by the proposed reservoir, when full, will be with a maximum depth of water of feet: and approximate mean depth of feet. 11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before STATE OF OREGON. St. County of Marion. This is to certify that I have examined the foregoing application, together with the according and data, and return the same for the conduction must be returned to the State Engineer, with a linear order to retain its priority, this application must be returned to the State Engineer, with a linear order to retain its priority, this application must be returned to the State Engineer, with a linear order to retain its priority, this application must be returned to the State Engineer, with a linear order to retain its priority, this application must be returned to the State Engineer.	9. The location of outlet from the proposed reservoir, with character of construction and dime sions, are as follows: All dama scress natural stress channels must be provided with an outlet cond of some assectly and location to general flow of the stream at any time? 10. The area submerged by the proposed reservoir, when full, will be acressith a maximum depth of water of feet: and approximate mean depth of water feet. 11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before feet. 13. Construction work will be completed on or before from the street of anything of Marion. This is to certify that I have examined the foregoing application, together with the accompany man and data, and return the same for. In order to retain its priority, this application must be returned to the State Engineer, with correlation of the state Engineer, with correlations are street from the same for the state Engineer, with correlations are street from the same for the state Engineer, with correlations are street from the same for the state Engineer, with correlations are street from the same for the state Engineer, with correlations are street from the same for the state Engineer, with correlations are street from the same for the state Engineer with correlations are street from the same for the state Engineer with correlations are street from the same for the state Engineer with correlations are street from the same for the street from the same for the street Engineer with correlations are street from the same for the street from the street from the same for the street from the street from the same for the street from th	······································	
9. The location of outlet from the proposed reservoir, with character of construction and d sions, are as follows: AR Q	9. The location of outlet from the proposed reservoir, with character of construction and dime sions, are as follows: All dama scress natural stress channels must be provided with an outlet cond of some assectly and location to general flow of the stream at any time? 10. The area submerged by the proposed reservoir, when full, will be acressith a maximum depth of water of feet: and approximate mean depth of water feet. 11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before feet. 13. Construction work will be completed on or before from the street of anything of Marion. This is to certify that I have examined the foregoing application, together with the accompany man and data, and return the same for. In order to retain its priority, this application must be returned to the State Engineer, with correlation of the state Engineer, with correlations are street from the same for the state Engineer, with correlations are street from the same for the state Engineer, with correlations are street from the same for the state Engineer, with correlations are street from the same for the state Engineer, with correlations are street from the same for the state Engineer, with correlations are street from the same for the state Engineer with correlations are street from the same for the state Engineer with correlations are street from the same for the state Engineer with correlations are street from the same for the street from the same for the street Engineer with correlations are street from the same for the street from the street from the same for the street from the street from the same for the street from th	· · · · · · · · · · · · · · · · · · ·	
9. The location of outlet from the proposed reservoir, with character of construction and d sions, are as follows: AR 3	9. The location of outlet from the proposed reservoir, with character of construction and dime sions, are as follows: All dama scress natural stress channels must be provided with an outlet cond of some assectly and location to general flow of the stream at any time? 10. The area submerged by the proposed reservoir, when full, will be acressith a maximum depth of water of feet: and approximate mean depth of water feet. 11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before feet. 13. Construction work will be completed on or before from the street of anything of Marion. This is to certify that I have examined the foregoing application, together with the accompany man and data, and return the same for. In order to retain its priority, this application must be returned to the State Engineer, with correlation of the state Engineer, with correlations are street from the same for the state Engineer, with correlations are street from the same for the state Engineer, with correlations are street from the same for the state Engineer, with correlations are street from the same for the state Engineer, with correlations are street from the same for the state Engineer, with correlations are street from the same for the state Engineer with correlations are street from the same for the state Engineer with correlations are street from the same for the state Engineer with correlations are street from the same for the street from the same for the street Engineer with correlations are street from the same for the street from the street from the same for the street from the street from the same for the street from th	8. The location of wasteway with dimensions are as follows	State whether over an around the dam
9. The location of outlet from the proposed reservoir, with character of construction and d sions, are as follows: AR 3	9. The location of outlet from the proposed reservoir, with character of construction and dime sions, are as follows: All dama series instruction and investigation in the proposed reservoir, when full, will be accepted with an outlet road at or such assettly and located to prove the stream at any time. 10. The area submerged by the proposed reservoir, when full, will be feet; and approximate mean depth of wat feet. 11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before STATE OF OREGON. Courts of Marion. This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections of the proposed with the accompany.		
sions, are as follows: All dams across natural stream channels must be provided with an oblight conduct of such capacity and located to rectain the stream at any time? 10. The area submorged by the proposed reservoir, when full, will be with a maximum depth of water of feet: and approximate mean depth of feet: and approximate mean depth of feet. 11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before for the proposed work will be completed on or before for the proposed work will be completed on or before for the proposed work will be completed on or before for the proposed work will be completed on the proposed work in the proposed work in the proposed work is \$ 12. Construction work will be completed on or before for the proposed work will be completed on the proposed work in the proposed work in the proposed work is \$ 13. Construction work will be completed on the foregoing application, together with the accordance work data, and return the same for the proposed work is \$ In order to retain its priority, this application must be returned to the State Engineer, with the accordance of the proposed work is \$ 14. The accordance of the proposed work is \$ 15. Construction work will be completed on or before for the proposed work is \$ 16. Construction work will be completed on or before for the proposed work is \$ 17. Construction work will be completed on or before for the proposed work is \$ 18. Construction work will be completed on or before for the proposed work is \$ 19. Construction work will be completed on or before for the proposed work is \$ 19. Construction work will be completed on or before for the proposed work is \$ 19. Construction work will be completed on or before for the proposed work is \$ 19. Construction work will be completed on or before for the proposed work is \$ 19. Construction work will be completed on or before for the pr	sions, are as follows: I ARRA dama screen natural stream channels must be provided with an outliet cond it of such appacity and located to a such a second provided with an outliet cond it of such as pacity and located to a such a second provided with an area of the stream it are time? 10. The area submerged by the proposed reservoir, when full, will be acres with a maximum depth of water of feet; and approximate mean depth of water feet. 11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before 13. Construction work will be completed on or before 13. Construction work will be completed on or before 13. This is to certify that I have examined the foregoing application, together with the accompany may are data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections and the state Engineer with corrections.	ENDOF FAM	
sions, are as follows: All dams across natural stream channels must be provided with an outlet conduct of such capacity and located to record to the stream at any time? 10. The area submerged by the proposed reservoir, when full, will be with a maximum depth of water of feet: and approximate mean depth of feet: and approximate mean depth of feet. 11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before 14. Starte of OREGON. Starte of OREGON. This is to certify that I have examined the foregoing application, together with the according and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with control or the state Engineer with the application with the according to the state Engineer.	sions, are as follows: I ARRA dama screen natural stream channels must be provided with an outliet cond it of such appacity and located to a such a second provided with an outliet cond it of such as pacity and located to a such a second provided with an area of the stream it are time? 10. The area submerged by the proposed reservoir, when full, will be acres with a maximum depth of water of feet; and approximate mean depth of water feet. 11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before 13. Construction work will be completed on or before 13. Construction work will be completed on or before 13. This is to certify that I have examined the foregoing application, together with the accompany may are data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections and the state Engineer with corrections.		
10. The area submerged by the proposed reservoir, when full, will be with a maximum depth of water of feet: and approximate mean depth of	Old dams are natural recem channels must be provided with an outlet read at order capacity and location to past a provided with an aximum depth of water of feet; and approximate mean depth of water feet. 10. The area submerged by the proposed reservoir, when full, will be acressed with a maximum depth of water of feet; and approximate mean depth of water feet. 11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before 13. Construction work will be completed on or before 13. Construction work will be completed on or before 15. Construction work will be completed on or bef	9. The location of outlet from the proposed reservoir, with	character of construction and dimen
10. The area submerged by the proposed reservoir, when full, will be with a maximum depth of water of feet: and approximate mean depth of feet: 11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before 14. Starte of OREGON. SS. County of Marion. This is to certify that I have examined the foregoing application, together with the accompanies and data, and return the came for the order to retain its priority, this application must be returned to the State Engineer, with a line order to retain its priority, this application must be returned to the State Engineer, with a line order to retain its priority, this application must be returned to the State Engineer, with a line order to retain its priority, this application must be returned to the State Engineer, with a line of the state Engineer.	Old dams are natural recem channels must be provided with an outlet read at order capacity and location to past a provided with an aximum depth of water of feet; and approximate mean depth of water feet. 10. The area submerged by the proposed reservoir, when full, will be acressed with a maximum depth of water of feet; and approximate mean depth of water feet. 11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before 13. Construction work will be completed on or before 13. Construction work will be completed on or before 15. Construction work will be completed on or bef		
10. The area submerged by the proposed reservoir, when full, will be with a maximum depth of water of feet: and approximate mean depth of feet: 11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before for the construction work will be completed on or before for the proposed of the proposed work is \$ STATE OF OREGON. County of Marion, This is to certify that I have examined the foregoing application, together with the according maximum data, and return the same for the proposed work is \$ In order to retain its priority, this application must be returned to the State Engineer, with the according to the state Engineer.	10. The area submerged by the proposed reservoir, when full, will be acrewith a maximum depth of water of feet; and approximate mean depth of water of feet; and approximate mean depth of water of feet. 11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before for the proposed work will be completed on or before for the proposed work will be completed on or before for the proposed work will be completed on or before for the proposed work will be completed on or before for the proposed work will be completed on or before for the proposed work will be completed on or before for the proposed work will be completed on or before for the proposed work will be completed on or before for the proposed work will be completed on or before for the proposed work will be completed on or before for the proposed work will be completed on or before for the proposed work will be completed on or before for the proposed work will be completed on or before for the proposed work is \$ 12. Construction work will be completed on or before for the proposed work is \$ 12. Construction work will be completed on or before for the proposed work is \$ 12. Construction work will be completed on or before for the proposed work is \$ 12. Construction work will be completed on or before for the proposed work is \$ 12. Construction work will be completed on or before for the proposed work is \$ 12. Construction work will be completed on or before for the proposed work is \$ 12. Construction work will be completed on or before for the proposed work is \$ 12. Construction work will be completed on or before for the proposed work is \$ 12. Construction work will be completed on or before for the proposed work is \$ 12. Construction work will be completed on or before for the proposed work is \$ 12. Construction work will be completed on or before for the proposed work is \$ 12. Construction work will be completed on or before for the proposed work is \$ 12. Construction work will be completed on or before for the proposed w	(All dams across natural stream channels must be provided with an ou	tlet conduit of such capacity and location to pass the
state of Oregon. This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for	with a maximum depth of water of	normal flow of the stream at any time)	
state of Oregon. This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for	with a maximum depth of water of	10. The area submerged by the proposed reservoir when full	will be 7 4
11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before STATE OF OREGON. Ss. County of Marion, This is to certify that I have examined the foregoing application, together with the according many and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with or	11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before 13. Construction work will be completed on or before STATE OF OREGON. Ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyly many and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections of the state Engineer with the sta		
11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before STATE OF OREGON. Ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompanient and data, and return the same for	11. The estimated cost of the proposed work is \$ 12. Construction work will begin on or before 13. Construction work will be completed on or before State OF OREGON. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany many and data, and return the same for		the approximate mean acpair of water
12. Construction work will be completed on or before 13. Construction work will be completed on or before STATE OF OREGON. Ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompanies and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with or	12. Construction work will be completed on or before 13. Construction work will be completed on or before State Of Oregon. Ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany many and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corre		
STATE OF OREGON. Ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompanion and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with the accompanion of the state Engineer.	STATE OF OREGON. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany man and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corre		
STATE OF OREGON. Ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompanion and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with control or the state and the same for	STATE OF OREGON. Ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany man and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corre	/	
STATE OF OREGON. Ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompanion and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with o	STATE OF OREGON. Ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany man and data, and return the same for		
STATE OF OREGON. Ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompanion and data, and return the same for	STATE OF OREGON. Ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany materiard data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corresponding to the state and the state in the same for	······································	Signature of applicant
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanion and data, and return the same for	County of Marion, This is to certify that I have examined the foregoing application, together with the accompany many and data, and return the same for		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanion and data, and return the same for	County of Marion, This is to certify that I have examined the foregoing application, together with the accompany many and data, and return the same for		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanies and data, and return the same for	County of Marion, This is to certify that I have examined the foregoing application, together with the accompany many and data, and return the same for	STATE OF OREGON.	
This is to certify that I have examined the foregoing application, together with the accompanies and data, and return the same for	This is to certify that I have examined the foregoing application, together with the accompany many and data, and return the same for	i ·	
In order to retain its priority, this application must be returned to the State Engineer, with c	In order to retain its priority, this application must be returned to the State Engineer, with corre		ation together with the accommonsis
In order to retain its priority, this application must be returned to the State Engineer, with o	In order to retain its priority, this application must be returned to the State Engineer, with corre		ar in the arrange is
In order to retain its priority, this application must be returned to the State Engineer, with c	In order to retain its priority, this application must be returned to the State Engineer, with corre		
tions on or hefore	tions on or before		nea to the State Engineer, with correc
		tions on or hefore	

STATE ENGINEER

Remarks:
•
<u></u>
<u> </u>
<u></u>
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions: The right herein granted is limited to the construction of reservoir and storage of water from Chehalem Creek, to be appropriated under application No. 40716, permit No. 30329 for irrigation.
The right hereunder shall be limited to the storage of 8.5 acre feet
The priority date of this permit is April 1, 1965
Actual construction work shall begin on or before May 24, 1966 and
shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 67
WITNESS my hand this 24th day of May , 19 65
STATE ENGINEER

Application No. 17-4:715
3559
Reservoir Permit No.

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the

on the 1st day of April.,
1962, at 9: " o'clock A. M. office of the State Engineer at Salem, Oregon,

Returned to applicant:

Approved:

May 24, 1965

Recorded in Book No.

Reservoirs, on Page 45559

CHRIS L. WHEELER

Drainage Basin No. 2 page 76. A3/ Fees 15 4

State Engineer