

RECEIVED
APR 30 1963

* Reservoir Permit No. 4568

CERTIFICATE NO. 35688

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Gladys Smith
(Name of Applicant)

of 22865 W. Baseline, Hillsboro, Oregon
(Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is unnamed

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Beaverton Creek (also known as Waller Cr. Cedar Creek)
tributary of Rock Creek, trib. to Tualatin River

3. The amount of water to be stored is 2.8 acre feet.

4. The use to be made of the impounded water is Fish Pond
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 34 & 3
(Give sections or townships to be submerged)
Tp. 1N&1S, R. 2W, W.M., in the county of Washington

(a) State whether situated in channel of running stream and give character of material at outlet
Off-channel

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions
By pumping

6. The dam will be located in SE 1/4 & NE 1/4, Sec. 34 & 3,
(Smallest legal subdivision)
Tp. 1N&1S, R. 2W, W.M. The maximum height will be 6 feet above stream bed or ground surface on center line of dam. The length on top will be 420 feet; length on bottom 400 feet; width on top 6 feet; slope on front or water side 2 1/2:1; slope on back 2:1; height of dam above water line when full 2 feet.
(Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Earth Fill-- Entire pond is partial excavation & fill

.....
.....
.....

8. The location of wasteway with dimensions are as follows: Two eight inch overflow
(State whether over or around the dam)
steel pipes located at the north & south ends of dam

.....
.....

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows:
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

10. The area submerged by the proposed reservoir, when full, will be 0.4 acres, with a maximum depth of water of 8 to 9 feet; and approximate mean depth of water 7 feet.

11. The estimated cost of the proposed work is \$ completed 700.00

12. Construction work will begin on or before completed

13. Construction work will be completed on or before completed

x Gladys Smith
(Signature of applicant)

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

Application No. R-40798^{pe}
4568
Reservoir Permit No.

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of April, 1965, at 8:00 o'clock A.M.

Returned to applicant:
.....

Approved:
June 25, 1965

Recorded in Book No. of
Reservoirs, on Page **4568**
CHRIS L. WHEELER
.....
State Engineer

Drainage Basin No. 2 page CR-23
Fees \$15.00