

RECEIVED RECEIVED  
JUL 1 1965 JUL 22 1965  
STATE ENGINEER SALEM OREGON  
STATE ENGINEER SALEM OREGON

CERTIFICATE NO. 35300

Reservoir Permit No. 4603

### Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, BILL W. SAUSAGE  
(Name of Applicant)

of RT. 1 Box 687 OREGON CITY  
(Mailing Address)

State of OREGON, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is SAUSAGE POND

2. The name of the stream from which the reservoir is to be filled and the appropriation made is HAS NO NAME BUT IS A tributary of BEAVER CREEK

3. The amount of water to be stored is 15,000 GALLONS 0.9 <sup>35</sup> ~~1000~~ feet.

4. The use to be made of the impounded water is WATERING STOCK  
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 8 of ~~Range 15 North Township 35~~ <sup>8</sup> Tp. 35, R. 2E, W.M., in the county of CLACKAMAS  
(Give sections or townships to be submerged)

(a) State whether situated in channel of running stream and give character of material at outlet  
IS SITUATED IN CHANNEL OF STREAM - STEEL REINFORCED CEMENT SPILLWAY AT OUTLET WHERE STREAM CONTINUES.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions:

SEE REMARKS

6. The POND will be located in NW 1/4 SW 1/4 ~~Range 15 North Township 35~~, Sec. 8  
(Smallest legal subdivision)

Tp. 35, R. 2E, W.M. The maximum height will be 2 feet above stream bed or ground surface on center line of dam. The length on top will be 16 feet; length on bottom 16 feet; width on top 4 feet; slope on front or water side VERT; slope on back VERT; height of dam above water line when full 2 feet.  
(Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)

\* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

11223

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: REINFORCED STEEL & CONCRETE

8. The location of wasteway with dimensions are as follows: (State whether over or around the dam)

OVER DAM THE SPILLWAY WILL BE AROUND THE WEST END OF THE POND AND BE 16' WIDE ON TOP, 6 FEET ON THE BOTTOM & 2 1/2 FEET DEEP.

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: OUTLET ON WEST END OF RESERVOIR - STREAM ENTERS

(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)  
ON EAST END OF RESERVOIR - INTO RESERVOIR - OUT & BACK INTO STREAM ON WEST END OF RESERVOIR.

10. The area submerged by the proposed reservoir, when full, will be 0.3 acres, with a maximum depth of water of 3 1/2 feet; and approximate mean depth of water 3 feet.

11. The estimated cost of the proposed work is \$ 1,000.00

12. Construction work will begin on or before CONSTRUCTED IN 1961

13. Construction work will be completed on or before COMPLETED IN 1961

Bill W. Savage  
(Signature of applicant)

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before Oct. 13, 1965.

WITNESS my hand this 13th day of August, 1965.

RECEIVED  
SEP 15 1965  
STATE ENGINEER  
SALEM, OREGON  
CHRIS L. WHEELER  
STATE ENGINEER  
Walter King  
ASSISTANT

Remarks: ~~THE~~ RESERVOIR ~~WAS~~ <sup>IS</sup> AN EXCAVATED PIT 120' X 114' X 5' WITH AN AVERAGE WATER DEPTH OF 3 FEET. A CONCRETE OUTLET STRUCTURE HAS BEEN CONSTRUCTED WHICH SERVES AS THE SPILLWAY AND IS DESCRIBED UNDER ITEM 8.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of Savage Reservoir and storage of water from an unnamed tributary of Beaver Creek to be appropriated under application No. 41196 permit No. 30615 for stock water.

The right hereunder shall be limited to the storage of 0.9 acre feet.

The priority date of this permit is July 22, 1965

Actual construction work shall begin on or before October 29, 1966 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967.

WITNESS my hand this 29th day of October, 1965.

*[Signature]*  
STATE ENGINEER

Application No. R-41195-2

Reservoir Permit No. 4603

**PERMIT**

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22nd day of July, 1965, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

October 29, 1965

Recorded in Book No. \_\_\_\_\_ of \_\_\_\_\_

Reservoirs, on Page 4603

CHRIS L. WHEELER  
State Engineer

Drainage Basin No. 2 page 7.A.3.2

Fees \$15.00