

RECEIVED RECEIVED

JUL 28 1965

SEP 13 1965

STATE ENGINEER SALEM, OREGON

STATE ENGINEER SALEM, OREGON

Reservoir Permit No. R 4664

CERTIFICATE NO. 35583

# Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, JOHN KIRK WOOD BUSTON  
(Name of Applicant)

of NEETSU - OREGON  
(Mailing Address)

State of OREGON, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is NONE

2. The name of the stream from which the reservoir is to be filled and the appropriation made is NONE - UNNAMED STREAM

tributary of (152460)

3. The amount of water to be stored is 1.75 acre feet.

4. The use to be made of the impounded water is IRRIGATION  
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 35 NE 1/4  
(Give sections or townships to be submerged)

Tp. 6S, R. 11W, W.M., in the county of LINCOLN

(a) State whether situated in channel of running stream and give character of material at outlet  
No

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions FEED CANALS 300 FT x 50 FT Long  
TAPPING SPRING WATER STORED IN POND  
IN A DRAW

6. The dam will be located in Gov Lot 2 SE 1/4 SE 1/4, Sec. 35  
(Smallest legal subdivision)

Tp. 6S, R. 11, W.M. The maximum height will be 0 feet above stream bed or ground

surface on center line of dam. The length on top will be EXCAVATED POND feet; length on

bottom (Pond) 370 feet; width on top (Pond) 30 to 35 feet; slope on front

or water side \_\_\_\_\_; slope on back \_\_\_\_\_; height of dam above water line

when full \_\_\_\_\_ feet.

\* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

STORAGE POND APPROX 1/4 ACRE

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: THIS RESEVOIR IS MERELY A POND Dug By DRAGLINE IN A Bog of PEAT WHICH IS OVER FLOW WATER FROM SPRINGS etc.

8. The location of wasteway with dimensions are as follows: MERELY RUN OFF FROM POND BACK INTO Bog WHEN OVER FLOWING

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: 30 FT DNE FROM N FROM NW CORNER (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time) SEE 35 Gov. Act 2 SECTION 2

T to S RIL W/M Pumped out

10. The area submerged by the proposed reservoir, when full, will be 1/4 acres, with a maximum depth of water of 8 FT feet; and approximate mean depth of water 6 FT feet.

11. The estimated cost of the proposed work is \$ 1500.00

12. Construction work will begin on or before FINISHED JULY 6, 1964

13. Construction work will be completed on or before JULY 6, 1964

J. Kirk Button (Signature of applicant)

STATE OF OREGON, } ss. County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 14th, 1965 February 14th, 1966

WITNESS my hand this 14th day of October, 1965 December

RECEIVED STATE ENGINEER SALEM OREGON

RECEIVED DEC 1 1965 STATE ENGINEER SALEM OREGON

CHRIS L. WHEELER

By [Signature] ASSISTANT

RECEIVED JAN 12 1966 STATE ENGINEER SALEM OREGON

Remarks: <sup>1/4</sup> POND IS APPROX. 1/4 ACRE  
DUG APPROX 2 FT DEEP WITH A DRAGLINE  
TO STORE WATER FROM SPRINGS  
FLOWING DOWN TO A BOG. WATER USED TO  
IRRIGATE GOLF COURSE GREENS & TEES.

POND IS LOCATED  
30 FT NNE FROM  
N FROM NW CORNER  
SEC. 35 GOV. LOT 2 SECTION 2  
T 7S R 11 W WM

I found this reservoir to be in the form of a large shallow well, collecting ground water. The surface of the water in the reservoir being lower than the surrounding ground. There are no live streams in the vicinity of the reservoir, however there are several small streams feeding into the marsh where the reservoir is located.

Joseph O. Steen  
Reg. Engr. # 4583

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of a reservoir and storage of water from an unnamed stream to be appropriated under application No. 41365, permit No. 30900 for irrigation

The right hereunder shall be limited to the storage of 1.75 acre feet.

The priority date of this permit is September 13, 1965.

Actual construction work shall begin on or before April 7, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968..

WITNESS my hand this 7th day of April, 1966.

*Chris L. Wheeler*  
STATE ENGINEER

Proof

PL

Application No. R 41364  
Reservoir Permit No. R 4664

**PERMIT**

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of September, 1965, at 8.00 o'clock P. M.

Returned to applicant:

Approved:

April 7, 1966

Recorded in Book No. R 4664 of Reservoirs, on Page       

CHRIS. L. WHEELER  
State Engineer

Drainage Basin No. 18 page 67  
Fees \$15