

\* Reservoir Permit No. R. 4278 TATE ENGINEER SALEM OREGON

## Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, RICHARD N. VON (Name of Applicant)
ofROUTE 2, BOX 180-A MACMINNVILLE,
State ofOREGON, do hereby make application for a permit to construct the
following described reservoir and to store the unappropriated waters of the State of Oregon, subject to
existing rights.
If the applicant is a corporation, give date and place of incorporation
1. The name of the proposed reservoir is
2. The name of the stream from which the reservoir is to be filled and the appropriation made is
FALL CREEK
tributary ofPANTHER CREEK
3. The amount of water to be stored is 9.00 acre feet
4. The use to be made of the impounded water isRecreation (Fishing and Swimming)
5. The location of the proposed reservoir will be in Sec. 20 (Give sections or townships to be subfrierged)
Tp. 3S , R. 5W , W.M., in the county of YAMHILL
(a) State whether situated in channel of running stream and give character of material at outles
DAM IS NOT IN CHANNEL OF STREAM ** LIGHT CLAY LOAM WITH UNDERLYING
CRYSTALLINE ROCK
(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give
name and dimensions WATER TO BE DIVERTED FROM STREAM CHANNEL BY A 10 INCH
PIPE BY GRAVITY.
6. The dam will be located in NY/4 NE/4 SE/4 , Sec. 20 Smallest legal subdivision)
Tp. 35 , R. 5W , W.M. The maximum height will be 5 feet above stream bed or ground
surface on center line of dam. The length on top will be 250.00 feet; length on
bottom 210.00 feet; width on top 10.00 feet; slope on from
or water side 3:1 ; slope on back 2:1 ; height of dam above water line (Feet horizontal to 1 vertical)
when full feet.  * A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured.

R 4778

7. The construction of dam, the material of which it is to be built, and method of protection f
waves are as follows: END EMPLACED COMPACTED EARTH FILL * See paragraph No. 9 of
"Additional Information Sheet for Dams Less than 10 Feet High". A rock blanket
on the upstream slope will protect the dam from waves.
8. The location of wasteway with dimensions are as follows:(State whether over or around the dam)
3' x 5' x 21' WASTEWAY OVER THE DAM INTO CREEK CHANNEL.
***************************************
***************************************
9. The location of outlet from the proposed reservoir, with character of construction and dim
sions, are as follows:50 FOOT OF 8 INCH ASPHALT DIPPED CORRUGATED IRON PIPE WITH GAT  (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pas
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pas  AT INLET WITH TWO CUT*OFF COLLARS OF PRE-FABRICATED ASPHALT DIPPED LETAL WITH
normal flow of the stream at any time)  WATER TIGHT JOINTS INSTALLED AT THE SOUTH END OF DAM WITH 1 x 3 x 3 CHANNEL T
and the control of th
10. The area submerged by the proposed reservoir, when full, will beac
with a maximum depth of water of
3.60 feet.
11. The estimated cost of the proposed work is \$2500.00
12. Construction work will begin on or before May 1, 1966
13. Construction work will be completed on or beforeJuly 7, 1967
(Signature of applicant)
STATE OF OREGON, )
[교실시스] [ [ : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1
County of Marion,
This is to certify that I have examined the foregoing application, together with the accompany
maps and data, and return the same forcompletion
보이 보이 있는 것이 있는 것도 보면 수 있는 것이 되었다. 그는 것이 되었는 것이 되었는 것이 되었다면 하는 것이 되었다면 되었습니다. 
In order to retain its priority, this application must be returned to the State Engineer, with corr
tions on or before <u>Nay 23</u> , 1966.
WITNESS my hand this 22nd day of March , 19.66.
WEGEINE D
APR 1 2 1966 CHRIS L. WHEELER
STATE ENGINEER Jany W. SENGLAND
ASSISTAN
rangan kalangan kanggalang dalam dalam kanggan kanggan kanggan 🖊 dalam 🧗 dalam kanggan kanggan dalam kanggan kan

Remarks:				R 4778
ivenuitks:		*******************************		
••••••••••••••••••••••••••••••	***************************************			
•••••••••••••••••••••••••••••••••••••••			.,	
·				
•••••••••••••••••••••••••••••••••••••••	·			**************************************
•••••••••••••••••••••••••••••••••••••••	·	***************************************		•4454
•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••		•••••••••	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
•••••	***************************************	***************************************		
***************************************	***************************************			***************************************
•••••••				
***************************************	·································			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
	<u></u>			
•	14. 14.	••••••		
	***************************************	••••••		
The second secon				.,
······································				
· · · · · · · · · · · · · · · · · · ·				44444444444444444444444444
	and the second s		•••••	***************************************
		,		*
ATE OF OREGON,				
County of Marion,	88.			
	at I have examined the	e foregoing appli	ication and do here	ebu grant the sam
ject to the following lin				
Von!s.Reservoir.No.		_	-	
der application 420				
rerabhrreantair.ww	CZWEPSAWARAWZAM	i.d.m	20010002000	
	•••••••••••			
	7 77 7 . 7 . 4 . 7 4 47			
-	shall be limited to th			40.00
	this permit is			
	work shall begin on or			
ll thereafter be prosecu	and the second of the second		-	
WITNESS my hand	this3rd day of .	January	r, 19	9.67
			// .	00

Application No. 12-41987

Reservoir Permit No. R 4778

## PERMIT

To construct a reservoir and store for bene-State of Oregon. ficial use the unappropriated waters of the

on the 14th day of March office of the State Engineer at Salem, Oregon, Approved: Returned to applicant: 19.66, at 8:00 o'clock U.M. This instrument was first received in the January 3, 1967 

Reservoirs, on Page R4778 Fees 915,00 Drainage Basin No. 2 page 90 All CHRIS L. WHEELER State Engineer

Recorded in Book No.

at times

a subject to

although the

although the

although the construction of the

although the construction of the constru