

STATE ENGINEER  
SALEM OREGON

\* Reservoir Permit No. R 4823

## Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

Bette L.

I, Joseph E. /Schlabach (Name of Applicant)

of P.O. Box 695 FOSTER OREGON (Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is Tollgate Dam Reservoir

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Toll Creek  
South  
tributary of Santiam River

3. The amount of water to be stored is 3.0 acre feet.

4. The use to be made of the impounded water is irrigation  
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 34  
(Give sections or townships to be submerged)  
Tp. 13 S, R. 1 E, W.M., in the county of Linn

(a) State whether situated in channel of running stream and give character of material at outlet  
One very small channel Concrete Conduit

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in S.E. 1/4 N.W. 1/4, Sec. 34  
(Smallest legal subdivision)  
Tp. 13 S, R. 1 E, W.M. The maximum height will be 5 feet above stream bed or ground surface on center line of dam. The length on top will be 100 feet; length on bottom 35 feet; width on top 12 feet; slope on front or water side 3:1; slope on back 2:1; height of dam above water line when full 3 feet.  
(Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)

\* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Earth Fill (Clay)

8. The location of wasteway with dimensions are as follows: Around 24" concrete tile (State whether over or around the dam) Earth spillway around

Bottom width 6 feet, Top width 12 feet and depth 3 feet. Washing will be prevented by rock.

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: 8" trickle tube under dam 24" concrete pipe around (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

10. The area submerged by the proposed reservoir, when full, will be 0.5 acres, with a maximum depth of water of 10 feet; and approximate mean depth of water 6 feet.

11. The estimated cost of the proposed work is \$1500

12. Construction work will begin on or before May 1, 1966

13. Construction work will be completed on or before Sept. 1, 1966

Joseph E. Schlaebach (Signature of applicant) Peter L. Schlaebach

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before September 8, 1966

WITNESS my hand this 8th day of July, 1966

RECEIVED JUL 12 1966 CHRIS L. WHEELER STATE ENGINEER By Gary W. Johnson ASSISTANT

Remarks: .....

R 4823

STATE OF OREGON, }  
County of Marion, } ss.


This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of Tollgate Reservoir and storage of water from Toll Creek to be appropriated under application No. 42431, permit No. 31749 for irrigation.

The right hereunder shall be limited to the storage of 3.0 acre feet.

The priority date of this permit is July 1, 1966

Actual construction work shall begin on or before March 23, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968.

WITNESS my hand this 23rd day of March, 1967.



STATE ENGINEER

Application No. R-42430

Reservoir Permit No. R 4823

## PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15<sup>th</sup> day of July, 1966, at 8:00 o'clock A. M.

Returned to applicant:

Approved: -

March 23, 1967

Recorded in Book No. \_\_\_\_\_ of

Reservoirs, on Page R 4823

CHRIS L. WHEELER  
State Engineer

Drainage Basin No. 2 page 127

Fees \$15