

* Reservoir Permit No. R 4955

CERTIFICATE NO. 495

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Floyd Hoffman and Dorothy Hoffman
(Name of Applicant)

of Rt. 4, Box 235 Hillsboro
(Mailing Address)

State of Oregon 97123, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is North & South Hoffman Reservoirs

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Unn. Stream
tributary of Tualatin River

3. The amount of water to be stored is 2⁰ acre feet.

4. The use to be made of the impounded water is N. Res 0⁵ A.F. Irrig; S. Res 1⁵ A.F. Fire Protec
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 25
(Give sections or townships to be submerged)
Tp. 2S, R. 3W, W.M., in the county of Yamhill

(a) State whether situated in channel of running stream and give character of material at outlet
in channel, clay material

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in NE 1/4 NW 1/4, Sec. 25,
(Smallest legal subdivision)
Tp. 2S, R. 3W, W.M. The maximum height will be 40 feet above stream bed or ground
surface on center line of dam. The length on top will be N. 30.95' S. 60' N. 8' feet; length on
bottom S. 30' feet; width on top S. 10' feet; slope on front
or water side 3:1; slope on back 2:1; height of dam above water line
(Feet horizontal to 1 vertical) when full 15 feet.

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Earth fill - no wave protection

8. The location of wasteway with dimensions are as follows: N. Res. on left side, 2' wide on bottom, 15' deep.
(State whether over or around the dam)
S. Res. on right side, 2' wide on bottom, 15' deep.

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: N. Res. 1 1/2" galv. steel
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)
S. Res. 3" galv. steel

10. The area submerged by the proposed reservoir, when full, will be N. 0.25 acres,
S. 3.1 acres,
with a maximum depth of water of N. 3'
S. 8' feet; and approximate mean depth of water
N. 2.0'
S. 4.5' feet.

11. The estimated cost of the proposed work is \$.....

12. Construction work will begin on or before

13. Construction work will be completed on or before

Completed
Floyd Hoffmann
(Signature of applicant)
Dorothy Hoffmann

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

Remarks: S. Res. is for fire protection, to be used by ~~Schatts~~ Fire Protection Dist pumper. Midway

STATE OF OREGON,

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of North and South Hoffman Reservoirs and storage of water from an unnamed stream to be appropriated under application No. 43253, permit No. 32333 for irrigation and fire protection being 1.5 af in south reservoir for fire protection and 0.5 af in north reservoir for irrigation

The right hereunder shall be limited to the storage of 2.0 acre feet.

The priority date of this permit is February 6, 1967

Actual construction work shall begin on or before October 10, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969...

WITNESS my hand this 10th day of October, 1967

Christy

STATE ENGINEER

Application No. **R-43252**

Reservoir Permit No. **R 4955**

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the **6th** day of **Feb**, 19**67**, at **2:30** o'clock **P.**M.

Returned to applicant:

Approved:

October 10, 1967

Recorded in Book No. _____ of

Reservoirs, on Page **R 4955**

CHRIS L. WHEELER
State Engineer

Drainage Basin No. **2** page **62 B3**

Fees **\$15.00**

SP-12967-119

The right hereunder shall be held by the applicant for the purpose of...
The priority date of this permit is...
The applicant shall complete the construction of the reservoir and...
and...
before October 1, 1969...
WITNESS my hand and seal of the State of Oregon this 10th day of October, 1967.
STATE ENGINEER