

SEP 20 1966

CERTIFICATE NO. 42358

* Reservoir Permit No. R 4966

RECEIVED
SEP 20 1966

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Earl E. Compton (Name of Applicant)

of Box 1, Box 150-D Amity (Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is Compton Reservoir

2. The name of the stream from which the reservoir is to be filled and the appropriation made is

Ash Swale
tributary of South Yamhill river also Salt Creek

3. The amount of water to be stored is 8.5 ~~4 1/2~~ 10.2 acre feet. 3-30-67 E.E.C.

4. The use to be made of the impounded water is Irrigation (Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 32 (Give sections or townships to be submerged)

Tp. 5 S, R. 4 W, W.M., in the county of Yamhill

(a) State whether situated in channel of running stream and give character of material at outlet
intermittent stream, blue clay

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in NE 1/4 SE 1/4 SE 1/4, Sec. 32 (Smallest legal subdivision)

Tp. 5 S, R. 4 W, W.M. The maximum height will be 8 feet above stream bed or ground surface on center line of dam. The length on top will be 30' feet; length on bottom 20' feet; width on top 8' feet; slope on front or water side 3-1; slope on back 3-1; height of dam above water line when full 7 1/2' feet. flashboard dam, slopes to refer to earth part.

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: flashboard dam of concrete, wingwall filled with earth covered with large rocks.
No wave protection needed

8. The location of wasteway with dimensions are as follows: over flashboards which will be entirely removed in the winter.
Two bays of 6 feet each

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: stream flow past by removing flashboards as needed
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

10. The area submerged by the proposed reservoir, when full, will be 1.7 ~~1.7~~ ^{E.F.C.} acres, with a maximum depth of water of 8.6 feet; and approximate mean depth of water 8.5 feet.

11. The estimated cost of the proposed work is \$ 1500.00

12. Construction work will begin on or before May 1, 1967

13. Construction work will be completed on or before Oct 1, 1967

Earl E. Compton
(Signature of applicant)

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion
~~Correction~~
Completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 31, 1966
~~March 23rd 67~~
June 5th 67

WITNESS my hand this 31st day of August, 1966
~~23rd~~ January
April

RECEIVED
SEP 19 1966
ENGINEER
DIXSON

RECEIVED
LA MAR 22 1967
STATE ENGINEER
GALLAGHER OREGON

CHRIS L. WHEELER
STATE ENGINEER
By Larry W. Gibson
ASSISTANT

Remarks: Application # 39191 for permit to use water for irrigation has been submitted and permit 29144 has been issued.

Proposed dam will hold water in the channel to provide the quantity of water allowed by permit # 29144.

Map of land area to be irrigated is in application # 39191.

Ash Swale channel is 6 ft. deep at dam site. Concrete flashboard structure will be 8 ft high. It is estimated the surface area will be 1.7 acres and mean depth of water about 5 ft. giving us 8.5 acre ft of storage.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of Compton Reservoir and storage of water from Ash Swale to be appropriated under application No. 42829, permit No. 34369 for irrigation and supplemental irrigation.

The right hereunder shall be limited to the storage of 8.5 acre feet.

The priority date of this permit is September 22, 1967.

Actual construction work shall begin on or before October 19, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969.

WITNESS my hand this 19th day of October, 1967.

Charles L. ...
STATE ENGINEER

Application No. R-412709

Reservoir Permit No. R 4966

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of August, 1966, at 8:00 o'clock P. M.

Returned to applicant:

Approved:

October 19, 1967

Recorded in Book No. of

Reservoirs, on Page R 4966

CHRIS L. WHEELER
State Engineer

Drainage Basin No. 3 page 9057
Fees \$15.00