

\* Reservoir Permit No. R 5004

# Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, ~~Mrs. Belle Schlittler~~ Mrs. Belle Schlittler  
(Name of Applicant)

of Idleyld Route, Box 263, Roseburg  
(Mailing Address)

State of Oregon 97470, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is 5 ponds

2. The name of the stream from which the reservoir is to be filled and the appropriation made is ~~spring, winter run off~~ and 3 unnamed streams 2 unnamed draws  
Ponds 4 & 5 from draws Ponds 1 2 3 from streams  
tributary of

3. The amount of water to be stored is 1.10 ac ft. (see attached sheet) acre feet.

4. The use to be made of the impounded water is livestock watering  
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 24, 25, & 26  
(Give sections or townships to be submerged)  
Tp. 26S., R. 4W., W.M., in the county of Douglas

(a) State whether situated in channel of running stream and give character of material at outlet  
ponds 2 and 3 red clay at outlet

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions  
pond 1 seepage from spring ponds 4 and 5 filled by winter rains.

6. The dam will be located in Ponds 2 & 3 NE $\frac{1}{4}$  NE $\frac{1}{4}$ , Sec. 26  
(Smallest legal subdivision)  
Tp. 26S., R. 4W., W.M. The maximum height will be 2=5 feet above stream bed or ground  
surface on center line of dam. The length on top will be 2=20 feet; length on  
bottom 2=3 feet; width on top 2=8 feet; slope on front  
3=3 feet; 3=8 feet  
or water side 3:1; slope on back 2:1; height of dam above water line  
(Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)  
when full 1 $\frac{1}{2}$  feet.

\* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: all ponds constructed by cat. Ponds 1, 4, 5 are excavated. ponds 2 and 3 in stream channel. No wave protection needed.

8. The location of wasteway with dimensions are as follows: no wasteway for 1, 4, 5. (State whether over or around the dam) Ponds 2, 3, have channel around sides about 1 1/2 feet deep.

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: around sides chanal is 2' to 3' wide ponds 1, 4, and 5 are excavated and need no outlet. (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

10. The area submerged by the proposed reservoir, when full, will be see attached sheet acres, with a maximum depth of water of feet; and approximate mean depth of water feet.

11. The estimated cost of the proposed work is \$ 500.

12. Construction work will begin on or before completed

13. Construction work will be completed on or before completed

X Mrs. Belle Schmitt (Signature of applicant)

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 21st, 1967, October 23rd 67

WITNESS my hand this 21st day of August, 1967

CHRIS L. WALTER STATE ENGINEER

Jerry W. [Signature] ASSISTANT

RECEIVED AUG 31 1967 STATE ENGINEER

Question #3

- (See)
- #1 .02 ac. feet excavated
  - #2 .012 ac. feet  
0.06
  - #3 ~~.12~~ ac. feet
  - #4 ~~.05~~ ac. feet excavated  
0.42
  - #5 .70 ac. feet excavated  
~~1.02~~ ac. ft.  
1.10

Question #10

- Pond #1 .01 acres submerged
- #2 .006 acres submerged
- #3 .03 acres submerged
- #4 .24 acres submerged
- #5 .14 acres submerged

Max. depth

Mean depth

3	<del>3</del> 2
3 1/2	<del>3 1/2</del> 2
4 1/2	<del>4 1/2</del> 2
4	<del>4</del> 2
5	<del>5</del> 3

Remarks: No #mapp dam data sheets submitted for ponds, 1, 4, 5 since they are excavated and do not have an actual dam.  
No supplementary appropriation being filed on unnamed streams for pond 2 and 3 as they go dry in the spring.

*BRO Bell PCa [signature]*

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of five reservoirs and storage of water from three unnamed streams and two draws to be appropriated under application No. 43574, permit No. 32585 for stock being 0.2 af in reservoir No. 1, 0.12 af in reservoir No. 2 and 0.06 af in reservoir No. 3 from unnamed streams and 0.48 af in reservoir No. 4 and 0.42 af in reservoir No. 5 from unnamed draws

The right hereunder shall be limited to the storage of 1.1 acre feet.

The priority date of this permit is May 9, 1967

Actual construction work shall begin on or before December 27, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969..

WITNESS my hand this 27th day of December, 1967.

*[Signature]*  
STATE ENGINEER

Comp

Application No. R-43573

Reservoir Permit No. R 5004

**PERMIT**

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 9<sup>th</sup> day of May, 1967, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

December 27, 1967

Recorded in Book No. \_\_\_\_\_ of \_\_\_\_\_

Reservoirs, on Page R 5004

CHARLES L. WHEELER  
State Engineer

Drainage Basin No. 16 page 28E

Fees 4.00