

\* Reservoir Permit No. R 5032

# Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Port Orford Langlois School  
Langlois, Dist. No 20J  
(Name of Applicant)

of Port Orford,  
(Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is Dirt Filled Dam

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Summer Creek (we believe)

tributary of Sixes

3. The amount of water to be stored is 1.15 acres acre feet.

4. The use to be made of the impounded water is Irrigation  
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 34 south  
(Give sections or townships to be submerged)

Tp. 31 south, R. 15 west, W.M., in the county of Curry

(a) State whether situated in channel of running stream and give character of material at outlet  
sandy, gravel and clay

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions  
Run off water mostly

6. The dam will be located in south west 1/4 of NW 1/4 Sec of, Sec. 34 south,  
(Smallest legal subdivision)  
Tp. 31 south, R. 15 west, W.M. The maximum height will be 15 feet above stream bed or ground surface on center line of dam. The length on top will be 35 feet; length on bottom 20 feet; width on top 6 feet; slope on front or water side 1 1/2-1 1/2; slope on back 1 1/2-1 1/2; height of dam above water line when full 3 feet.  
(Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)

\* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Earth Fill Dirt & blue clay. Concrete will be used in the area of the actual Dam of the flow of water and in the construction of the spillway

8. The location of wasteway with dimensions are as follows: Spill way over top of Dam to be made of concrete  
(State whether over or around the dam)

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows:  
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

✓ 10. The area submerged by the proposed reservoir, when full, will be 7.5 acres, with a maximum depth of water of 15 feet; and approximate mean depth of water 14 feet. \* see remarks

11. The estimated cost of the proposed work is \$ 1000

12. Construction work will begin on or before As soon as possible

13. Construction work will be completed on or before June 1, 1967

Part of Paul-Ingles School Dist 209  
(Signature of applicant)

Alfred G. Johnson, Supt

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion  
Completion by submission of application No. 13552 and the map  
Correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 29, 1967  
February 14th 68  
October 23rd 67


WITNESS my hand this 29th day of March, 1967  
29th August 67  
14th December 67

CHRIS L. WHEELER

STATE ENGINEER

By

[Signature]  
ASSISTANT



Remarks: The Dam to be built will be on the lower end of a sump hole in the normal flow of water. The sump is a dug hole approx. 50' wide and 100' long with an average depth of 12 feet. With the construction of a dam the water level could be raised approx. 3 feet. As it is with out the dam there is about 60,000 cubic feet of water storage, with the construction of a dam the raising of the water level there would be about 75,000 cubic feet of water storage.

STATE OF OREGON, }  
County of Marion, } ss.


This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of a reservoir and storage of water from Summer Creek to be appropriated under application No. 43352, permit No. 32746 for irrigation

The right hereunder shall be limited to the storage of 1.5 acre feet.

The priority date of this permit is March 10, 1967

Actual construction work shall begin on or before March 7, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969.

WITNESS my hand this 7th day of March, 1968.

  
STATE ENGINEER

Application No. R-43351

Reservoir Permit No. R 5032

**PERMIT**

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10th day of March, 1967, at 8:00 o'clock A M.

Returned to applicant:

Approved:

March 7, 1968

Recorded in Book No. \_\_\_\_\_ of

Reservoirs, on Page R 5032

CHRIS J. WHEELER  
State Engineer

Drainage Basin No. 17 page 4 J

Fees 490.00