

RECEIVED  
MAY 9 1968

STATE ENGINEER  
SALEM, OREGON

\* Reservoir Permit No. R. 5302

CERTIFICATE NO. 44703

### Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Oliver J. Johanson (Name of Applicant)

of Route 2, Box 304, Forest Grove, Oregon (Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Unnamed tributary of West Dairy Creek

tributary of Itx.

OUT - 3. The amount of water to be stored is 1.64 5-20-68 acre feet.

4. The use to be made of the impounded water is Irrigation (Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 33 (Give sections or townships to be submerged)

Tp. 2N, R. 1W, W.M., in the county of Washington

(a) State whether situated in channel of running stream and give character of material at outlet  
Not situated in channel of running stream. No outlet needed. Sump excavated below natural ground and connected to stream by 6" pipe line.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions  
filled through a 6" pipe connecting sump to creek.

6. The ~~dam~~ sump will be located in SE 1/4 NW 1/4, Sec. 33, below natural

Tp. 2N, R. 1W, W.M. The maximum depth will be 12 feet ~~above or below~~ ground

surface on center line of ~~dam~~ sump. The length on top will be 150' feet; length on

bottom 114' feet; width on top 50' feet; slope on front

or water side 1 1/2 : 1; slope on back 1 1/2 : 1; height of ~~dam~~ sump above water line

when full 1' feet.

\* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

sump

7. The construction of ~~dam~~, the material of which it is to be built, and method of protection from waves are as follows: excavated below natural ground. No need of wave protection.

8. The location of wasteway with dimensions are as follows: None (State whether over or around the dam)

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: No need for outlet water controlled at inlet. (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

10. The area submerged by the proposed reservoir, when full, will be 0.097 acres, with a maximum depth of water of 12' feet; and approximate mean depth of water 11' feet.

11. The estimated cost of the proposed work is \$1,000

12. Construction work will begin on or before May 1, 1968

13. Construction work will be completed on or before May 1, 1969

Clair Johnson (Signature of applicant)

STATE OF OREGON,

ss.

County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19

WITNESS my hand this day of, 19

STATE ENGINEER

By ASSISTANT



Application No. R-44891

Reservoir Permit No. R 5302

**PERMIT**

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 9th day of May, 1968, at 8:00 o'clock A.M.

Returned to applicant:

Approved: \_\_\_\_\_  
January 20, 1969

Recorded in Book No. \_\_\_\_\_ of \_\_\_\_\_

Reservoirs, on Page R 5302

CHRIS I. WHEELER  
State Engineer

Drainage Basin No. 2 page 62137

Fees \$2000