

RECEIVED
 MAR 11 1969
 STATE ENGINEER
 SALEM, OREGON

* Reservoir Permit No. **R 5390**

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Oregon L-H Club Foundation
(Name of Applicant)

of 102 Extension Hall Oregon State University Corvallis, Oregon 97331
(Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation 1957 - Salem

1. The name of the proposed reservoir is Oregon State L-H Reservoirs No. 2, #3, #5, #6, #7, #10, #11, #12 and #13.

2. The name of the stream from which the reservoir is to be filled and the appropriation made is 3-Unnamed tributaries of Spring Valley Creek
 tributary of Willamette River

3. The amount of water to be stored is 18,000 (see attached sheet for breakdown acre feet.)

4. The use to be made of the impounded water is Fish Culture and Recreation
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. see attached sheet
(Give sections or townships to be submerged)
 Tp. 6 S, R. 4 W, W.M., in the county of Polk

(a) State whether situated in channel of running stream and give character of material at outlet
Reservoirs NOS. 3, 5, 6, 7, 11 and 12 in channels; with heavy clay at outlet; Nos. 2, 10 and 13 not in running stream.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions these are all existing ponds being over 20 years old.

6. The dam will be located in see attached sheet, Sec. 34 and 35,
(Smallest legal subdivision)
 Tp. 6 S, R. 4 W, W.M. The maximum height will be feet above stream bed or ground surface on center line of dam. The length on top will be See attached sheet feet; length on bottom feet; width on top feet; slope on front or water side ; slope on back ; height of dam above water line when full feet.
(Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

By Paul J. Ferguson
Sept. 14, 1938

APPLICATION No. _____
PERMIT No. _____

DATA TO ACCOMPANY APPLICATION OF OREGON A.H.-RESERVOIR LOCATIONS ETC.

Number	Acres	Location	Height	Length top	Length bottom	Width top	Drainage area
2	5.0	N.W. 1/4 Sec. 35 T6S R4W	10 "	300 feet	190 feet	12 feet	30 Acres
3	0.75	S.E. 1/4 N.W. 1/4	10 "	130 "	70 "	10 "	40 "
5	1.0	S.E. 1/4 N.W. 1/4	6 "	60 "	30 "	12 "	40 "
6	2.0	S.W. 1/4 N.W. 1/4	10 "	70 "	40 "	12 "	80 "
7	1.5	N.W. 1/4 N.W. 1/4	5 "	120 "	100 "	12 "	80 "
10	4.0	N.W. 1/4 S.W. 1/4	14 "	150 "	75 "	12 "	30 "
11	2.0	N.E. 1/4 S.W. 1/4	10 "	100 "	60 "	20 "	30 "
12	1.5	N.E. 1/4 S.W. 1/4	9 "	175 "	100 "	10 "	30 "
13	0.25	S.E. 1/4 N.E. 1/4 Sec. 34	8 "	Excavated	Excavated	Excavated	10 "
	16.0						

RECEIVED
MAR 17 1938
STATE ENGINEER
SALEM, OREGON

No	Spillway top	Spillway bottom	Spillway Depth	Outlet	From upstream toe	From downstream toe
2	16 feet	8 feet	2.5 feet	8 inch	27 feet	18 feet
3	16 "	10 "	2.5 "	4 "	18 "	30 "
5	16 "	10 "	2.5 "	6 "	30 "	12 "
6	16 "	12 "	2.5 "	4 "	15 "	20 "
7	18 "	8 "	2.5 "	4 "	30 "	15 "
10	16 "	10 "	2.5 "	4 "	24 "	30 "
11	No. Spillway a 12" tile	15 "	2.5 "	4 "	10 "	30 "
12	16 feet	10 feet	2.5 "	4 "	Excavated pond	16 "
13	Excavated pond	Excavated pond			Excavated pond	Excavated pond

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: these are existing dams

.....
.....
.....

8. The location of wasteway with dimensions are as follows: see attached sheet
(State whether over or around the dam)

.....
.....
.....

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: see attached sheet
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the

normal flow of the stream at any time)

10. The area submerged by the proposed reservoir, when full, will be acres, with a maximum depth of water of feet; and approximate mean depth of water feet.

11. The estimated cost of the proposed work is \$ work completed

12. Construction work will begin on or before

13. Construction work will be completed on or before

Oregon 4-H Club Foundation
(Signature of applicant)
Burton S. Hutton, Secretary

STATE OF OREGON,
ss.
County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

.....
STATE ENGINEER
By
ASSISTANT

Remarks: Water rights application No. 43274 has the location of the points of diversion of the dams and shows the smallest legal subdivision in which they are located. The size and storage capacities are shown on the accompanying sheets for additional information and the map accompanying the application No. 43274 also applies to the application

STATE OF OREGON, }
County of Marion, } ss.


This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of Oregon State A-H Reservoirs and storage of water from three unnamed streams to be appropriated under application No. 43274, permit No. 34015 for fish culture and recreation being 5.0 af in reservoir No. 2, 0.75 af in reservoir No. 3, 1.0 af in reservoir No. 5, 2.0 af in reservoir No. 6, 1.5 af in reservoir No. 7, 4.0 af in reservoir No. 10, 2.0 af in reservoir No. 11, 1.5 af in reservoir No. 12 and 0.25 af in reservoir No. 13

The right hereunder shall be limited to the storage of 18.0 acre feet.

The priority date of this permit is March 11, 1969

Actual construction work shall begin on or before June 20, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

WITNESS my hand this 20th day of June, 1969.


STATE ENGINEER

Application No. R-413273

Reservoir Permit No. R 5390

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of March, 1969, at 11:12 o'clock A M.

Returned to applicant:

Approved:

June 20, 1969

Recorded in Book No. _____ of _____

Reservoirs, on Page R 5390

CHRIS L. WHEELER
State Engineer

Drainage Basin No. 2 page 76B3

Fees \$15.00
Re Fund \$5.00