

RECEIVED  
NOV 20 1968  
STATE ENGINEER  
SALEM OREGON

"CERTIFICATE NO. 67329"  
\* Reservoir Permit No. R 5395

RECEIVED  
DEC 10 1968  
STATE ENGINEER  
SALEM OREGON

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, James & Lurline Coonan dba C2 Cattle Co., by D. K. Pischel,  
General Manager (Name of Applicant)

of Lake Creek, Oregon (Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is Wasson Creek Equalization Reservoir

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Wasson Creek

tributary of North Fork of Little Butte Creek

3. The amount of water to be stored is 2.25 acre feet.

4. The use to be made of the impounded water is Recreation  
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 26  
(Give sections or townships to be submerged)

Tp. 36S, R. 2E, W.M., in the county of Jackson

(a) State whether situated in channel of running stream and give character of material at outlet

The dam is situated in the channel of Wasson Creek, the outlet is protected by a concrete check type structure extending the full height of the dam.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

The reservoir is filled by stream flow.

6. The dam will be located in N.W. 1/4, N.E. 1/4, Sec. 26  
(Smallest legal subdivision)

Tp. 36S, R. 2E, W.M. The maximum height will be 7.5 feet above stream bed or ground

surface on center line of dam. The length on top will be 94.0 feet; length on

bottom 40.0 feet; width on top 11.0 feet; slope on front

or water side 1 1/4:1; slope on back 1 1/4:1; height of dam above water line  
(Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)

when full 2.0 feet.

\* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

R 5395

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Reservoir area protected with trees, eliminating need for protection.

8. The location of wasteway with dimensions are as follows: The wasteway is located in the center of the channel, also being the center of the dam. The height is 7.50 feet, the opening width is 10.00 feet. The flash boards will be placed in the dam on April 1 and removed on October 1 of each season.

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: See above  
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

10. The area submerged by the proposed reservoir, when full, will be 0.75 acres, with a maximum depth of water of 5.5 feet; and approximate mean depth of water 3.0 feet.

11. The estimated cost of the proposed work is \$ Construction Cost - \$2,500

12. Construction work will begin on or before Completed - See remarks

13. Construction work will be completed on or before Completed

*[Signature]*  
(Signature of applicant)  
By: D. K. PISCHEL, GENERAL MANAGER

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction and Completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before February 24th, 1969.

WITNESS my hand this 23rd day of December, 1968.

RECEIVED  
DEC 27 1968  
STATE ENGINEER  
SALEM, OREGON

By *[Signature]*  
Chris L. Wheeler, STATE ENGINEER  
Larry W. Jebousek, ASSISTANT

Remarks: The embankment of the dam was placed many years ago by one of the prior owners. There was no spillway provided in the original structure. The recent work by the applicant was for the purpose of making the structure safe and usable.

The lake and dam were constructed for the primary purpose of providing recreation for the 9 families living on the ranch.

A park has been developed on the westerly side with lights and picnic tables, on the east side a planked dock for the swimmers has been constructed.

The applicant is aware of the Oregon State Water Resources Board limitation on the Rogue River and its tributaries as it affects Little Butte Creek.

STATE OF OREGON, }  
County of Marion, } ss.


This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of Wasson Creek Equalization Reservoir and storage of water from Wasson Creek to be appropriated under application No. 45631, permit No. 34033 for recreation. All flashboards to be removed from spillway during the period from October 1 to April 1 of each year.

The right hereunder shall be limited to the storage of 2.25 acre feet.

The priority date of this permit is December 10, 1968

Actual construction work shall begin on or before June 20, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971.

WITNESS my hand this 20th day of June, 1969.

  
STATE ENGINEER

Application No. R-45630  
Reservoir Permit No. R 5395

**PERMIT**

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10th day of December, 1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

June 20, 1969

Recorded in Book No. \_\_\_\_\_ of Reservoirs, on Page R 5395

CHRIS L. WHEELER  
State Engineer

Drainage Basin No. 15 page 325  
Fees 420.00