

RECEIVED
FEB 26 1969

STATE ENGINEER
SALEM, OREGON

* Reservoir Permit No. **R 5432**

CERTIFICATE NO. **39711**

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Elmer A. Gant and Grace E. Gant, Husband and Wife
(Name of Applicant)

of Box 156, Bandon #97411
(Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation NO

1. The name of the proposed reservoir is Gant's Reservoirs #1 and #2

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Johnson Creek which flows into the Pacific Ocean

tributary of Reservoir #1= 1.32 Total= 2.97

3. The amount of water to be stored is Reservoir #2= 1.65 acre feet.

4. The use to be made of the impounded water is Flood for Harvest= 1.49 Acre Feet
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 8
(Give sections or townships to be submerged)

Tp. 29S., R. 14W., W.M., in the county of Coos

(a) State whether situated in channel of running stream and give character of material at outlet
Reservoir #1 is not in a stream- it is a dug hole;
Reservoir #2 is located in a small gully which is dammed-up with an earth fill.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions
Both Reservoirs are filled from the Primary point of Diversion in Johnson Creek

6. The dam ~~will~~ be located in At Reservoir #2 is NE 1/4 NW 1/4, Sec. 8
(Smallest legal subdivision)

SEE REMARKS Tp. 29S., R. 14W., W.M. The maximum height will be 9 feet above stream bed or ground

surface on center line of dam. The length on top will be 50 feet; length on bottom 25 feet; width on top 10 feet; slope on front or water side 1 i. 1 1/2; slope on back 1 i. 1 1/2; height of dam above water line when full 3 feet.
(Feet horizontal to 1 vertical)

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: No dam at Reservoir #1; @ Reservoir #2 the dam is a dirt fill with no wave action

8. The location of wasteway with dimensions are as follows: No constructed wasteway over or around the earth dam. When the reservoir is full, the water being pumped from Johnson Creek is turned off.

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: an 18" corrugated steel pipe is located at the bottom of the earth fill with a shut-off valve.

10. The area submerged by the proposed reservoir, when full, will be Reservoir #1=0.11 Acres Reservoir #2=0.11 Acres with a maximum depth of water of #1=15.0 #2=18.0 feet; and approximate mean depth of water #1=12.0 #2=15.0 feet.

11. The estimated cost of the proposed work is \$ 2,000.00

12. Construction work will begin on or before All work is completed

13. Construction work will be completed on or before as of this date

Signature of applicant: Edwin A. Gant

STATE OF OREGON, } ss. County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion and correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 13th, 1969.

WITNESS my hand this 13th day of March, 1969.

RECEIVED MAY 12 1969 STATE ENGINEER SALEM, OREGON CHRIS L. WHEELER STATE ENGINEER Larry W. Jeboisek ASSISTANT

Remarks: 6 Continued----- Reservoir #1: -- a dug sump hole in the NW 1/4 NW 1/4 of Section 8, T.29S., R.14W.W.M.. The avciage size of the sump hole is 120 feet by 40 feet and an average depth of 12 feet; with slopes of 1:1 on the water side; water line when full is 2 feet below the gound line.

STATE OF OREGON, }
County of Marion, } ss.


This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of Gant's Reservoirs No. 1 and 2 and storage of water from Johnson Creek to be appropriated under application No. 45813, permit No. 34186 for irrigation and cranberry harvesting being 1.5 af for irrigation and 1.5 af for cranberry harvesting

The right hereunder shall be limited to the storage of 3.0 acre feet. being 1.3 af in reservoir No. 1 and 1.7 af in reservoir No. 2

The priority date of this permit is February 26, 1969

Actual construction work shall begin on or before August 25, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

WITNESS my hand this 25th day of August, 1969



STATE ENGINEER

Application No. R-45812

Reservoir Permit No. R 5432

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of February, 1969, at 5:00 o'clock A. M.

Returned to applicant:

Approved:

August 25, 1969

Recorded in Book No. _____ of _____

Reservoirs, on Page R 5432

CHRIS L. WHEELER
State Engineer

Drainage Basin No. 17 page 44

Fees \$20.00