

RECEIVED
SEP 23 1968

CERTIFICATE NO. 37712

STATE ENGINEER
SALM OREGON

* Reservoir Permit No. R 5460

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Round Prairie Lumber Company (Name of Applicant)

of P.O. Box 296, Dillard (Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

June 12, 1950, Roseburg, Oregon 97470

1. The name of the proposed reservoir is Round Prairie Log Pond

2. The name of the stream from which the reservoir is to be filled and the appropriation made is

South Umpqua River

tributary of Umpqua River

3. The amount of water to be stored is 12.0 acre feet

4. The use to be made of the impounded water is log pond (Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. #1 35 and #2 2 (Give sections or townships to be submerged)

28S. Tp. 29S., R. 6W., W.M., in the county of Douglas

(a) State whether situated in channel of running stream and give character of material at outlet

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions filled by pumping from South Umpqua River by means

of a 5 HP pump

dike

6. The dam will be located in #1 SE 1/4 SE 1/4 #2 NE 1/4 NE 1/4, Sec. #1 35 #2 2, (Smallest legal subdivision)

28S. Tp. 29S., R. 6W., W.M. The maximum height will be 29 feet above stream bed or ground

surface on center line of dam. The length on top will be 700 feet; length on

bottom 700 feet; width on top 10 feet; slope on front

or water side 1 1/2:1; slope on back 1 1/2:1; height of dam above water line (Feet horizontal to 1 vertical)

when full 2 feet.

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

R 5460

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: no wave protection needed - earth filled dike constructed in 1948.

8. The location of wasteway with dimensions are as follows: ~~spillway is located on west dike approximately in the middle.~~ North end pond.
~~21x3' concrete box culvert (SEE REMARKS)~~ bottom width 20';
Top width 20'

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: no outlet
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

10. The area submerged by the proposed reservoir, when full, will be 4.85 acres, with a maximum depth of water of 10 feet; and approximate mean depth of water 8 feet.

11. The estimated cost of the proposed work is \$ 6,500.

12. Construction work will begin on or before ~~completed~~ Sept. 30, 1969

13. Construction work will be completed on or before ~~completed 1948~~ Sept. 30, 1971

Round Prairie Lumber Company
(Signature of applicant)
BY Jerry A. Coon Forester

STATE OF OREGON,
ss.
County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 29th, 1969...

WITNESS my hand this 29th day of August, 1969.

RECEIVED
OCT 1 1969
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
Larry W. Jebousek
ASSISTANT

Remarks: ~~The application is submitted on the basis of a one foot
wier within the 3' x 3' concrete box. All figures above are
based on the well being installed for the maximum acre foot
capacity.~~

~~The enclosed specifications show the reservoir with the weir
in the culvert and the impoundment with and without the weir
in the concrete box.~~

Note: Send comment to:

John Markham, Jr.

Box 802

Myrtle Creek, Oregon

STATE OF OREGON, }
County of Marion, } ss.


This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of Round Prairie Log Pond and storage of water from the South Umpqua River to be appropriated under application No. 45286, permit No. 34280, for a log pond.

The right hereunder shall be limited to the storage of12.0..... acre feet.

The priority date of this permit isSeptember 23, 1968.....

Actual construction work shall begin on or beforeJanuary 5, 1971..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971....

WITNESS my hand this5th..... day ofJanuary....., 1970...



STATE ENGINEER

PC

Application No. R. 45412

Reservoir Permit No. R. 5460

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23rd day of September, 1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

January 5, 1970

Recorded in Book No. of Reservoirs, on Page R. 5460

CHRIS L. WHEELER
State Engineer

Drainage Basin No. 16 page 30A

Fees \$26.00