

RECEIVED
DEC 30 1969
STATE ENGINEER
SALEM OREGON

* Reservoir Permit No. R 5480

CERTIFICATE NO. 40547
ON FILE

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

SUPERSEDING R 4486A

I, HENRY WINMES
(Name of Applicant)

of RT 1 - WOODBURN 97071
(Mailing Address)

State of OREGON, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is CASE CK DAM #1

2. The name of the stream from which the reservoir is to be filled and the appropriation made is CASE CREEK
tributary of

3. The amount of water to be stored is 213.0 acre feet.

4. The use to be made of the impounded water is IRRIGATION
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 24, 25, 26
(Give sections or townships to be submerged)
Tp. 45, R. 2W, W.M., in the county of MARION

(a) State whether situated in channel of running stream and give character of material at outlet
IN CHANNEL 51.66 KM.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in SW SW, Sec. 24
(Smallest legal subdivision) RWB
Tp. 45, R. 2W, W.M. The maximum height will be 20 feet above stream bed or ground surface on center line of dam. The length on top will be 269 feet; length on bottom 155 feet; width on top 16 feet; slope on front or water side 3:1; slope on back 3:1; height of dam above water line when full 50.60 feet.
(Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: HOMOGENEOUS EARTH FILL NO WAVE PROTECTION NEEDED. LOG BOOM FOR DEBRIS REQ'D.

8. The location of wasteway with dimensions are as follows: RIGHT ABUTMENT
b = 30, d = 5.0, z = 2:1, L = 320'
RIPRAPPED LINED.
(State whether over or around the dam)

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: 18" DIA G.M.P. W/ 36" RISER.
18" DIA SLIDE GATE.
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

10. The area submerged by the proposed reservoir, when full, will be 26.3 acres, with a maximum depth of water of 17 feet; and approximate mean depth of water 8.10 feet.

11. The estimated cost of the proposed work is \$ 12,000⁰⁰

12. Construction work will begin on or before 8/1/70

13. Construction work will be completed on or before 10/1/72

X Henry Wilmer
(Signature of applicant)
by Paul Baldwin
Agent.

STATE OF OREGON,

ss.

County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

Application No. R-44864
Reservoir Permit No. R 5480

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 30th day of December, 1969, at 1:38 o'clock P M.

Returned to applicant:

Approved:

March 16, 1970

Recorded in Book No. _____ of _____

Reservoirs, on Page R 5480

CHRIS I. WHESTER
State Engineer

Drainage Basin No. 2 page 7685

Fees _____