*Reservoir Permit No. R 5518

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, W. Ch. J. M. S. Paris Co. Applicant)
of Rt. 2 Box 254 DALLAS,
State of
following described reservoir and to store the unappropriated waters of the State of Oregon, subject to
existing rights.
If the applicant is a corporation, give date and place of incorporation
1. The name of the proposed reservoir is Bailey Reservior
2. The name of the stream from which the reservoir is to be filled and the appropriation made is
unnamed intermittent waterway
tributary of Little Luckamute
tributary of Liftic Luckamufe 3. The amount of water to be stored is 2.5 ac. ft. 5 king 2.0 Al. Tacre feet.
4. The use to be made of the impounded water is 5 to ckwater decided (Irrigation, power, domestic supply, etc.)
5. The location of the proposed reservoir will be in Sec. 2 (Give sections or townships to be submerged)
Tp. 85, R. 6ω, W.M., in the county of Folk
(a) State whether situated in channel of running stream and give character of material at outlet
in channel of small intermittent stream water-
way. Made of Comparted Clay
(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give
name and dimensions
6. The dam will be located in NN/4 of . 5 & 14, Sec. 2, (Smallest legal subdivision)
Tp. \$5, R. 60, W.M. The maximum height will be 2.8. feet above stream bed or ground
surface on center line of dam. The length on top will be350 feet; length on
bottom310 feet; width on top feet; slope on front
or water side; slope on back; height of dam above water line (Feet horizontal to 1 vertical)
when full feet.
* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

7. The construction of dam, the material of which it is to be built, and method of prot	ection from
waves are as follows:	
Compacted clay material	***************

8. The location of wasteway with dimensions are as follows:	d the dam)
around right abutment	

9. The location of outlet from the proposed reservoir, with character of construction	and dimen-
sions, are as follows: 6 Conduit of 2 trickie tube (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and loc	
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and local	ation to pass the
normal flow of the stream at any time)	*****************
	•
10. The area submerged by the proposed reservoir, when full, will be	acres,
with a maximum depth of water of	th of water
6.7 feet.	
11. The estimated cost of the proposed work is \$2300	
12. Construction work will begin on or before 8-69	
13. Construction work will be completed on or before 2-7/	***************************************
(Signature of applicant)	*****************

STATE OF OREGON, ss.	
County of Marion,	
This is to certify that I have examined the foregoing application, together with the acc	ompanying:
maps and data, and return the same forcompletion and correction	
	•••••
In order to retain its priority, this application must be returned to the State Engineer, i	vith correc-
tions on or beforeNovember5th, 1969	
en de la composition de la composition La composition de la	
WITNESS my hand this5th day of September, 1969	
m coeiver.	
SEP 18 1969 CHRIS L. WHEFLER	E DEGINEER
STATE ENGINEER W. Jebousek	ASSISTANT

Boaren In	Bull t	La Jana	will be	101101	1 4 12 22.
The case	4411		•	•	
			•		
		***************************************		***************************************	·
3 :	***************************************	***************************************	•••••••••••••••••••••••••••••••••••••••		
	*************************	***************************************		***************************************	,
***************************************		************************		************************	
	*************************	************************			, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
•••••••••••••••••••••••••••••••••••••••	•	************************	•••••••••••••		,
	••••••	**********************			·····
				••••••	
***************************************				***************************************	
	·····	*****************		***************************************	*******
***************************************	***************************************				
		***********************			***************************************
	***************************************	***************************************			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
······································				***************************************	

		***************************************		***************************************	
TATE OF OREGON,)				
County of Marion,	\$ 8.				
This is to certify	that I have exam	mined the forego	oing application an	ıd do hereby ç	rant the same
bject to the following	limitations and	conditions: The 1	ight herein granted	d is limited to t	he construction
Bailey Reservoir	and storage	of water from	an unnamed wat	erway to be	appropriate
der application N					•
or irrigation and		•			
				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
ML - winks have	1 (1886)				
			ge of		
The priority date	of this permit is	i A '	ugust 29, 1969		***************************************
Actual construction	on work shall be	gin on or before	Ju	ne 4, 1971	an
all thereafter be prose	ecuted with reas	onable diligence	and be completed o	on or before Oc	tober 1, 19.72
	English and Company				
			June	, 1970	

Application No. R-46366

Reservoir Permit No. R 5518

PERMIT

o construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the flice of the State Engineer at Salem, Oregon, n the 27 day of Accinct fines of 367, at 2:25 o'clock P.M.

eturned to applicant:

pproved:

June 4 , 1970

Recorded in Book No.

eservoirs, on Page ... 11.5518

CHRIS L. WHEELER State Engineer

Drainage Basin No. 2. page 181.

SP-44046-119