

* Reservoir Permit No. **R 5546**

CERTIFICATE NO. **40594**

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Patrick A Ogle
(Name of Applicant)

of Rt. 1 Box 152 A Independence
(Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is Ogle stockwater reservoir

2. The name of the stream from which the reservoir is to be filled and the appropriation made is unnamed intermittent drainage way tributary of Luckiamute River

3. The amount of water to be stored is 1 ac ft. acre feet.

4. The use to be made of the impounded water is Stock water
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. NW 7 of SW 4 21
(Give sections or townships to be submerged)
Tp. 25, R. 4W, W.M., in the county of Polk

(a) State whether situated in channel of running stream and give character of material at outlet
In channel of small intermittent drainage way

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in NW 7 of SW 4, Sec. 21,
(Smallest legal subdivision)
Tp. 25, R. 4W, W.M. The maximum height will be 5 feet above stream bed or ground surface on center line of dam. The length on top will be 220 feet; length on bottom 25 feet; width on top 10 feet; slope on front or water side 3:1; slope on back 2:1; height of dam above water line when full 2.8 feet.
(Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Constructed of compacted clay material

.....
.....
.....

8. The location of wasteway with dimensions are as follows: 10' spillway
(State whether over or around the dam)
around Rt. abutment.

.....
.....

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: 6" conduit 12" trickle tube
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

.....

10. The area submerged by the proposed reservoir, when full, will be 5 acres, with a maximum depth of water of 10 feet; and approximate mean depth of water 2 feet.
Spec. remarks

11. The estimated cost of the proposed work is \$ 13,000.00

12. Construction work will begin on or before 8-61

13. Construction work will be completed on or before 8-70

X Patrick A. Lytle
(Signature of applicant)

Completed 4-1-70

STATE OF OREGON,

ss.

County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

.....
STATE ENGINEER
By
ASSISTANT

Remarks: The water will be deep because the
..... material to build the dam will be excavated
..... from the Reservoir Area

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of Ogle Stockwater Reservoir and the storage of water from an unnamed drainageway to be appropriated under application No. 46515, permit No. 34753, for stock

The right hereunder shall be limited to the storage of 1.0 acre feet.

The priority date of this permit is October 30, 1969

Actual construction work shall begin on or before July 13, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972.

WITNESS my hand this 13th day of July 1970

Robert L. ...
STATE ENGINEER

Application No. R. 46514

Reservoir Permit No. R 5546

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 30 day of Oct., 1969, at 9:00 o'clock A. M.

Returned to applicant:

Approved:

July 13, 1970

Recorded in Book No. _____ of

Reservoirs, on Page R 5546

CHRIS L. WHEELER

State Engineer

Drainage Basin No. 2 page 184

Fees 120.00