

RECEIVED

MAR 16 1970

STATE ENGINEER
SALEM OREGON

CERTIFICATE NO. 42333

* Reservoir Permit No. **R 5613**

ASSIGNED, See Misc. Rec., Vol. 4 Page 2247

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon.

I, Walter C. Leth
(Name of Applicant)

of 885 Cascade Dr. N.W. Salem
(Mailing Address)

State of Oregon 97304, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is Stockwater Pond #1 and #2

2. The name of the stream from which the reservoir is to be filled and the appropriation made is

unnamed Drainage way

tributary of Luckiamute River

3. The amount of water to be stored is #1 2 ac ft. #2 2 ac ft. acre feet.

4. The use to be made of the impounded water is Stockwater
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 27
(Give sections or townships to be submerged)

Tp. 9S, R. 5W, W.M., in the county of Polk

(a) State whether situated in channel of running stream and give character of material at outlet

in channel of unnamed drainage way

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in #1 NW 1/4 #2 SW 1/4 of NW 1/4 Sec. 27
(Smallest legal subdivision)

Tp. 9S, R. 5W, W.M. The maximum height will be #1 9.8' #2 7.0' feet above stream bed or ground

surface on center line of dam. The length on top will be #1 250' #2 260' feet; length on

bottom #1 20' #2 15' feet; width on top #1 20' #2 8' feet; slope on front

or water side #1 3:1 #2 3:1; slope on back #1 3:1 #2 2:1; height of dam above water line

(Feet horizontal to 1 vertical)

(Feet horizontal to 1 vertical)

when full #1 3' #2 3.5' feet.

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

11 2010

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Constructed of compacted clay material

8. The location of wasteway with dimensions are as follows: #1 around Rt' abutment (State whether over or around the dam) 18" culvert tile 9' Rock lined spillway over tile #2 around Rt abutment 8' wide spillway main channel of stream diverted around dam.

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: #1 and #2 no outlets (as built projects) (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

10. The area submerged by the proposed reservoir, when full, will be #1 0.5 #2 0.5 acres, with a maximum depth of water of #1 15' #2 12' feet; and approximate mean depth of water #1 4 ft #2 4 ft. feet.

11. The estimated cost of the proposed work is \$ #1 1000.00 #2 800.00

12. Construction work will begin on or before as built

13. Construction work will be completed on or before "

Handwritten signature
(Signature of applicant)

STATE OF OREGON,
ss.
County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

Remarks: Both # 1 + # 2 are deep because material to build the dyke was taken from The Reservoir area

STATE OF OREGON,

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of Reservoir No. 1 and Reservoir No. 2 and storage of water from an unnamed drainage way for stock use

The right hereunder shall be limited to the storage of Reservoir No. 1 2.0 a.f. and Reservoir No. 2 2.0 a.f. acre feet.

The priority date of this permit is March 16, 1970

Actual construction work shall begin on or before March 11, 1972 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972

WITNESS my hand this 11th day of March, 1971.

[Signature]

STATE ENGINEER

Application No. R 46817
Reservoir Permit No. R 5613

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16th day of March, 1970, at 2:00 o'clock P.M.

Returned to applicant:

Approved:

March 11, 1971

Recorded in Book No. _____ of

Reservoirs, on Page R 5613

CHRIS L. WHEELER
State Engineer

Drainage Basin No. 2 page 184

Fees \$200