

**RECEIVED**  
JUN 1 1970  
STATE ENGINEER  
SALEM, OREGON

\* Reservoir Permit No. **R 5618**

CERTIFICATE NO. 4/182

# Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, ROBERT F. RODDY (Name of Applicant)

of POST OFFICE BOX NO. 121 LAKE OSWEGO, 97034 (Mailing Address)

State of OREGON, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation NO

1. The name of the proposed reservoir is NO NAME

2. The name of the stream from which the reservoir is to be filled and the appropriation made is BEAVERTON CR.

tributary of FANNO CR.

3. The amount of water to be stored is FOUR acre feet.

4. The use to be made of the impounded water is DECORATION, DUCK REFUGE AND RED CARP SHELTER  
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 11  
(Give sections or townships to be submerged)

Tp. 1 S., R. 1 W., W.M., in the county of WASHINGTON

(a) State whether situated in channel of running stream and give character of material at outlet  
IS IN NATURAL CHANNEL, OUTFALL WORKS IS CONSTRUCTED OF CONCRETE AND CORRUGATED GALVANIZED IRON PIPE

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in SOUTH EAST 1/4 OF S. E. 1/4, Sec. 11  
(Smallest legal subdivision)

Tp. 1 S., R. 1 W., W.M. The maximum height will be 7 feet above stream bed or ground surface on center line of dam. The length on top will be 230 feet; length on bottom 190 feet; width on top 12 feet; slope on front or water side 3 TO 1; slope on back 3 TO 1; height of dam above water line when full 2 TO 3 feet.  
(Feet horizontal to 1 vertical)

\* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: DAM HAS BEEN BUILT AND IN CONTINUOUS USE SINCE 1920. IT IS CONSTRUCTED OF DENSE BLUE CLAY, PROTECTED BY HEAVY GROWTH OF RYE GRASS.

8. The location of wasteway with dimensions are as follows: SEE DETAIL DIAGRAM MARKED EXHIBIT "C" ENCLOSED WITH THIS PRESENTATION. LOCATION OF OUTFLOW IS PROVIDED ON AREA MAPS ALSO ENCLOSED. A THIRTY INCH CULVERT PIPE PASSES ALL OUTFLOW INTO STREAM BED AT EAST PROPERTY LINE. CULVERT IS IMBEDDED.  
(State whether over or around the dam)

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: SEE DETAIL EXHIBIT "C" ENCLOSED. FOR LOCATION SEE MAPS. (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time) OUTFLOW IS LOCATED 710 FT. NORTH, 1021 FT. WEST OF S.E. COR. SEC 11. TP. 1 S., R. 1 W., W.M.

10. The area submerged by the proposed reservoir, when full, will be APPROX. ONE acres, with a maximum depth of water of FOUR AND ONE HALF; and approximate mean depth of water FOUR feet.

11. The estimated cost of the proposed work is \$ \$10,000 REPLACEMENT VALUE.

12. Construction work will begin on or before WORK PREVIOUSLY COMPLETED.

13. Construction work will be completed on or before \_\_\_\_\_

*Robert P. Roddy*  
(Signature of Applicant)

STATE OF OREGON,

ss.

County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 31st, 1970.

WITNESS my hand this 30th day of June, 1970.

CHRIS L. WHEELER

STATE ENGINEER

**RECEIVED**  
AUG 1 1970  
STATE ENGINEER  
SALEM, OREGON

By *Wayne J. Overcash*  
Wayne J. Overcash

ASSISTANT

Remarks: GENTLEMEN:

THIS POND IN QUESTION HAS AS MANY AS 2,000 VERY DECORATIVE  
 RED CARP. IT SUPPORTS GEESE AND VARIOUS DUCKS ANNUALLY. BLUE  
 HERON HARBOR IN THIS SPOT IN LATE FALL. IT IS BOTH A SOURCE  
 OF AMUSEMENT FOR POEPL E IN THE AREA AND A BREEDING AREA FOR  
 FROGS. IT IS A NEIGHBORHOOD ATTRACTION FOR YOUNG BOYS. WE HOPE  
 THE BENIFIT THIS POND PROVIDES IS GOING TO CONTINUE INDEFINITELY.  
 THE POND WAS ORIGINALLY BUILT AS A WATER HAZARD FOR THE OLD  
 MULTNOMAH COUNTRY CLUB.

STATE OF OREGON,

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of reservoir and storage of water from Beaverton Creek to be appropriated under application No. 46804, permit No. 35000, for beautification, fish and water fowl refuge

The right hereunder shall be limited to the storage of 4.0 acre feet.

The priority date of this permit is June 1, 1970

Actual construction work shall begin on or before March 11, 1972 and

shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972.

WITNESS my hand this 11th day of March, 1971.

*[Signature]*

STATE ENGINEER

4 1971

15

Application No. R 47025  
Reservoir Permit No. **R 5618**

**PERMIT**

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1st day of JUNE, 1970, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

March 11, 1971

Recorded in Book No. \_\_\_\_\_ of Reservoirs, on Page **R 5618**

**CHRIS L. WHEELER**  
State Engineer

Drainage Basin No. 2 page 62B9  
Fee \$ 20.00