

RECEIVED

MAR 16 1970

STATE ENGINEER
SALEM OREGON

CERTIFICATE NO. 42336

* Reservoir Permit No. R 5637 Assigned Vol 4 pg. 2247

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Walter C. Leth (Name of Applicant)

of 885 Cascade Dr. N.W. Salem (Mailing Address)

State of Oregon 97304, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is Stockwater Pond # 5 and # 6

2. The name of the stream from which the reservoir is to be filled and the appropriation made is

unnamed drainage way
tributary of Luckiamute River

3. The amount of water to be stored is # 5 - 1.8 ac.ft. # 6 - 1.3 ac.ft. acre feet.

4. The use to be made of the impounded water is Stockwater
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 27
(Give sections or townships to be submerged)

Tp. 9S, R. 5W, W.M., in the county of Polk

(a) State whether situated in channel of running stream and give character of material at outlet

In channel of unnamed drainage way

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in # 5 - SW 1/4 NE 1/4 # 6 - SE 1/4 NW 1/4, Sec. 27
(Smallest legal subdivision)

Tp. 9S, R. 5W, W.M. The maximum height will be # 5 - 6' # 6 - 4' feet above stream bed or ground surface on center line of dam. The length on top will be # 5 - 60' # 6 - 80' feet; length on bottom # 5 - 10' # 6 - 15' feet; width on top # 5 - 8' # 6 - 15' feet; slope on front or water side # 5 - 3:1 # 6 - 4:1; slope on back # 5 - 3:1 # 6 - 4:1; height of dam above water line when full 2.5' feet.
(Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Constructed of compacted clay material

8. The location of wasteway with dimensions are as follows: (State whether over or around the dam)
Sillway Rt. abutment 8' wide 2:1 side slope
Sillway Left abutment 8' wide 2:1 side slope

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: none (As built dams)
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

10. The area submerged by the proposed reservoir, when full, will be #5 - 0.25 ac. #6 - 0.25 ac. acres, with a maximum depth of water of #5 - 6' #6 - 6' feet; and approximate mean depth of water #5 - 7.2' #6 - 5.2' feet.
see Remarks

11. The estimated cost of the proposed work is \$ #5 \$160.00 #6 \$250.00

12. Construction work will begin on or before (As Built)

13. Construction work will be completed on or before _____

[Signature]
(Signature of applicant)

STATE OF OREGON,

ss.

County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 12th, 1971.

WITNESS my hand this 12th day of March, 1971.

RECEIVED
MAY 4 1971
STATE ENGINEER
SALEM, OREGON

By [Signature] CHRIS L. WEBBER STATE ENGINEER
Larry W. Jebousek ASSISTANT

Remarks: material to build dyke was excavated from the Reservoir area.

STATE OF OREGON, }
County of Marion, } ss.


This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of Reservoir #5 and Reservoir #6 and storage of water from unnamed drainageway for stock water and is subject to the installation and maintenance of an outlet pipe, or to provide other means to evacuate the stored water when determined by the State Engineer to the necessary to satisfy prior downstream rights.

The right hereunder shall be limited to the storage of Reservoir #5 - 1.8 Reservoir #6 - 1.3 acre feet.

The priority date of this permit is March 16, 1970.

Actual construction work shall begin on or before May 26, 1972 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1973.

WITNESS my hand this 26th day of May, 1971.


STATE ENGINEER

Application No. R-46820

Reservoir Permit No. R 5637

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16th day of March, 1970, at 8:22 o'clock P.M.

Returned to applicant:

Approved: May 26, 1971

Recorded in Book No. of Reservoirs, on Page R-5637.

CHRIS. L. WHEELER
State Engineer

Drainage Basin No. 2 page 184

Fees \$0.00

pc