

RECEIVED
JUL 9 1970

ASSIGNED. See Misc. Rec., Vol. 5 Page 34

STATE ENGINEER
SALEM, OREGON

* Reservoir Permit No. R 5676

ASSIGNED. See Misc. Rec., Vol. 6 Page 364
CERTIFICATE NO. 47173

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Clyde E. and Iona A. Farlow
(Name of Applicant)

of Route 1, Box 53-A, Rogue River,
(Mailing Address)

State of Oregon 97537, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation N/A

1. The name of the proposed reservoir is Reservoirs #1, #2, and #3

2. The name of the stream from which the reservoir is to be filled and the appropriation made is #1 and #2 Reservoirs on #1 Unnamed Stream and #3 Reservoir is on #2 Unnamed/ Stream tributary of Evans Creek.

3. The amount of water to be stored is #1 - 2.5 ac. ft. & #2 - 2.0 ac. ft. & #3 / 2.5 ac. ft.

4. The use to be made of the impounded water is irrigation
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 22
(Give sections or townships to be submerged)
Tp. 35 S., R. 4 W., W.M., in the county of Jackson.

(a) State whether situated in channel of running stream and give character of material at outlet
Yes, decomposed granite and clay.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in #1 - NW 1/4 NE 1/4 #2 - NW 1/4 NE 1/4 #3 - NW 1/4 NE 1/4, Sec. 22
(Smallest legal subdivision)

Tp. 35 S., R. 4 W., W.M. The maximum height will be 10.0 feet above stream bed or ground surface on center line of dam. The length on top will be #1 - 200 feet #2 - 150 feet #3 - 150 feet feet; length on bottom #1 180 #2 130 #3 130 feet; width on top all three 8 feet feet; slope on front or water side 3:1; slope on back 2:1; height of dam above water line
(Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)

when full 2 1/2 feet.

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

R 5676

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: decomposed granite and clay - no wave protection needed.

8. The location of wasteway with dimensions are as follows: #1 - NW corner 5' wide, 2 1/2' deep (State whether over or around the dam) #2 - SE corner 5' wide, 2 1/2' deep #3 - SW corner 5' wide, 2 1/2' deep.

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: #1 - SW cor.) All have a #2 - west end) 12" gal. corrugated pipe - gate valve. #3 - northwest cor.) (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

10. The area submerged by the proposed reservoir, when full, will be #1 0.5 #2 0.4 #3 0.5 acres, with a maximum depth of water of 8 feet; and approximate mean depth of water 5 feet.

11. The estimated cost of the proposed work is \$3000.00

12. Construction work will begin on or before one year from date of priority.

13. Construction work will be completed on or before October 1, 1972.

Clyde E. Farlow (Signature of applicant) Dona A. Farlow

STATE OF OREGON,

ss.

County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

Application No. R 47183

Reservoir Permit No. R 5676

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14 day of July, 1972, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

September 20, 1971

Recorded in Book No. _____ of _____

Reservoirs, on Page R-5676.

CHRIS L. WHEELER

State Engineer

Drainage Basin No. 15 page A2C

Fees 20.00