

RECEIVED

JUL 22 1970

STATE ENGINEER
SALEM, OREGON

CERTIFICATE NO. 41894

* Reservoir Permit No. R 5681

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Paul A. & Doris M. Wilson

(Name of Applicant)

of Rt. 2 Box 40 Monmouth Oregon

(Mailing Address)

State of OREGON, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is UNNAMED

2. The name of the stream from which the reservoir is to be filled and the appropriation made is

Spring or Dry Creek Tributary of Dry Creek
tributary of Big Luckimute

3. The amount of water to be stored is 3.6 acre feet.

4. The use to be made of the impounded water is domestic + stock
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 25
(Give sections or townships to be submerged)

Tp. 9S, R. 6W, W.M., in the county of Polk

(a) State whether situated in channel of running stream and give character of material at outlet

Dirt
Days up in summer

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in SW 1/4 SW 1/4, Sec. 25
(Smallest legal subdivision)

Tp. 9S, R. 6W, W.M. The maximum height will be 10 feet above stream bed or ground surface on center line of dam. The length on top will be 70' feet; length on bottom 15 feet; width on top 22' feet; slope on front or water side 4.50; slope on back 70; height of dam above water line when full 3 feet.
(Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

R 5681

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: DIRT & SOAP STONE

Protected by hills & trees from the wind.

8. The location of wasteway with dimensions are as follows: Around DAM
(State whether over or around the dam)

OPEN DITCH

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Ditch OPEN AROUND END OF DAM
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

10. The area submerged by the proposed reservoir, when full, will be X 0.9 acres, with a maximum depth of water of 10 feet; and approximate mean depth of water X 4 feet.

11. The estimated cost of the proposed work is \$500.00

12. Construction work will begin on or before _____

13. Construction work will be completed on or before IS COMPLETED

Paul A. Wilson
(Signature of applicant)
Waris M. Wilson

STATE OF OREGON,
ss.
County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion and correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 3rd, 1970.
December 30th

WITNESS my hand this 3rd day of September, 1970.
30th October

RECEIVED
OCT 1 1970
STATE ENGINEER
ALEM. OREGON

RECEIVED
NOV 4 1970
STATE ENGINEER

CHRIS L. WHEELER
STATE ENGINEER
By Larry W. Jebousek
LARRY W. JEBOUSEK
ASSISTANT

Remarks:

50 head of Sheep this year
next year 15 head of Cattle

STATE OF OREGON,

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of a reservoir and storage of water from spring tributary for stock and is subject to the installation and maintenance of an outlet pipe, or to provide other means to evacuate the stored water when determined by the State Engineer to be necessary to satisfy prior downstream rights.

The right hereunder shall be limited to the storage of 3.6 acre feet.

The priority date of this permit is July 23, 1970

Actual construction work shall begin on or before September 20, 1972 and

shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1973..

WITNESS my hand this 20th day of September, 1971.

[Signature]

STATE ENGINEER

Application No. R 47260

Reservoir Permit No. R 5681

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the

office of the State Engineer at Salem, Oregon,

on the 23rd day of July,

1970, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

September 20, 1971

Recorded in Book No. _____ of _____

Reservoirs, on Page R-5681

CHRIS L. WHEELER

State Engineer

Drainage Basin No. 2 page 184

Fees \$ 20.00

SEP-44046-119