

RECEIVED

JAN 25 1972

STATE ENGINEER
SALEM, OREGON

ASSIGNED, See Misc. Rec., Vol. 5 Page 565

* Reservoir Permit No. **R 5788**

CERTIFICATE NO. 50641

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Randy Francis, dba A.N.Y. Concrete Co., Inc.
(Name of Applicant)

of 12325 S.W. Canyon Rd., Beaverton,
(Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

lt. April 25, 1972 OR
May 18, 1955 in Oregon

1. The name of the proposed reservoir is (this is an existing reservoir and is unnamed).

2. The name of the stream from which the reservoir is to be filled and the appropriation made is McFee Creek

tributary of Tualatin River

3. The amount of water to be stored is ~~unknown~~ 23.5 acre feet.

4. The use to be made of the impounded water is recreational

(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 13

(Give sections or townships to be submerged)

Tp. 2 S, R. 3 W, W.M., in the county of Washington

(a) State whether situated in channel of running stream and give character of material at outlet
In channel of running stream - material is lightly cemented boulders.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in NE $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 13

(Smallest legal subdivision)

Tp. 2 S, R. 3 W, W.M. The maximum height will be 26 feet above stream bed or ground

surface on center line of dam. The length on top will be ~~200~~ 200 feet; length on

bottom ~~unknown~~ 20 feet; width on top approx. 12 feet; slope on front

or water side ~~unknown~~ 2:1; slope on back 2:1; height of dam above water line

(Feet horizontal to 1 vertical)

(Feet horizontal to 1 vertical)

when full 6.5 feet.

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

lt. April 25, 1972

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: existing dam is earthfill with wood crib slope protection.

4. April 25, 1972

8. The location of wasteway with dimensions are as follows: Spillway around northerly end of dam - ¹⁶ foot bottom width, side slopes = 1 1/2:1
(State whether over or around the dam)

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Existing outlet conduit is 12 inch I.D. steel pipe thru dam. Will be gated on upstream end.
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

4. April 25, 1972

10. The area submerged by the proposed reservoir, when full, will be 3.6 acres, with a maximum depth of water of ~~unknown~~ 23 feet; and approximate mean depth of water ~~unknown~~ 6.5 feet.

11. The estimated cost of the proposed work is \$ 5,000

12. Construction work will begin on or before March, 1972

13. Construction work will be completed on or before August, 1972

A.N.Y. Concrete Co., Inc.

(Signature of applicant)

George V. Francis, Pres.

STATE OF OREGON,

ss.

County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By 13

ASSISTANT

Application No. R 49042
Reservoir Permit No. R 5788

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of January, 1972, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

May 15, 1972

Recorded in Book No. _____ of _____ Reservoirs, on Page **R 5788**

CHRIS. L. WHEELER
State Engineer

Drainage Basin No. 2 page 62213

Fees \$ 0.00

March 3, 1972