

RECEIVED
NOV 19 1971

STATE ENGINEER
SALEM, OREGON

* Reservoir Permit No. **R 5805**

"CERTIFICATE NO. **56397**

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Oregon Roses, Inc. (Name of Applicant)

of 1170 East Tualatin Valley Hwy, Hillsboro (Mailing address) (City)

State of Oregon, 97123 (Zip Code), do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation 1956 Hillsboro, Oregon

1. The name of the proposed reservoir is John Teufel Reservoir

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Un-named natural drainage channel which empties

~~tributary of~~ directly into the Tualatin River within approx. 2/3 of a mile.

3. The amount of water to be stored is 6.40 acre feet.

4. The use to be made of the impounded water is Irrigation (Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 6 (Give sections or townships to be submerged)

Tp. 1S, R. 2W, W.M., in the county of Washington - Oregon

(a) State whether situated in channel of running stream and give character of material at outlet Not a running stream.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions Runoff from approx. 134.76 acres in a natural drainage channel and waste water from irrigation which originates from wells on the applicant's property.

6. The dam will be located in SE 1/4, SE 1/4 & SW 1/4, SE 1/4, Sec. 6 (Smallest legal subdivision)

Tp. 1S, R. 2W, W.M. The maximum height will be 21 feet above stream bed or ground surface on center line of dam. The length on top will be 284 feet; length on

bottom 10 feet; width on top 12 feet; slope on front

or water side 3 to 1; slope on back 2 to 1; height of dam above water line (Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)

when full 4 feet.

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Earth embankment with grass on upstream embankment for wave protection.

8. The location of wasteway with dimensions are as follows: Emergency earth spillway
(State whether over or around the dam)
around the dam in natural ground with 9' wide bottom and sides sloped at 2 to 1.
Maximum water depth of one foot over crest of spillway computed for 50 year flood.

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Outlet conduit - 12" Asbestos Bonded C.M.P Asphalt Coated
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)
in trench in natural channel.

10. The area submerged by the proposed reservoir, when full, will be 1.464 acres,
with a maximum depth of water of 15 feet; and approximate mean depth of water
4.38 feet.

11. The estimated cost of the proposed work is \$7,500.00

12. Construction work will begin on or before August - September, 1972

13. Construction work will be completed on or before within 60 days

John A. Taylor Pres
(Signature of applicant)
Oregon Road Inc.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before February 29th, 1972.

WITNESS my hand this 31st day of December, 1971.

RECEIVED
JAN 6 1972
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By Wayne J. Overcash
ASSISTANT

Remarks: Propose to construct a dam & reservoir in a natural drainage channel, The reservoir having a storage capacity at normal pool elevation of 6.40 acre feet.

Object is to store normal run-off from 134.76 acre drainage area and water from irrigation of Oregon Roses, Inc. which originates from 4 wells on their property.

Will divert water from reservoir by ditch, pump, and pipeline for irrigation.

STATE OF OREGON, } ss.
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of John Teufel Reservoir and storage of water from an unnamed drainage channel to be appropriated under application No. 48861, permit No. 35927, for irrigation, and the dam shall be constructed under the supervision of a registered professional engineer.

The right hereunder shall be limited to the storage of 6.4 acre feet.

The priority date of this permit is November 19, 1971

Actual construction work shall begin on or before June 27, 1973 Extended to Oct. 1977 and

shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1974 Extended to Oct. 1, 1978

WITNESS my hand this 27th day of June, 1972.

Chris Scheller
STATE ENGINEER

RL
A

Application No. R-48860

Reservoir Permit No. R 5805

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19th day of November, 1971, at 2:00 o'clock A M.

Returned to applicant:

Approved:

June 27, 1972

Recorded in Book No. _____ of _____

Reservoirs, on Page R 5805

CHRIS L. WHEELER
State Engineer

Drainage Basin No. 2 page 62813

Fees 50.00