

RECEIVED
JUL 29 1971
STATE ENGINEER
SALEM, OREGON

*Reservoir Permit No. **R 5889**

CERTIFICATE NO. 45596
ASSIGNED, See Misc. Rec., Vol. 6 Page 293

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, EVANS PRODUCTS COMPANY
(Name of Applicant)

of P.O. Box E CORVALLIS
(Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation Delaware, 1923

1. The name of the proposed reservoir is Price Creek Reservoir

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Price Creek, (Res. 1) unnamed creek (Res. 2)

tributary of Unnamed creek a tributary of Price Creek, a tributary of the Luckiamute

3. The amount of water to be stored is 2.58 (Res. 1) 0.54 (Res. 2) acre feet.

4. The use to be made of the impounded water is Fire Fighting by State Forestry Dept.
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 26
(Give sections or townships to be submerged)

Tp. 10 S, R. 6 W, W.M., in the county of Benton

(a) State whether situated in channel of running stream and give character of material at outlet
The reservoirs are situated in the channel of the creeks filling them.

The channels are of rock and clay.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in NW 1/4, Sec. 26
(Smallest legal subdivision)

Tp. 10 S, R. 6 W, W.M. The maximum height will be 9-1/2 feet above stream bed or ground

surface on center line of dam. The length on top will be 134' (Res. 1) 70' (Res. 2) feet; length on

bottom 95' (Res. 1) 30' (Res. 2) feet; width on top 18' (Res. 1) 20' (Res. 2) feet; slope on front

or water side 3:1; slope on back 2:1; height of dam above water line
(Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)

when full 2-1/2 feet.

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: The dams are earth fill. The fill is a mixture of fragmented, rock and clay. Due to the small reservoir size, there is no wave protection.

8. The location of wasteway with dimensions are as follows: Res. 1 has a spillway, 20 feet wide and 2-1/2 feet deep around the dam. Res. 2 has a 24-inch pipe spillway through the dam.

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Both dams have six-inch stainless pipe outlets (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

10. The area submerged by the proposed reservoir, when full, will be 0.51 (res. 1) 0.11 (Res. 2) acres, with a maximum depth of water of 7-1/2 feet; and approximate mean depth of water 5 feet.

X 11. The estimated cost of the proposed work is \$ 1800

X 12. Construction work will begin on or before started

X 13. Construction work will be completed on or before October, 1972

(Signature of applicant)

STATE OF OREGON,

ss.

County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

Remarks: Pond No. 1 will be used by the Forestry Department to fill their large trucks for fire.

Pond No. 2 will be used by the Forestry Department to fill helicopter drop bucket as there is no place in Kings Valley to pick up the water.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of Price Creek Reservoir's and the storage of water from Price Creek in Reservoir #1 and unnamed creek in Reservoir #2 to be appropriated under application No. 48509, permit No. 36396, for fire protection being 2.58 af in Reservoir #1 and 0.54 af in Reservoir #2

The right hereunder shall be limited to the storage of 3.12 acre feet.

The priority date of this permit is July 29, 1971

Actual construction work shall begin on or before February 20, 1974 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1974

WITNESS my hand this 20th day of February, 1973.

[Handwritten signature]

STATE ENGINEER

Application No. R 48508

Reservoir Permit No. R 5889

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the

office of the State Engineer at Salem, Oregon,

on the 29th day of July,

1971, at 10:25 o'clock A M.

Returned to applicant:

Approved:

February 20, 1973

Recorded in Book No. _____ of _____

Reservoirs, on Page R 5889

CHRIS L. WHEELER
State Engineer

Drainage Basin No. 2 page 184

Fees 10.00