

RECEIVED
SEP 1 1972
STATE ENGINEER
SALEM OREGON

ASSIGNED, See Misc. Rec., Vol. By Deed

* Reservoir Permit No. **R 5906**

CERTIFICATE NO. 51149

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, John and Nancy Calvin (Name of Applicant)

of Star Rt. 1, Box 232 (Mailing address), Lacomb (City)

State of Oregon, 97354 (Zip Code), do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is Calvin's Pond

2. The name of the stream from which the reservoir is to be filled and the appropriation made is from 5 unnamed springs

tributary of unnamed stream tributary to Beaver Creek

3. The amount of water to be stored is 1 1/2 acre feet.

4. The use to be made of the impounded water is Livestock Water
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in ~~Sec~~ SE 1/4 of SW 1/4 of Sec. 24
(Give sections or townships to be submerged)

Tp. 11 S., R. 1 W., W.M., in the county of Linn

(a) State whether situated in channel of running stream and give character of material at outlet

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions Pond will be filled by constructing a ditch from Leslie E. Chaney's Pond covered in Application numbers R-33713 & 33714 and permit numbers R-2336 & 26643. Ditch will be 4 feet deep, 1 foot wide on bottom and 9 feet wide on top.

6. The dam will be located in SE 1/4 of SW 1/4 (Smallest legal subdivision), Sec. 24, Tp. 11 S., R. 1 W., W.M. The maximum height will be 8 feet above stream bed or ground surface on center line of dam. The length on top will be 300 feet; length on bottom 250 feet; width on top 8 feet; slope on front or water side 3 to 1 (Feet horizontal to 1 vertical); slope on back 2 to 1 (Feet horizontal to 1 vertical); height of dam above water line when full 2 1/2 feet.

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

11 2002

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Constructed from packed earth. Banks will be seeded to grass.

8. The location of wasteway with dimensions are as follows: Will use existing wasteway
(State whether over or around the dam)
in Chaney's Pond. This wasteway is at East end of pond and is 3 feet wide and 2 1/2 feet deep.

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: There is a 4-inch steel pipe at the center of the Chaney Dam.
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

10. The area submerged by the proposed reservoir, when full, will be 1/2 acres, with a maximum depth of water of 14 feet; and approximate mean depth of water 6 feet.

11. The estimated cost of the proposed work is \$ 1500.00

12. Construction work will begin on or before August 10, 1973

13. Construction work will be completed on or before October 1, 1974

John & Nancy Calvin
(Signature of applicant)
for John Calvin

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By IS [Signature]

ASSISTANT

Application No. R-49670
Reservoir Permit No. R 5906

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of September, 1972, at 6:00 o'clock A M.

Returned to applicant:

Approved:

March 13, 1973

Recorded in Book No. _____ of

Reservoirs, on Page R 5906

CHRIS L. WHEELER
State Engineer

Drainage Basin No. 2 page 44D

Fees \$10⁰⁰