

RECEIVED
DEC 11 1972

STATE ENGINEER
SALEM, OREGON

* Reservoir Permit No. **R 5907**

CERTIFICATE NO. 43262

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, SWF Plywood Company
CAROLINA PACIFIC PLYWOOD, INC.
(Name of Applicant)

of P.O. Box 370, Medford
(Mailing address) (City)

State of Oregon, 97501, do hereby make application for a permit to construct the
(Zip Code)

following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

April 1, 1959 Oregon

1. The name of the proposed reservoir is

2. The name of the stream from which the reservoir is to be filled and the appropriation made is

Jones Creek

tributary of Rogue River

3. The amount of water to be stored is 1.72 acre feet.

4. The use to be made of the impounded water is Fire Protection
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 22
(Give sections or townships to be submerged)

Tp. 36S, R. 5W, W.M., in the county of Josephine

(a) State whether situated in channel of running stream and give character of material at outlet

Not a channel

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

Filled through pipeline - 3"

6. The dam will be located in SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 22,
(Smallest legal subdivision)

Tp. 36S, R. 5W, W.M. The maximum height will be 0 feet above stream bed or ground

surface on center line of dam. The length on top will be .50' x 100' Excavated feet; length on

bottom feet; width on top feet; slope on front

or water side ; slope on back ; height of dam above water line

(Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)

when full 2 feet.

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

11 2005

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows:Excavation.....

8. The location of wasteway with dimensions are as follows:None.....
(State whether over or around the dam)

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows:None.....
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

10. The area submerged by the proposed reservoir, when full, will be1..... acres, with a maximum depth of water of17..... feet; and approximate mean depth of water15..... feet.

11. The estimated cost of the proposed work is \$ 100,000.00.....

12. Construction work will begin on or beforeDecember 1, 1973.....

13. Construction work will be completed on or beforeDecember 1, 1973.....

Carolina Pacific Plywood, Inc
(Signature of applicant)
By: C. W. Booth, Sec.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By H. Dixon

ASSISTANT

Application No. R-49902

Reservoir Permit No. R 5907

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of December, 1972, at 8:00 o'clock A M.

Returned to applicant:

Approved: _____
March 13, 1973

Recorded in Book No. _____ of _____

Reservoirs, on Page R 5907

CHRIS L. WHEELER
State Engineer

Drainage Basin No. 15 page 28211

Fees 20.00

201