

RECEIVED
JUN 20 1973
STATE ENGINEER
SALEM, OREGON

RECEIVED
JUL 3 1973
STATE ENGINEER
SALEM, OREGON
* Reservoir Permit No. R. 6000

CERTIFICATE NO. 47015

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, George Danforth (Name of Applicant)

of Rt 1, Box 507 B, Bay City (Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is

2. The name of the stream from which the reservoir is to be filled and the appropriation made is

unnamed
tributary of Cole Cr. - Kitchis River

3. The amount of water to be stored is 0.94 0.02 acre feet.

4. The use to be made of the impounded water is Irrigation
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 7
(Give sections or townships to be submerged)

Tp. 1 S, R. 9 W, W.M., in the county of Tillamook

(a) State whether situated in channel of running stream and give character of material at outlet

In trickling stream through loamy top soil - below into river bottom land

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in Danforth lot (NE 1/4 - NE 1/4) Sec. 7
(Smallest legal subdivision)

Tp. 1 S, R. 9 W, W.M. The maximum height will be 4 feet above stream bed or ground

surface on center line of dam. The length on top will be 12-13 feet; length on

bottom 4 1/2 feet; width on top 3 feet; slope on front

or water side 12'; slope on back 8'; height of dam above water line
(Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)

when full 1' feet.

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Dam to be 5,610' and W. 2250' of N 1/4 cor. Sect. 7 above

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: earth fill

.....
.....
.....

8. The location of wasteway with dimensions are as follows: (State whether over or around the dam)

4" plastic pipe through dam and additional spill way
around one end Top width 3 1/2'
Bottom width 1'

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: 1 1/2" plastic pipe through the dam

(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

10. The area submerged by the proposed reservoir, when full, will be 0.006 acres, with a maximum depth of water of 3' feet; and approximate mean depth of water 2' feet.

11. The estimated cost of the proposed work is \$ 400-500

12. Construction work will begin on or before Sept 1, 1973 or soon as approved

13. Construction work will be completed on or before June 1 1974

George Danforth
(Signature of applicant)

STATE OF OREGON,

ss.

County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

Remarks:

STATE OF OREGON, }
County of Marion, } ss.


This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of reservoir and storage of water from unnamed stream to be appropriated under application No. 50702, permit No. 36957 for irrigation

The right hereunder shall be limited to the storage of 0.02 acre feet.

The priority date of this permit is July 3, 1973

Actual construction work shall begin on or before August 27, 1974 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1975.

WITNESS my hand this 27th day of August, 1973.


STATE ENGINEER

7 P

Application No. R-50816

Reservoir Permit No. R 6000

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 3rd day of July, 1973, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

August 27, 1973

Recorded in Book No. _____ of

Reservoirs, on Page R 6000

CHRIS L. WHEELER
State Engineer

Drainage Basin No. 1 page 60

Fees \$25.00