vaves are as follows: compacted earth,w	मार्ग्याच्याच्याच्याच्याच्याच्याच्याच्याच्याच	
· · · · · · · · · · · · · · · · · · ·		
8. The location of wasteway with dimens	ions are as follows: .At. right.abutr	ment in undistu
material, 12 ft bottom 14 ft top and	(State whether over 2.5 ft depth.	
······································		
9. The location of outlet from the proposed		
tre as follows: 12 in steel conduit with (All dams across natural stream channels	3 cutoff collars and a 18" dro must be provided with an outlet conduit, of such capac	pp inlet
located 0.5 ft below sp/wy		·····
		•••••••••••••••••••••••••••••••••••••••
10. The area submerged by the proposed	resevoir, when full, will be $\frac{1 \cdot 2}{1 \cdot 2}$	acres,
vith a maximum depth of water of7	feet; and approximate me	ean depth of water
feet.	1/	
11. The estimated cost of the proposed we	ork is \$ 6,000.00	
12. Construction work will begin on or bef	•	
13. Construction work will be completed of		
·	Tour de Rha	
	(Signature of applicant)	<i>y</i> . <i>y</i>
		•••••••••••••••••••••••••••••••••••••••
STATE OF OREGON, ss.		
County of Marion,		
This is to certify that I have examined the	foregoing application, together with	the accompanying
naps and data, and return the same for	•••••••••••••••••••••••••••••••••••••••	***************************************
In order to retain its priority, this applic	ation must be returned to the State E	ingineer, with cor-
rections, on or before	, 19	
WITNESS my hand this	day of	, 19
		•
		STATE ENGINEER

Remarks:		14.1 12 4.11. 221.
		· · · · · · · · · · · · · · · · · · ·
		······

		•••••••••••••••••••••••••••••••••••••••
······································		***********************
······	······································	
		·····
STATE OF OREGON, \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
County of Marion,		
This is to certify that I have examined the fore	going application and do hereby	grant the same,
subject to the following limitations and conditions: The	e right herein granted is limited t	o the construc-
tion of Frank Henny Reservoir and storage of w	rater from unnamed stream to	be appro-
priated under application No. 51898, Permit N	o.37404, for irrigation.	
	<u> </u>	
The right hereunder shall be limited to the storage	e of6.0	acre feet.
The priority date of this permit is	May 2, 1974	
Actual construction work shall begin on or before	August 6, 1975	and
shall thereafter be prosecuted with reasonable diligence		
WITNESS my hand this6.th day of		
•		
	Charle & sheet	ox

* Reservoir Permit No.R 5075

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

CERTIFICATE NO. 46342
I, Frank Henny JR (Name of Applicant)
9a0a 7a / Aug Ale Brooks
of
State of Oregon 97305, do hereby make application for a permit to construct the
following described reservoir and to store the unappropriated waters of the State of Oregon, subject to
existing rights.
If the applicant is a corporation, give date and place of incorporation
1. The name of the proposed reservoir is Frank Henny Reservoir
2. The name of the stream from which the reservoir is to be filled and the appropriation made is Unnamed Sfream
tributary of Jones Ditch - Pudding River
3. The amount of water to be stored is
4. The use to be made of the impounded water is
5. The location of the proposed reservoir will be in Sec. 15 (Give sections or townships to be submerged)
(Give sections or townships to be submerged) Tp. 6S, R. 2W, W. M., in the county of Marion
(a) State whether situated in channel of running stream and give character of material at outlet
Running stream silty clay loam
S
(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give
name and dimensions
6. The dam will be located in $SN_{4}^{\frac{1}{4}}NE_{4}^{\frac{1}{4}}$, Sec. 15 (Smallest legal subdivision)
Tp65, R2W, W. M. The maximum height will be9.9. feet above stream bed or ground
surface on center line of dam. The length on top will be190 feet; length on
bottom feet; width on top feet; slope of front
or water side; slope on back; height of dam above water line (Feet horizontal to 1 vertical)
when full feet. Drop inlet located 0.5 ft. below sp/wy.
• A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured

Application No. R-5-1897

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2rd day of Max 1974, at 3:00 o'clock P.M.

Returned to applicant:

Approved:

Recorded in Book No.

Reservoirs, on Page II SO75 August 6, 1974

Chris L. Wheeler srate engineer

Drainage Basin No. page 38221