

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, City of McMinnville, By Water and Light Commission
(Name of Applicant)

of McMinnville, County of Yamhill
(Postoffice)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is Haskins Creek Impounding Reservoir

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Haskins Creek

tributary of NorthFork of Yamhill River

3. The amount of water to be stored is 410 acre feet.

4. The use to be made of the impounded water is Domestic Supplies
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 18 of T. 3 S. R. 5 W. and
(Give sections or townships to be submerged)

Sec. 13 of T 3 S R 6 W

(a) State whether situated in channel of running stream and give character of material at outlet
In channel of running stream. Material at outlet is rock

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in SW $\frac{1}{4}$ of NW $\frac{1}{4}$, Sec. 18,
(Smallest legal subdivision)

Tp. 3 S, R. 5 W, W. M. It will be 60 feet in height,
(No. N. or S.) (No. E. or W.)

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

having a length on top of 300 feet; length on bottom 90
..... feet; width on top 15 feet slope of front or water side $\frac{2}{3}$
(Feet horizontal to 1 vertical)
slope on back $\frac{2}{2}$; height of dam above water line when full
..... 7.5 feet.
(Feet horizontal to 1 vertical)

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Hand placed rip rap

8. The location of wasteway with dimensions are as follows: Wasteway around dam 50 feet wide
(State whether over or around the dam)
..... 5 feet deep

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Outlet tunnel concrete lined, 6 feet wide by 7 ft high circular top
(State whether through or around the proposed dam)
..... with concave bottom.

10. The area submerged by the proposed reservoir, when full, will be 18 acres,
with a maximum depth of water of 60 feet; and approximate mean depth of water
..... 30 feet.

11. The estimated cost of the proposed work is \$ 60,000

12. Construction work will begin on or before April 1st, 1927

13. Construction work will be completed on or before November 1, 1927

Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the State Water Board, accompany this application.

Water and Light Commission of the

(Name of applicant)

City of McMinnville,

By Gordon Baker, Mayor, Chairman of Commission

By Mina Redmond, Clerk of Com.

Signed in the presence of us as witnesses:

(1) M. H. McGinn McMinnville, Oregon
(Name) (Address of witness)

(2) W. J. Browen McMinnville, Oregon.
(Name) (Address of witness)

2

Application No. R-11338...

Reservoir Permit No. R-612

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

District No.....

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19th day of February, 1927, at 8:30 o'clock A. M.

Returned to applicant for correction:

Corrected application received:

Approved:

February 20, 1929

Recorded in Book No. 3 of Reservoirs, on Page 612

R H E A L U P E R

State Engineer.

1 map ACFP

\$8.00