

RECEIVED
MAY 7 1973

STATE ENGINEER
SALEM OREGON

CERTIFICATE NO. 51796

* Reservoir Permit No. R 6159

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Louis R. Malensky (Name of Applicant)

of Route 4, Box 175 (Mailing address), Hillsboro (City)

State of Oregon, 97123 (Zip Code), do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is Pumping Reservoir #1, Creek Reservoir #2 and #3.

2. The name of the stream from which the reservoir is to be filled and the appropriation made is #1 - drainage ditch and Campbell; #2 and #3 - Campbell Creek tributary of Tualatin R.

3. The amount of water to be stored is 7.7 a.f. being #1 - 2.2 a.f., #2 - 1.7, #3 - 3.8 } 5.5 a.f. acre feet.

4. The use to be made of the impounded water is irrigation and supplemental irrigation (Irrigation, power, domestic supply, etc.)
reservoirs

5. The location of the proposed reservoir will be in Sec. 31 (Give sections or townships to be submerged)

Tp. 1 S, R. 2 W, W.M., in the county of Washington

(a) State whether situated in channel of running stream and give character of material at outlet
#2 and #3 - yes

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions #1 - 6" culverts between Campbell Cr. and drainage ditch

6. The ^{sump}dam will be located in #1 - NW 1/4 SE 1/4 (Smallest legal subdivision), Sec. 31, Tp. 1 S, R. 2 W, W.M. The maximum height will be N/A feet above stream bed or ground surface on center line of dam. The length on top will be _____ feet; length on bottom _____ feet; width on top _____ feet; slope on front or water side _____; slope on back _____; height of dam above water line when full _____ feet.

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

sump: 29' wide, 150' long, 5' deep, slopes 3:1
ditch: 5' wide, 2000' long, 5' deep
see remarks for #2 and #3

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: #1 - excavated
#2 and #3 - concrete with flashboards
no wind protection needed

8. The location of wasteway with dimensions are as follows: over the top
(State whether over or around the dam)

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: #2 and #3
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

10. The area submerged by the proposed reservoir, when full, will be #1 1.0 acres, #2 .4 #3 1.0
with a maximum depth of water of #1 2.2 #2 5.5 #3 5.5 feet; and approximate mean depth of water #2 4.25 #3 3.7 feet.

11. The estimated cost of the proposed work is \$ 700

12. Construction work will begin on or before

13. Construction work will be completed on or before 19 71

X Louis Malenky
(Signature of applicant)

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER
By ASSISTANT

Remarks: Item 6: The maximum height for Reservoir #2 will be 5.5 feet above stream bed or ground surface on center line of dam. The length on top will be 30 feet; length on bottom 6 feet; width on top feet; slope on front or water side; slope on back; height of dam above water line when full feet. CONCRETE WING WALLS WITH FLASHBOARDS

The maximum height for Reservoir #3 will be SAME AS #2 feet above stream bed or ground surface on center line of dam. The length on top will be feet; length on bottom feet; width on top feet; slope on front or water side; slope on back; height of dam above water line when full feet.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of reservoir No. 1 and storage of 2.2 a.f. from drainage ditch and Campbell Creek and construction of reservoir No. 2 and storage of 1.7 a.f. and construction of reservoir No. 3 and storage of 3.8 a.f. from Campbell Creek to be appropriated under application No. 49266, Permit No. 38077, for irrigation and supplemental irrigation.

The right hereunder shall be limited to the storage of 7.7 acre feet.

The priority date of this permit is May 7, 1973.

Actual construction work shall begin on or before September 10, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

WITNESS my hand this 10th day of September, 1975.

James E. [Signature]
Water Resources Director STATE ENGINEER

F.H. A

Application No. *R-49265*

Reservoir Permit No. **R 6159**

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the *7th* day of *May*, 19*73*, at *8:00* o'clock *A.*M.

Returned to applicant:

Approved:

Recorded in Book No. _____ of _____ Reservoirs, on Page **R 6159**

State Engineer

Drainage Basin No. *2* page *62B1A*

Fees *5.00*