RECEIVED

NOV 6 1973 STATE ENGINEER SALEM. OREGON

CERTIFICATE NO. 457//

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Wilfred Peters (Name	of Applicant)
of Route 1, Box 368 (Mailing address)	Forest Grove (City)
State of Oregon , 97116 , do he	reby make application for a permit to construct the
following described reservoir and to store the unap	
existing rights.	
If the applicant is a corporation, give date an	d place of incorporation
1. The name of the proposed reservoir is	
2. The name of the stream from which the re-	servoir is to be filled and the appropriation made is
No stream involved - Located in sma	all draw.
tributary of	
3. The amount of water to be stored is8.6	acre feet.
4. The use to be made of the impounded water	is Irrigation
	be in Sec
Tp, R, W.M., in the county of	
	ning stream and give character of material at outlet
	ting stream and give character of material at outlet
Not in stream channel	
(b) If not in channel of running stream, state	how it is to be filled. If through a feed canal, give
name and dimensions To be filled from winter	run-off. There is no pipe or feed
canal furnishing water to the pond. Water	enters from surface run-off from small
draw and seepage.	
6. The dam will be located in SW4.SW4.& SE	14 SW4 Sec. 8 , allest legal subdivision)
Tp1N , R3W , W.M. The maximum h	
surface on center line of dam. The length on top will	be250 feet; length on
bottom150 feet; width on to	op10! feet; slope on front
or water side; slope on back; [Feet horizontal to 1 vertical]	:1; height of dam above water line et horizontal to 1 vertical)
when full2.5 feet.	
 A different form of application should be used for the appropriational charge, together with instructions, by addressing the State English 	riation of stored water to beneficial use. Such forms can be secured gineer, Salem, Oregon 97310.

8. The location of wasteway with dimensions are as follows: Emergency, carth. spillway. 8. The location of wasteway with dimensions are as follows: Emergency, carth. spillway. 9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Cayted 121. CMD. then fill are to provided with an exist conduit, at each caseably and lived to pass the normal flow of the steam at any them. 10. The area submerged by the proposed reservoir, when full, will be 1.16. acres, with a maximum depth of water of 9.4 feet; and approximate mean depth of water 7.4 feet. 11. The estimated cost of the proposed work is \$.5,000.00 12. Construction work will begin on or before Oct. 1, 1973 13. Construction work will be completed on or before Oct. 30, 1974 STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction and completion. In order to retain its priority, this application must be returned to the State Engineer, with the accompanying was and data, and return the same for Correction and completion. In order to retain its priority, this application must be returned to the State Engineer, with the accompanying was and data, and return the same for Correction and completion. In order to retain its priority, this application must be returned to the State Engineer, with the accompanying was and was a specific control of the state and the state and the second that the same for March. 10. The area submerged by the proposed reservoir, when full, will be 1.16 acres, with a maximum depth of water of proposed work is \$.5,000.00 12. Construction work will begin on or before Oct. 30, 1974 13. Construction work will be completed on or before oct. 1, 1973 14. The second of the proposed work is \$.5,000.00 15. The area submerged by the proposed work is \$.5,000.00 16. The area submerged by the proposed reservoir, when full, will be proposed with an exist condun	7. The construction of dam, the material of	which it is to be built, and method of protection from
8. The location of wasteway with dimensions are as follows: Emergency, earth spillway around east and of fills. 9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Coated 12. CM. CM. there is the provided with an outlet conduit, of such aspectly and location to peak the formation of the stream at any time. 10. The area submerged by the proposed reservoir, when full, will be 1.16 acres, with a maximum depth of water of 9.4 feet; and approximate mean depth of water 7.4 feet. 11. The estimated cost of the proposed work is \$ 5,000.00 [12. Construction work will begin on or before Oct. 1, 1973 [13. Construction work will be completed on or before Oct. 30, 1974 [1974] [1974] [1975] [1976] [197	waves are as follows: Compacted earth fill.	• No wave protection necessary.
8. The location of wasteway with dimensions are as follows: Emergency, earth spillway around east, end of fills. 9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Cooked 1911. Character channels must be provided with an outlet conduit, of such capacity and character to pass the normal flow of the stream at any times 10. The area submerged by the proposed reservoir, when full, will be 1.16 acres, with a maximum depth of water of 9.4 feet; and approximate mean depth of water 7.4 feet. 11. The estimated cost of the proposed work is \$ 5,000.00 12. Construction work will begin on or before Oct. 1, 1973 13. Construction work will be completed on or before Oct. 30, 1974		
around east end of fills. 9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Coated 12" CMP there fill. (All dams screen natural stream channels must be provided with an entite conduit, of such caspetty and location to pass the normal flow of the stream at any time) 10. The area submerged by the proposed reservoir, when full, will be 1.15 acres, with a maximum depth of water of 9.4 feet; and approximate mean depth of water 7.4 feet. 11. The estimated cost of the proposed work is \$ 5,000.00 12. Construction work will begin on or before Oct. 1, 1973 13. Construction work will be completed on or before Oct. 30, 1974 This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion. In order to retain its priority, this application must be returned to the State Engineer, with the sections on or before May 7. 19.74.		
9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Coated 12th CND that fill will be provided with an outlet conduit, of such espectly and location to pass the normal flow of the stream at any time) 10. The area submerged by the proposed reservoir, when full, will be 1.16 acres, with a maximum depth of water of 9.4 feet; and approximate mean depth of water 7.4 feet. 11. The estimated cost of the proposed work is \$ 5,000.00 12. Construction work will begin on or before Oct. 1, 1973 13. Construction work will be completed on or before Oct. 30, 1974 This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction and completion. In order to retain its priority, this application must be returned to the State Engineer, with a contraction of the complete of the proposed work is \$ 5,000.00.00.		
9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: (Coated 12" CMP third fill. (All dams screen natural stream channels must be provided with an entite conduit, of such caspetty and location to pass the normal dow of the stream at any time) 10. The area submerged by the proposed reservoir, when full, will be 1.15 acres, with a maximum depth of water of 9.4 feet; and approximate mean depth of water 7.4 feet. 11. The estimated cost of the proposed work is \$ 5,000.00 12. Construction work will begin on or before Oct. 1, 1973 13. Construction work will be completed on or before Oct. 30, 1974 (All gamesture of application) STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion. In order to retain its priority, this application must be returned to the State Engineer, with the state of the proposed way. 7 feet. 19.74.	8. The location of wasteway with dimension	ns are as follows: Emergency earth spillway (State whether over or around the dam)
dimensions, are as follows: Coated 12!! CMP that fill. (All dense across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time) 10. The area submerged by the proposed reservoir, when full, will be		
dimensions, are as follows: Coated 12!! CMP that fill. (All dense across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time) 10. The area submerged by the proposed reservoir, when full, will be		
dimensions, are as follows: Coated 12!! CND that it is provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time) 10. The area submerged by the proposed reservoir, when full, will be 1.16		
10. The area submerged by the proposed reservoir, when full, will be 1.16 acres, with a maximum depth of water of 9.4 feet; and approximate mean depth of water 7.4 feet. 11. The estimated cost of the proposed work is \$.5,000.00 12. Construction work will begin on or before Oct. 1, 1973 13. Construction work will be completed on or before Oct. 30, 1974 When the substance of spoliceans STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction and completion In order to retain its priority, this application must be returned to the State Engineer, with the State Engineer is the state Engineer in the state Engineer in the state Engineer is the state Engineer in the state Engineer in the state Engineer is the state Engineer in the state Engineer in the state Engineer is the state Engineer in the state Engineer in the state Engineer is the state Engineer in the state Engineer in the state Engineer is the state Engineer in the state Engineer in the state Engineer is the state Engineer in the state Engineer in the state Engineer is the state Engineer in the state Engineer in the state Engineer in the state Engineer in the state Engineer is the state Engineer in th		
10. The area submerged by the proposed reservoir, when full, will be 1.16 acres, with a maximum depth of water of 9.4 feet; and approximate mean depth of water 7.4 feet. 11. The estimated cost of the proposed work is \$.5,000.00 12. Construction work will begin on or before Oct. 1, 1973 13. Construction work will be completed on or before Oct. 30, 1974 2. 2. 2. 30. 1974 This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for	dimensions, are as follows: Coated 12!! CMP to (All dams across natural street)	hro fills. am channels must be provided with an outlet conduit, of such capacity and
with a maximum depth of water of	location to pass the normal flow of the stream at any time)	
with a maximum depth of water of	10 The reason has a seed by the proposed re	exernoir when full will be 1.16 acres.
This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for		
11. The estimated cost of the proposed work is \$.5,000.00 12. Construction work will begin on or before Oct. 1, 1973 13. Construction work will be completed on or before Oct. 30, 1974 The state of applicant of		jeet; and approximate mean depoit of water
12. Construction work will begin on or before Oct. 1, 1973 13. Construction work will be completed on or before Oct. 30, 1974 This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for		. F 000 00
13. Construction work will be completed on or before Oct. 30, 1974 Wilfred Ites (Signature of applicant) STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for	12. Construction work will begin on or be	efore Oct. 1, 1973
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for	13. Construction work will be completed of	on or before Oct. 30, 1974
This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for		(Signature of applicant)
This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for		
This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for	•	
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for		
This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for		
maps and data, and return the same forcorrection and completion	County of Marion,	
In order to retain its priority, this application must be returned to the State Engineer, with	This is to certify that I have examined the	e foregoing application, together with the accompanying
In order to retain its priority, this application must be returned to the State Engineer, with	maps and data, and return the same forcon	rrection and completion
Corrections on or beforeMay7, 19.74	•	
Gractions on or beforeMay7, 19.74	In order to retain its priority, this app	dication must be returned to the State Engineer, with
8 5 5 6 6 7 1 5 6 7 1	derrections on or beforeMay7	
WITNESS my hand this day ofMarch, 19.74	EGO	
WITNESS my hand this day of	9 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	4 Manah 1974
SAIS	WITNESS my hand this day of	J, 13
	SAIS	
CHRIS L. WHEELER		
STATE ENGINEER	· · · · · · · · · · · · · · · · · · ·	STATE ENGINEER
Thomas E. Shook ASSISTANT		Thomas F. Shook ASSISTANT

••••••	***************************************				
*			4.		
+ 8 55.				***************************************	
······································			**	•••••	
	•••••••••••••••••••••••••••••••••••••••				
•••••					
			-		***************************************
1	•	***************************************			
		•	•••••••••••••••••••••••••••••••••••••••		
	••••••	••••••			************
			•••••••••••••••••••••••••••••••••••••••		***********
•••••••••••••••••••••••••••••••••••••••				••••••••••••	••••••
	·····	•••••••••••••••••	••••••		•••••••

				`	
		***************************************	•••••••••••••••••••••••••••••••••••••••		
•••••••••••••••••••••••••••••••••••••••	***************************************				••••••
			•••••	•••••	· ·
	,				***************************************
		***************************************	***************************************		•••••
					•••••
ATE OF OREGON,)	1			
	88.				
County of Marion,	·				
This is to certify oject to the following unnamed reserved	limitations and compoir and storage to. 51376, Permi	e of water from a	an unnamed draw	ited to the constr to be appropr	uction iated
This is to certify eject to the following unnamed reserve der Application N The right hereund	limitations and convoir and storage to. 51376, Permi	to the storage of	erein granted is limen unnamed draw rirrigation 8.6	to be appropr	iatede feet.
This is to certify ject to the following unnamed reserve der Application N The right hereund The priority date Actual construction	limitations and compoir and storage to. 51376, Permi therefore shall be limited of this permit is an work shall begin	ditions: The right has of water from a to the storage of	erein granted is lim an unnamed draw r irrigation 8.6 1973 December 9.	to be appropr acr	e feet.
unnamed reserved rese	limitations and convoir and storage to: 51376, Permi der shall be limited of this permit is on work shall begin	t No. 38822 for November 6, 1	erein granted is lim an unnamed draw r irrigation 8.6 1973 December 9.	to be appropr acr 2976	e feet.
This is to certify eject to the following unnamed reserve der Application No The right hereund The priority date Actual constructio	limitations and convoir and storage to: 51376, Permi der shall be limited of this permit is on work shall begin	t No. 38822 for November 6, 1	erein granted is lim an unnamed draw r irrigation 8.6 1973 December 9.	to be appropr acr 2976	e feet.

Application No. R-51375 Reservoir Permit No. R 6233

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

on the 6th day of November, office of the State Engineer at Salem, Oregon, 1973, at SOC o'clock AM. This instrument was first received in the

Returned to applicant:

Approved:

Reservoirs, on Page R 6233 Recorded in Book No.

of

State Engineer

Drainage Basin No. 2. page 62816

SP*45692-119