FEB 1 5 1974 STATE ENGINEER SALEM, OREGON

## \* Reservoir Permit No. R 6392

## Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, George E. Bretz (Name of Applicant)
of101 Panther Gulch Road, Williams, Oregon 97544. (Mailing Address)
State ofOregon do hereby make application for a permit to construct the
following described reservoir and to store the unappropriated waters of the State of Oregon, subject to
existing rights.
If the applicant is a corporation, give date and place of incorporationdna
1. The name of the proposed reservoir is #1 and #2
2. The name of the stream from which the reservoir is to be filled and the appropriation made is
#1 - Clapboard Gulch #2 - Unnamed drainage
tributary ofEast Fork of Williams Creek
3. The amount of water to be stored is $\#1 - 4\frac{1}{2}$ acre feet; $\#2 - 5\frac{1}{2}$ acre feet.
4. The use to be made of the impounded water isirrigation
5. The location of the proposed reservoir will be in Sec. 10 (Give sections or townships to be submerged)
(Give sections or townships to be submerged)  Tp. 39.5, R. 5.W, W.M., in the county of Josephine
(a) State whether situated in channel of running stream and give character of material at outlet
#1 not in a stream; #2 in unnamed drainage - outlet of earth and rock
(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give
name and dimensions #1 fed thru a dirt ditch from Clapboard Gulch - about 2 feet on
top and $1\frac{1}{2}$ feet on bottom, approximately 1200 feet long.
6. The dam will be located in #1-NE of NE i #2-SE of NE i , Sec. 10 (Smallest legal subdivision) ft.  Tp. 39 S , R. 5 W , W.M. The maximum height will b#2-8 feet above stream bed or ground
surface on center line of dam. The length on top will be #1 - 200 ft.; #2 - 250 feet; length on
bottom #1 - 200 ft.; #2 - 220 feet; width on top #1 - 6 ft.; #2 - 6 feet; slope on front 2:1 on both
or water side 3:1 on both ; slope on back
when full $\frac{2^{\frac{1}{2}}}{2}$ feet.
* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon, 97310

	ch it is to be built, and method of protection from
waves are as follows: earth and rock construction	on, both #1 and #2
near	e as follows: #1 - no spillway - ditch fed  (State whether over or around the dam)  by 1½' deep. Actually, the spillway
is in the ditch that feeds this reservoir.	
to a certain level the water then turns to a ditch which drains into Williams Creek.	a spillway from the ditch to a second
9. The location of outlet from the proposed res	ervoir, with character of construction and dimen-
sions, are as follows: #1 ditch fed - #2 steel ; (All dams across natural stream channels must be pro	vided with an outlet conduit, of such capacity and location to pass the
normal flow of the stream at any time)	
10. The area submerged by the proposed reservo	ir, when full, will be #1-+45 & #2-+69 acres,
with a maximum depth of water of #1 - 10 ft.: #2	2-10 feet; and approximate mean depth of water
#1 - 8 ft.: #2 - 8 feet.	
11. The estimated cost of the proposed work is \$	1500 each
12. Construction work will begin on or before	both completed
13. Construction work will be completed on or b	
	freeze freeze
	(Signature of applicant)
STATE OF OREGON,	
SS.	
County of Marion,	
This is to certify that I have examined the foreg	oing application, together with the accompanying
maps and data, and return the same for COFFECTION	and completion.
In order to retain its priority, this application m	ust be returned to the State Engineer, with correc-
tions on or beforeJuly 3, 1974	
WITNESS my hand this 2nd day of	May , 19 74
RECEIVEL	
HIN 2 7 1974 ca	HRIS L. WHEELER
JUN 2 7 1974 CH STATE ENGINEER SALEM, OREGON	HRIS L. WHEELER STATE ENGINEER

	Quarter of Section 10, Township Willamette Meridian, Josephine		
of the Northeast Quarter of Se	of land situated in the East Half ection 10, Township 39 South, Meridian, Oregon, described as		
Willamette Meridian, and run t South 296 feet; thence West 2	int is 1405 feet South of the last Quarter of the Northeast p 39 South, Range 5 West of the chence East 296 feet; thence		
ALSO, LESS AND EXCEPTING: A tract of land situated in the East Half of the Northeast Quarter of Section 10, Township 39 South, Range 5 West of the Willamette Meridian, Oregon, described as follows:			
Northwest corner of the Northe Quarter of Section 10, Townshi Willamette Meridian, and run t South 296 feet; thence West 2	point is 1701 feet South of the past Quarter of the Northeast p 39 South, Range 5 West of the hence East 296 feet; thence		
	······		
STATE OF OREGON, ss.			
County of Marion,			
This is to certify that I have examined the	foregoing application and do hereby grant the same,		
subject to the following limitations and conditions.	: The right herein granted is limited to the construction		
	5. A.F. from Clapboard Gulch and Reservoir		
	unnamed.stream.to.be.appropriated.under		
	35 for irrigation.		
	48.0		
	storage of acre feet.		
The priority date of this permit is Febr	uary 15, 1974		
Actual construction work shall begin on or	beforeApril 16, 1977 and		
shall thereafter be prosecuted with reasonable dili	igence and be completed on or before October 1, 19.77		
WITNESS my hand this16th day of			
	Come & San		
	WATER RESOURCES DIRECTOR		

Remarks:

Application No. R-51671
Reservoir Permit No.

## PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of February...

Returned to applicant:

Approved:

19.74, at 6.00. o'clock ... A.M.

Recorded in Book No.

Reservoirs, on Page

Drainage Basin No. 15... page 16...

State Engineer

Fees

SP\*44046-119