

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Gilbert C. Lapham
(Name of Applicant)

of Vistillas, County of Lake
(Postoffice)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is Holbrook Reservoir

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Fishhole Creek

tributary of Sprague River

3. The amount of water to be stored is 740 acre feet.

4. The use to be made of the impounded water is Irrigation
(Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 17 and 20 in T. 38 S., R. 16 E., W.M.
(Give sections or townships to be submerged)

(a) State whether situated in channel of running stream and give character of material at outlet
In channel Rock bottom

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

6. The dam will be located in NE¹ of NW¹, Sec. 20,
(Smallest legal subdivision)
Tp. 38 S, R. 16 E, W. M. It will be 25 feet in height,
(No. N. or S.) (No. E. or W.)

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

having a length on top of 180 feet; length on bottom 40 feet; width on top 7 feet slope of front or water side 2 to 1 (Feet horizontal to 1 vertical) slope on back 1 to 1 (Feet horizontal to 1 vertical); height of dam above water line when full 5 feet.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Rock fill - Puddle core - Earth face.

8. The location of wasteway with dimensions are as follows: (State whether over or around the dam) Around west end of dam 18 ft. long by 5 feet deep by 5 feet wide.

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Steel pipe through dam - with iron gate valve at lower end. Iron grating in front of pipe (State whether through or around the proposed dam)

10. The area submerged by the proposed reservoir, when full, will be 68 acres, with a maximum depth of water of 20 feet; and approximate mean depth of water 11 feet.

11. The estimated cost of the proposed work is \$ 3,000

12. Construction work will begin on or before on or before Sept. 1, 1930

13. Construction work will be completed on or before 3 years

Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the State Water Board, accompany this application.

Gilbert C. Lapham (Name of applicant)

Vistillas, Oregon

Signed in the presence of us as witnesses:

(1) J. W. Gritton, Vistillas, Oregon. (Name) (Address of witness)

(2) Paul Barclay, Bona nza, Oregon. (Name) (Address of witness)

Gilbert C. Lapham

Application No. R-13394

Reservoir Permit No. R-640

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of April, 1930, at 8:00 o'clock A. M.

Returned to applicant for correction:

Corrected application received:

Approved:

November 10, 1930

Recorded in Book No. 3 of Reservoirs, on Page R-640

CHAS. E. STRICKLIN

State Engineer.

14 p. 352 a.

\$6.85