* Reservoir Permit No. R 6401

SEP - 3 1975 WATER RESOURCES DEPT. SALEM, OREGON 43

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Joseph T. HART (Name of Applicant)		
of 10993 Sw. No Dakota ST Tigard (City)		
State of Oregon, 97223, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to		
existing rights.		
If the applicant is a corporation, give date and place of incorporation		
1. The name of the proposed reservoir is		
2. The name of the stream from which the reservoir is to be filled and the appropriation made is		
An un named stream		
An unnamed stream tributary of Fanno Creek trib of Thalatin River		
3. The amount of water to be stored is acre feet.		
4. The use to be made of the impounded water is Figh Culture (Irrigation, power, domestic supply, etc.)		
5. The location of the proposed reservoir will be in Sec. 34. (Give sections or townships to be submerged)		
Tp. 15, R. I.W., W.M., in the county of Washing Town.		
(a) State whether situated in channel of running stream and give character of material at outlet		
incommet of runningstream, material		
at siflet-overflow thru spillway		
(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give		
name and dimensions		
6. The dam will be located in SE14 NE 14 Sec , Sec. 34.		
Tp. 15, R. 1W, W.M. The maximum height will be 6 feet above stream bed or ground		
surface on center line of dam. The length on top will be		
surface on center line of dam. The length on top will be 2.10 feet; length on bottom 160 feet; width on top feet; slope on front		
or water side; slope on back; height of dam above water line (Feet horizontal to 1 vertical)		
when full		
without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.		

7. The construction of dam, the material of	f which it is to be built, and method of protection from
waves are as follows: Farth and	crushed rock fill
reinforced with co	egar logs. Poured
Concrete soilluig	y occluded with 2x
671mbers	y ocomiqee with ax
8. The location of wasteway with dimensio	ns are as follows: North Side of
dam 7/2 frwide 4	13 flage p. (State whether over or around the dam)
9. The location of outlet from the prop	posed reservoir, with character of construction and
dimensions, are as follows:(All dams across natural street	am channels must be provided with an outlet conduit, of such capacity and
location to pass the normal flow of the stream at any time)	
·	······································
10. The area submerged by the proposed res	servoir, when full, will beacres,
with a maximum depth of water of	feet; and approximate mean depth of water
feet.	
11. The estimated cost of the proposed wo	Completed.
	ore June. 28 1949.
13. Construction work will be completed o	n or before D-1-5 (Signature of applicant)
	V
STATE OF OREGON, Ss. County of Marion,	
This is to certify that I have examined the	foregoing application, together with the accompanying
maps and data, and return the same for	
mape and data, and recard the dance jor	
In order to retain its priority, this applic	cation must be returned to the State Engineer, with
corrections on or before	, 19
WITNESS my hand this day of	, 19
	STATE ENGINEER
	SIAIS ENGINEER
	By

Unable to locate pages 3 and 4 for permit R 6401 2/17/05