

RECEIVED
JUN 27 1974

* Reservoir Permit No. **R 6415**

STATE ENGINEER
SALEM, OREGON

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Marshall O. Butler (Name of Applicant)

of Et. 1, Box 148 A, Independence, Oregon 97351

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The name of the proposed reservoir is Butler Farm Ponds A, B, & C.

2. The name of the stream from which the reservoir is to be filled and the appropriation made is

~~Seepage area~~ unnamed spring & Canyon Creek

tributary of Spring

Pond A 5.0 Pond B 2.8 Pond C 2.0

See Remarks

3. The amount of water to be stored is 5.0 2.8 2.0 acre feet.

4. The use to be made of the impounded water is Stock water & irrigation (Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 22 (Give sections or townships to be submerged)

Tp. 9 S, R. 4 W, W.M., in the county of Polk

(a) State whether situated in channel of running stream and give character of material at outlet

Ponds A & C Not situated in channel of running stream

Pond B in channel: clay

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions

Pond A: ditch 200' long 1' deep & 1' wide (spring)

Pond C: ditch 1100' long 1 1/2' deep & 1 1/2' wide

spring & Creek

Pond A NE 1/4 NW 1/4
Pond B NE 1/4 NW 1/4
Pond C NE 1/4 NW 1/4

6. The dam will be located in all Sec. 22

Tp. 9 S, R. 4 W, W.M. The maximum height will be 200 feet above stream bed or ground

surface on center line of dam. The length on top will be 150 feet; length on

bottom Pond A 260 Pond B 100 Pond C 50 feet; width on top A-2 B-12 C-12 feet; slope on front

or water side 3:1; slope on back 2:1; height of dam above water line

when full 2.5 feet.

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Compacted earth fill, free from vegetation, brush or roots.

8. The location of wasteway with dimensions are as follows: Pond A around right abutment 8 ft. bottom, Pond B around right abutment 8 ft. bottom, Pond C around left abutment, 8 ft. bottom.
(State whether over or around the dam)

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Pond A 3" valve and steel pipe drain 4" overflow, Pond B 3" valve and steel pipe drain 4" overflow, Pond C 3" valve and steel pipe drain and 4" overflow.
(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)
All drain pipes will have two collars spaced at least 20' apart.

10. The area submerged by the proposed reservoir, when full, will be Pond A .6 acres, Pond B .6 acres, Pond C 1.0 acres, with a maximum depth of water of Pond A - 12 feet; and approximate mean depth of water A-8 feet, B-9 feet, C-19 feet.

11. The estimated cost of the proposed work is \$ A-1,000, B-1,000, C-1,000

12. Construction work will begin on or before July 15, 1974

13. Construction work will be completed on or before Oct. 15, 1976

Marshall O. Butler
(Signature of applicant)

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before February 3, 1975.

WITNESS my hand this 4th day of December, 1974.

RECEIVED
STATE ENGINEER
SALEM, OREGON
DEC 04 1975

CHRIS L. WHEELER
STATE ENGINEER
By Thomas E. Shook
ASSISTANT

Remarks: item 3:

Pond A 1/4 a.f. for stock & 4 3/4 a.f. for irrigation from spring

Pond B 1/4 a.f. for stock & 1.1 a.f. for irrig. from spring; 1/4 a.f. for stock & 1.2 a.f. for irrig. from Creek

Pond C 1/8 a.f. for stock & 3 a.f. for irrig. from spring; 1/8 a.f. for stock & 5 3/4 a.f. for irrig. from Creek.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of Butler Farm Ponds A, B, and C and storage of water from an unnamed spring and Canyon Creek to be appropriated under application No. 51950, permit No. 40286 for irrigation and stock, being 5.0 a.f. in Pond A, 2.8 a.f. in Pond B, & 9.0 a.f. in Pond C.

The right hereunder shall be limited to the storage of 16.8 acre feet.

The priority date of this permit is February 4, 1975

Actual construction work shall begin on or before May 17, 1977 and

shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978.

WITNESS my hand this 17th day of May, 1976

Extended to Oct. 1979

James E. Larson
WATER RESOURCES DIRECTOR
STATE ENGINEER
FH
A

Application No. *P-52126*

Reservoir Permit No. **R 6415**

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the *27th* day of *June*, 19*74*, at *11:50* o'clock *A.M.*

Returned to applicant:

Approved:

Recorded in Book No. of Reservoirs, on Page **R 6415**

State Engineer

Drainage Basin No. *2*..... page *15E*.....

Fees