



7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Completed several years ago - excavation for road fill

8. The location of wasteway with dimensions are as follows: Located at NW corner of reservoir - 2' x 2' x 3' box (State whether over or around the dam)

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Located at NW corner - 10" drain pipe (All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

10. The area submerged by the proposed reservoir, when full, will be 1 acres, with a maximum depth of water of 5 feet; and approximate mean depth of water 3 feet.

11. The estimated cost of the proposed work is \$ Completed

12. Construction work will begin on or before Completed

13. Construction work will be completed on or before Completed

Lowell E. Euker (Signature of applicant)

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By ..... ASSISTANT



Application No. R-54057

Reservoir Permit No. R 6454

**PERMIT**

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23 day of March, 1926, at 11 o'clock A.M.

Returned to applicant:

Approved:

Recorded in Book No. \_\_\_\_\_ of Reservoirs, on Page R 6454

State Engineer

Drainage Basin No. 8 page 38E

Fees 300