* Reservoir Permit No. R-707

ASSIGNED, Sec. Misc. Rec. Vol. 2 , Page 866-68.

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

ASSIGNED, Sec. Misc. Rec. Vol. 2 Page 1/3# -5

I, Howard H. Holland (Name of applicant)
of Portland, County of Multnomah
State of, do hereby make application for a permit to construct the
following described reservoir and to store the unappropriated waters of the State of Oregon, subject to
existing rights.
If the applicant is a corporation, give date and place of incorporation
1. The name of the proposed reservoir is
2. The name of the stream from which the reservoir is to be filled and the appropriation made is
No Name
tributary of North Fork of the Santiem Increased to 25 acre-feet verbally, Aug. 10, 1937, by Mr. Holland after survey had been m
3. The amount of water to be stored is12. (Approximately)
4. The use to be made of the impounded water is <u>storage of logs & mill pond</u> (Irrigation, power, domestic supply, etc.)
5. The location of the proposed reservoir will be in Sec. 19, T. 95., R. 2E., W. M.
(Give sections or townships to be submerged)
pond to be about 3 acres in $NE_{\mathcal{L}}^{1}$ of $SW_{\mathcal{L}}^{1}$ of said section
(a) State whether situated in channel of running stream and give character of material at outlet
gravel
STAVOT.
(h) If not in channel of manning atmosm, at the hour it is to I will I was
(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give
name and dimensions channel of running stream
6. The dam will be located in above Sec
6. The dam will be located in

A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

slope on back feet, width on top feet slope of front or water side retainments of vertex plantants of vertex slope on back feet. Average of the proposed reservoir, with character of construction and dimension are as follows: "A" frame, wood construction 8. The location of wasteway with dimensions are as follows: Three spillways, (State whicher over or second the stand) 9. The location of wasteway with dimensions are as follows: Three spillways, (State whicher over or second the stand) 9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: Above spillways. Small into creak (State whether through or errord the proposed dam) 10. The area submerged by the proposed reservoir, when full, will be 8. Screek are with a maximum depth of water of feet. 11. The estimated cost of the proposed work is \$ Dam \$500.00 Dyke \$1,200.00 Dyke \$1,200.	having a length o	n top of	60 feet	feet; length on bottom
to the construction of dam, the material of which it is to be built, and method of protection from waves are as follows: "A" frame, wood construction 8. The location of wasteway with dimensions are as follows: Thrse spillways, (allae wasteway with dimensions are as follows: 7. The location of wasteway with dimensions are as follows: 8. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: 9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: Above spillways among into creek (when waster broads a sound the proposed team) 10. The area submerged by the proposed reservoir, when full, will be 3 acres acres with a maximum depth of water of feet; and approximate mean depth of water feet. 11. The estimated cost of the proposed work is \$ Dam \$500.00 Dyke \$1,200.00 12. Construction work will begin on or before *August 1, 1957 13. Construction work will be completed on or before 30 days. Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the state of the proposed reservoir and storage works, prepared in accordance with the rules of the state water Board, accompany this application. 14. H. Holland (Nume of applicant) Signed in the presence of us as witnesses: (1) A. M. Hague Portland, Oregon (Address of winter)	900' dyke	feet; width o	n top	feet slope of front or water side(Feet horizontal to 1 vertical)
to the construction of dam, the material of which it is to be built, and method of protection from waves are as follows: "A" frame, wood construction 8. The location of wasteway with dimensions are as follows: Thrse spillways, (allae wasteway with dimensions are as follows: 7. The location of wasteway with dimensions are as follows: 8. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: 9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: Above spillways among into creek (when waster broads a sound the proposed team) 10. The area submerged by the proposed reservoir, when full, will be 3 acres acres with a maximum depth of water of feet; and approximate mean depth of water feet. 11. The estimated cost of the proposed work is \$ Dam \$500.00 Dyke \$1,200.00 12. Construction work will begin on or before *August 1, 1957 13. Construction work will be completed on or before 30 days. Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the state of the proposed reservoir and storage works, prepared in accordance with the rules of the state water Board, accompany this application. 14. H. Holland (Nume of applicant) Signed in the presence of us as witnesses: (1) A. M. Hague Portland, Oregon (Address of winter)	slope on back		(Poot houseastal to 1 months	; height of dam above water line when ful
8. The location of wasteway with dimensions are as follows: Three spillways, (State whether over or around the dann) 9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: Above spillways empty into creek (date whether through a around the proposed dam) 10. The area submerged by the proposed reservoir, when full, will be 3 acres acre with a maximum depth of water of 5 feet; and approximate mean depth of wate 4 feet. 11. The estimated cost of the proposed work is \$ Dam \$500.00 Dyke \$1,800.00 12. Construction work will begin on or before August 1, 1957 13. Construction work will be completed on or before 30 days Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the State Water Board, accompany this application. H. H. Rolland Chame of applicant) Signed in the presence of us as witnesses: (1) A. M. Hague Portland, Oregon (Address of witness)				
8. The location of wasteway with dimensions are as follows: Three spillways, Ossate whether over or around the dam) 5. feet wide, 8 feet high 9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: Above spillways empty into creek (State whether through or around the proposed dam) 10. The area submerged by the proposed reservoir, when full, will be 8 acres acre with a maximum depth of water of 5 feet; and approximate mean depth of water of 1. The estimated cost of the proposed work is \$ Dam \$500.00 Dyke \$1,200.00 12. Construction work will begin on or before August 1, 1957 13. Construction work will be completed on or before 30 days Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the State Water Board, accompany this application. 3. H. Holland OSame of applicant) Signed in the presence of us as witnesses: (1) A. M. Sague Portland, Oregon Cause of witness)	7. The con	struction of o	lam, the material c	of which it is to be built, and method of protection from
8. The location of wasteway with dimensions are as follows: Three spillways, (State whether over or second the dam) 5 feet wide, 3 feet high 9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: Above spillways empty into creek (State whether through or second the proposed dam) 10. The area submerged by the proposed reservoir, when full, will be \$ screek acre with a maximum depth of water of	waves are as follow	lows: "A"	frame, wood co	
9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: Above spillways empty into creek (State whether through or around the proposed dem) 10. The area submerged by the proposed reservoir, when full, will be 3 acres acre with a maximum depth of water of 5 feet; and approximate mean depth of wat 4 feet. 11. The estimated cost of the proposed work is \$ Dam \$300.00 Dyke \$1,200.00 12. Construction work will begin on or before August 1, 1987 13. Construction work will be completed on or before 30 days Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of t State Water Board, accompany this application. H. H. Holland (Name of applicant) Signed in the presence of us as witnesses: (1) A. M. Hague Portland, Oregon (Name) (Name)				
9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: Above spillways empty into creek (State whether through or around the proposed dam) 10. The area submerged by the proposed reservoir, when full, will be 3 acres acre with a maximum depth of water of 5 feet; and approximate mean depth of wat 4 feet. 11. The estimated cost of the proposed work is \$ Dam \$500.00 Dyke \$1,200.00 12. Construction work will begin on or before August 1, 1927 13. Construction work will be completed on or before 30 days Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of t State Water Board, accompany this application. H. H. Holland (Name of applicant) Signed in the presence of us as witnesses: (1) A. M. Hague Portland, Oregon (Address of witness)	8. The loca	ation of waste	eway with dimensi	ions are as follows: Three spillways, (State whether over or around the dam)
are as follows: Above spillways empty into creek (State whether through or around the proposed dam) 10. The area submerged by the proposed reservoir, when full, will be 3 acres acre with a maximum depth of water of 5 feet; and approximate mean depth of wat 4 feet. 11. The estimated cost of the proposed work is \$ Dam \$300.00 Dyke \$1,200.00 12. Construction work will begin on or before August 1, 1937 13. Construction work will be completed on or before 30 days Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of t State Water Board, accompany this application. H. H. Holland (Name of applicant) Signed in the presence of us as witnesses: (1) A. M. Hague Portland, Oregon (Address of witness)	5 feet wi	de, 8 feet	high	
are as follows: Above spillways empty into creek (State whether through or around the proposed dam) 10. The area submerged by the proposed reservoir, when full, will be 5 acres acre with a maximum depth of water of 5 feet; and approximate mean depth of wat 4 feet. 11. The estimated cost of the proposed work is \$ Dam \$300.00 Dyke \$1,200.00 12. Construction work will begin on or before August 1, 1927 13. Construction work will be completed on or before 30 days Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of t State Water Board, accompany this application. H. H. Holland (Name of applicant) Signed in the presence of us as witnesses: (1) A. M. Hague Portland, Oregon (Address of witness)				
are as follows: Above spillways empty into creek (State whether through or around the proposed dam) 10. The area submerged by the proposed reservoir, when full, will be 5 acres acre with a maximum depth of water of 5 feet; and approximate mean depth of wat 4 feet. 11. The estimated cost of the proposed work is \$ Dam \$300.00 Dyke \$1,200.00 12. Construction work will begin on or before August 1, 1927 13. Construction work will be completed on or before 30 days Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of t State Water Board, accompany this application. H. H. Holland (Name of applicant) Signed in the presence of us as witnesses: (1) A. M. Hague Portland, Oregon (Address of witness)		•		
10. The area submerged by the proposed reservoir, when full, will be 3 acres acrewith a maximum depth of water of 5 feet; and approximate mean depth of water 4 feet. 11. The estimated cost of the proposed work is \$ Dam \$300.00 Dyke \$1,200.00 12. Construction work will begin on or before August 1, 1937 13. Construction work will be completed on or before 30 days Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the State Water Board, accompany this application. H. H. Holland (Name of applicant) Signed in the presence of us as witnesses: (1) A. M. Hague Portland, Oregon (Name) (Name)				
with a maximum depth of water of	are as follows:	Above spi	llways empty in	nto creek whether through or around the proposed dam)
with a maximum depth of water of				
with a maximum depth of water of			·	
with a maximum depth of water of	10. The are	ea submerged	by the proposed re	eservoir, when full, will be3 acresacre
11. The estimated cost of the proposed work is \$ Dam \$300.00 Dyke \$1,200.00 12. Construction work will begin on or before August 1, 1927 13. Construction work will be completed on or before 30 days Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of t State Water Board, accompany this application. H. H. Holland (Name of applicant) Signed in the presence of us as witnesses: (1) A. M. Hague Portland, Oregon (Name) (Name)				
11. The estimated cost of the proposed work is \$,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,
12. Construction work will begin on or before August 1, 1927 13. Construction work will be completed on or before 30 days Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of t State Water Board, accompany this application. H. H. Holland (Name of applicant) Signed in the presence of us as witnesses: (1) A. M. Hague Portland, Oregon (Name) (Name)	***************************************	•		Dam \$300.00 Dyke \$1.200.00
13. Construction work will be completed on or before 30 days Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of t State Water Board, accompany this application. H. H. Holland (Name of applicant) Signed in the presence of us as witnesses: (1) A. M. Hague , Portland, Oregon (Address of witness)				
Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of t State Water Board, accompany this application. H. H. Holland (Name of applicant) Signed in the presence of us as witnesses: (1) A. M. Hague (Name) Portland, Oregon (Address of witness)	12. Constr	uction work ı	vill begin on or bef	fore August 1, 1937
State Water Board, accompany this application. H. H. Holland (Name of applicant) Signed in the presence of us as witnesses: (1) A. M. Hague (Name) Portland, Oregon (Address of witness)	13. Constr	uction work ı	vill be completed o	on or before 30 days
State Water Board, accompany this application. H. H. Holland (Name of applicant) Signed in the presence of us as witnesses: (1) A. M. Hague Portland, Oregon (Name) Portland, Oregon (Address of witness)	Duplicate maps	of the propos	sed reservoir and s	torage works, prepared in accordance with the rules of the
H. H. Holland (Name of applicant) Signed in the presence of us as witnesses: (1) A. M. Hague Portland, Oregon (Name) (Address of witness)	_			
Signed in the presence of us as witnesses: (1) A. M. Hague Portland, Oregon (Address of witness)	State Water Do	ara, accompa	Transfer of the second	
Signed in the presence of us as witnesses: (1) A. M. Hague , Portland, Oregon (Address of witness)				(Name of applicant)
Signed in the presence of us as witnesses: (1) A. M. Hague , Portland, Oregon (Address of witness)				
Signed in the presence of us as witnesses: (1) A. M. Hague , Portland, Oregon (Address of witness)				
(1) A. M. Hague , Portland, Oregon (Name) , (Address of witness)				
(Name) Draidal Vail Orogan	Signed in the p	resence of us	as witnesses:	
(Name)	(1) A. M. H	ague		Portland, Oregon
(2) Hugo Hallin Bridal Veil, Oregon. (Name) (Address of witness)		(Name	e)	(AMELINO DE MARIODE)
LINATUP I	(2) Hugo Ha	llin		Bridal Veil, Oregon. (Address of witness)

Remarks:	•••••••	
	*	
	·	
	y	
	·	······································
GT ATT OF OPPOSI		
STATE OF OREGON, ss.		
County of Marion, J		•
This is to certify that I have examined the for		
maps and data, and return the same for correction or o	completion as follows:	
·		
In order to retain its priority, this application	must be returned to the	State Engineer, with correc-
tions, on or before	, 19	· ·
WITNESS my hand this day of		, 19
		State Engineer
STATE OF OREGON,)		
County of Marion,		
This is to certify that I have examined the fore	egoing application and do	hereby grant the same sub-
ject to the following limitations and conditions: The		
construction of a reservoir for the storag		
of N. Fk. Santiam River for log pond purpo	•	
The right hereunder shall be limited to the storage of		·
The priority date of this permit is July 13, 1937 f		
Actual construction work shall begin on or befo		
and shall thereafter be prosecuted with reasonable dil	igence and be completed	on or before
October 1, 1939		
WITNESS my hand this 26th day of	August,	
	CHAS. E. STRICKLI	N •

Application No. 16977
Reservoir Permit No. R-707

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

District No
This instrument was first received
in the office of the State Engineer at
Salem, Oregon, on the 13th day
of July , 19 37,
at 8:00 o'clock A. M.
Returned to applicant for correction:
Corrected application received:
Approved:
August 26, 1937
Recorded in Book No3 of
Reservoirs, on Page R-707
CHAS. E. STRICKLIN. State Engineer

\$6.00

Fees Paid.

2-49