0572

RECEIVED

NOV 1 4 1973 STATE ENGINEER SALEM, OREGON

*Reservoir Permit No. **F.** 7558 £51442

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Bureau of Land Management (Name of	Applicant)
of	Prineville (City)
State of Oregon , 97754 , do here	by make application for a permit to construct th
following described reservoir and to store the unappr	opriated waters of the State of Oregon, subject t
existing rights.	
If the applicant is a corporation, give date and 1	place of incorporation
The name of the property reservoir is	Twelve Mile Reservoir #2 - 0572
(existing structure)	
2. The name of the stream from which the reser	rvoir is to be filled and the appropriation made i
tributary ofSouth Fork Crooked River	
3. The amount of water to be stored is	5.0 acre feet
4. The use to be made of the impounded water is	livestock water (Irrigation, power, domestic supply, etc.)
5. The location of the proposed reservoir will be	
Tp. 20 S., R. 23 E., W.M., in the county of	(Give sections or townships to be submerged)
	ng stream and give character of material at outles
The reservoir is situated in a draw which	is dry except for a short time during
spring run-off.	· · · · · · · · · · · · · · · · · · ·
(b) If not in channel of running stream, state ho	ow it is to be filled. If through a feed canal, give
name and dimensions The reservoir is filled	d from melting snow run-off flowing dowr
the channel in which the reservoir is locate	ted.
, to : , ·	
6. The dam will be located in NE\SE\.	st legal subdivision)
Tp. 20 S., R. 23 E., W.M. The maximum heig	the will be 12 feet above stream bed or ground
surface on center line of dam. The length on top will be	-
bottom 140 feet; width on top	
or water side 3:1 ; slope on back (Feet horizontal to 1 vertical)	2:1 ; height of dam above water line
when full5 feet.	
*A different form of application should be used for the appropriation	on of stored water to beneficial use. Such forms can be secured

waves are as follows:	onstructed of silty clay soil with some gravel
and rocks. No provisions have been	n made for wave action.
8. The location of wasteway with dime	ensions are as follows:(State whether over or around the dam)
The spillway is located around the	north end.
10' bottom: 30' top.	
·	, j
	proposed reservoir, with character of construction and
dimensions, are as follows: No outlet	t conduit has been installed. There is no
normal stream flow. Other than for	r a short period during spring run-off the
location to pass the normal flow of the stream at any time) dam is dry.	and the control of the second
	1_1
	ed reservoir, when full, will be
with a maximum depth of water of	8 feet; and approximate mean depth of water
feet.	
- 11. The resimulated cost of the presence	ds.work is \$338.90
	•
	r before See remarks
13. Construction work ************************************	ted on surveyore May, 1955
	(Signature of applicant)
	(Signature of applicant) Getting District Manager
	\sim
· · · · · · · · · · · · · · · · · · ·	
STATE OF OREGON,	
County of Marion, ss.	
This is to certify that I have examined	the foregoing application, together with the accompanying
maps and data, and return the same for	
In order to retain its priority this	application must be returned to the State Engineer, with
· · · · · · · · · · · · · · · · · · ·	
corrections on or before	, 19
and the second s	
WITNESS my hand this day	y of, 19
	STATE ENGINEER
	Ву

R 51442

Remarks: Existing structure completed May, 1955.
<u> </u>
<u> </u>
······································
•
STATE OF OREGON,)
County of Marion, ss.
This is to certify that I have examined the foregoing application and do hereby grant the same,
ubject to the following limitations and conditions: The right herein granted is limited to the construction
fTwelve Mile Reservoir #2 and storage of water from an unnamed draw for live
stock, and is subject to the installation and maintenance of an outlet pipe, or
to provide other means to evacuate the stored water when determined by the Water
Resources Director to be necessary to satisfy prior downstream rights.
The right hereunder shall be limited to the storage of5.0 acre feet.
The priority date of this permit isNovember 14, 1973
Actual construction work shall begin on or before August 7, 1979 and
hall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980
WITNESS my hand this 7th day of August 19.78.
James E. Slevin
Water Resources Director

R51442

Application No. R-51442
Reservoir Permit No. R 7558

ficial use the unappropriated waters of the State of Oregon.
This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 14th day of November

Approved: 1973, at S.O.O o'clock A.M. Reservoirs, on Page Returned to applicant: Recorded in Book No. Drainage Basin No. 5 page 14 J...of State Engineer