

Application No. R-57327

Permit No. R 7676

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for a Permit to Construct a Reservoir

RECEIVED
APR 21 1978
WATER RESOURCES DEPT
SALEM, OREGON

I, Edwin J. Dennis

(Name of Applicant)

of 3625 PARTLOW Rd

(Mailing Address)

Hood River

(City)

State of OREGON

97031

(Zip Code)

Phone No. 354-1948

do hereby make application for a permit to construct the.....reservoir
and to store the unappropriated waters of the State of Oregon, subject to existing rights.

1. The name of the stream from which the reservoir is to be filled is A Fork of SOUTH PINE CREEK
tributary to Hood RIVER

2. If not in channel of a stream, state how it is to be filled. CONTROLLED OVER FLOW FROM IRRIGATION BOX.

3. The dam will be located in the N.W. ¼ of the NE ¼ of Section 36,
Township 21N, Range 9E, W. M.

4. The maximum height will be TEN feet above stream bed or ground surface at the
centerline. The top width will be EIGHT feet, slope of upstream face 3:1,
slope of downstream face 2:1, and height of dam above water line when full
2 1/2 feet.

5. The dam will be (check one) earthfill, concrete, flashboard, other.
If "other", give description:.....

6. Give the location, description, and dimensions of the outlet conduit:.....

(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

Application No. R-57327


Permit No. R 7676

7. The impounded water will be used for Fish PROPOGATION

8. The amount of water to be stored is 15,000 cu. FT. = ~~2904~~¹³⁴ A.F. acre feet.

9. The area submerged by the reservoir, when full, will be 50' x 75' = 3750 sq. FT. acres,
and the maximum depth of water will be 7' SEVEN feet.

10. Give the location and dimensions of the spillway AROUND 8" dia Round
(State whether over or around dam)



The bottom width of the spillway, B, will be feet.

The top width of the spillway, T, will be feet.

The distance between the crest of the dam and the crest of the spillway, D, will be 2 1/2 feet.
(Must be at least 2 1/2 feet)

If any other type of spillway describe and give dimensions:

8" Round CORRUGATED WATER PROOFED CULVERT PIPE
BURIED UNDER 3' OF EARTH,

11. Construction work will begin on or before JUNE 1ST.

12. Construction work will be completed and the reservoir filled by OCT. 1ST 1978

Remarks: FLOW OF WATER INTO Pond IS CONTROLLED
BY 4" GATE VALVE.

DAM SOIL WILL ALSO BE TREATED WITH
BENTONITE.

.....
.....
.....
.....
.....
.....
.....
.....
.....

Calvin J. Dennis
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before....., 19.....

WITNESS my hand this..... day of....., 19.....

Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
21st day of April, 1928, at 8:00 o'clock A.M.
Application No. R-57327 Permit No. R 7676

Application No. R-57327

Permit No. R 7676

**Permit to Construct a Reservoir
and Store for Beneficial Use the Public Waters
of the State of Oregon**


This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions. The right herein granted is limited to the construction of a reservoir and storage of water from a fork of South Pine Creek to be appropriated under application No. 57328, permit No. 43316, for fish culture.

The right hereunder shall be limited to the storage of 0.34 acre feet.

The priority date of this permit is April 21, 1978.

Actual construction work shall begin on or before September 5, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980.

WITNESS my hand this 5th day of September, 1978.


Water Resources Director